



# index

## A

- AAC. *See* Augmentative and alternative communication (AAC)
- AAE (African American English), 84
- AAF (altered auditory feedback), 185–186
- Abduct, 120
- ABI (auditory brainstem implant), 215
- Ablative surgery, 163–164
- ABR (auditory brainstem response), 208
- Abstract-concrete imbalance, 105, 205
- Abuse and language disorders, 82–83
- Academic coursework requirements for professionals, 244–246
- Academic success and the importance of literacy, 68–69
- Accessory behaviors, 181
- Accreditation of programs, 244
- Acoustic tumors, 202
- Acquired dysarthria, 143–144
- Acquired stuttering, 179
- Adages, 58
- Addition, 168
- Adduct, 120
- ADHD. *See* Attention-deficit/hyperactivity disorder (ADHD)
- Administrators as professionals, 239, 240
- Adolescent
- language development. *See* Adolescent language development
  - language intervention, 91–92
  - language tests for, 271–272
  - in school. *See* Schools
- Adolescent language development, 59–65
- characteristics, 59, 61, 65
  - contrasts and trends, 62–63
  - discourse, 64, 65
  - figurative language and slang, 63, 65
  - overview, 59–61
  - pragmatics, 61, 63, 65
  - semantics, 64, 65
  - syntax and writing, 64, 65
- Adult language disorders, 95–114
- anomic aphasia, 103, 227
  - assessment, 108–110
  - augmentative and alternative communication, 112–113
  - bilingual clients with aphasia, 113–114
  - brain damage and resulting aphasia, 98–99
  - Broca's aphasia–nonfluent, 101–103
  - conductive aphasia, 103–104
  - global aphasia, 104
  - intervention, 110–112
  - Jabberwocky, 101, 102
  - language characteristics of aphasia, 99–100
  - left-hemisphere damage, characteristics of, 104–106
  - neurology of aphasia, 96–98
  - overview, 31, 95–96
  - right-hemisphere deficits, 106–108
  - transcortical aphasia, 104
  - Wernicke's aphasia (receptive aphasia), 100–101
- Adverbial conjunctives, 75
- Adverbs, 75
- Advocates, 237–238
- AEPs (auditory evoked potentials), 212
- African American English (AAE), 84
- Afrikaans language, 7
- Age and language use, 34
- Aging and hearing loss, 200
- Alphabet
- American Fingerspelling Alphabet, 219, 220
  - International Phonetic Alphabet, 159, 160
  - phonetic, 160
  - for written communication, 6
- ALS (amyotrophic lateral sclerosis), 143
- ALS (assistive listening system), 218
- Altered auditory feedback (AAF) device, 185–186
- Alveolar ridge, 155
- Alzheimer's disease, 108
- American Academy of Private Practice in Speech Language Pathology and Audiology, 251–252
- American Community Survey, 24
- American Fingerspelling Alphabet, 219, 220
- American Indian Sign Language, 287
- American Psychiatric Association (APA), 78
- American Sign Language (ASL)
- communication system for hearing impairments, 80
  - defined, 219
  - fluency of deaf children and families, 190, 207
  - as intervention strategy, 287
  - use at schools for the deaf, 250

- American Speech Correction Association, 231
- American Speech-Language-Hearing Association (ASHA)
- aphasia, 99, 106
  - The ASHA Leader*, 256
  - augmentative and alternative communication, 112
  - autism spectrum disorder, defined, 78
  - certificates of clinical competence, 244–247
    - academic coursework requirements, 244–246
    - clinical observation requirement, 246
    - national examination requirement, 247
    - SLP clinical fellowship year requirement, 247
    - supervised clinical experience requirements, 246–247
  - Code of Ethics
    - modifications to, 252–253
    - purpose of, 252
    - referrals to other clinicians, 260
    - rules, 252
    - therapy beyond benefits, 283
    - therapy-outcome research, 235
    - welfare of clients as paramount, 262
  - communication, defined, 15
  - culturally sensitive practices, 23, 85
  - dysarthria communication improvement tips, 143–144
  - dysphagia symptoms, 147
  - evidence-based practices, 29–30, 291
  - hearing disorder, defined, 19
  - history of, 231
  - language disorder, defined, 17
  - language-learning disabilities, 76
  - phonemic inventories, 158
  - phonological disorder, defined, 74
  - purpose of, 231
  - services for students with pragmatic disorders, 74
  - speech disorder, defined, 17
  - traumatic brain injury, 81
- American Tinnitus Association, 199
- Amman, Johann Komad, 228
- Amusica, 107
- Amyotrophic lateral sclerosis (ALS), 143
- Analysis of variance, 306
- Annie E. Casey Foundation, 24
- Anomaly, 128, 164
- Anomic aphasia, 103, 227
- Anosognosia, 107
- Anoxia, 140–141, 205
- ANS (autonomic nervous system), 124
- Anterior open bite, 164
- Antonyms, 52, 75
- APA (American Psychiatric Association), 78
- Aphasia
  - anomic aphasia, 103, 227
  - brain damage and, 98–99
  - Broca's aphasia–nonfluent, 101–103
  - conductive aphasia, 103–104
  - defined, 98
  - global aphasia, 96, 104
  - language characteristics of, 99–100
  - negative reactions to people with, 21
  - neurology of, 96–98
  - stroke as cause of, 98–99
  - transcortical aphasia, 104
  - Wernicke's aphasia (receptive aphasia), 100–101
- Appian Way, 227
- Apraxia of speech
  - causes of, 165
  - cognitive disabilities, 166
  - defined, 130
  - hearing loss, 165–166
  - intervention, 170–171
- Arbitrary relationship between words and referents, 38
- Aristotle, 227
- Articulation
  - disorders. *See also* Speech sounds
    - articulation errors vs., 161–162
    - causes of, 153–154
    - characteristics, 17–18, 153, 161
    - historical terms, 154
    - intervention, 169–170
  - manner of, 157–158
  - place of, 157, 158
  - tests, 272–273
- Articulators, 101, 140, 155
- Artificial larynx, 125
- ASD. *See* Autism spectrum disorder (ASD)
- ASHA. *See* American Speech-Language-Hearing Association (ASHA)
- Asian English, 84
- ASL. *See* American Sign Language (ASL)
- Asperger's syndrome, 78
- Aspiration, 145
- Assessment. *See also* Evaluation
  - administering tests, 270–274
  - aphasia, 108–110
  - articulation tests, 272–273
  - attitude tests, 274
  - baseline, 25
  - benefits and limitations of, 27–28
  - calibrated instrumentation, 27
  - case history, observations, or interviews, 88–89
  - criterion-referenced procedures, 88

- developmental scales, 88
  - dynamic assessment, 89, 275–276
  - dysphagia, 147
  - fluency disorders, 183–184, 185
  - hearing disorders, 208–214
  - interviews with families and caregivers, 26
  - language disorders, 86–89
  - motor functioning tests, 273
  - nonstandardized, 26
  - observation of the client in familiar environment, 26
  - purpose of, 25, 86–87
  - reassessment of client progress, 93, 281–283
  - standardized. *See* Standardized (norm-referenced) assessments
  - valid assessment, 27
  - voice disorders, 132–134
  - Assimilative nasality, 131
  - Assistive listening system (ALS), 218
  - The Association of Teachers of Remedial Speech Training, 230
  - Ataxic cerebral palsy, 141, 144
  - Athetoid cerebral palsy, 141
  - Attention-deficit/hyperactivity disorder (ADHD)
    - central auditory processing disorders and, 213
    - characteristics, 79–80
    - defined, 79–80
  - Attitude tests, 274
  - Audiogram, 210, 211
  - Audiologist
    - ability to motivate clients, 264
    - assistants, 242–243
    - audiological screening, 208
    - belief about the cause of the communication disorder, 263
    - certificates of clinical competence, 239, 244–247
    - clinical research process, 300–308
    - as clinician-investigator, 298–300
    - communication disorder diagnosis by, 15
    - culturally sensitive practices, 23
    - ethics, 252–253
    - evidence-based practices, 297–298
    - function of, 234
    - history of, 231
    - multicultural issues, 253–255
    - needs of, 263–264
    - as a profession, 231
    - responsibilities, 295–297
    - work settings, 247–252
  - Audiometric screening test, 270–271
  - Audiometric tests, 270–271
  - Auditory agnosia, 204, 280
  - Auditory brainstem implant (ABI), 215
  - Auditory brainstem response (ABR), 208
  - Auditory disorders. *See* Hearing disorders
  - Auditory dysfunctions, 107
  - Auditory evoked potentials (AEPs), 212
  - Auditory memory span, 204
  - Auditory nerve
    - damage and resulting hearing loss, 193, 202–203
    - function of, 195, 196
  - Auditory system
    - anatomy and physiology, 193–196
    - auditory nerve, 195
    - central auditory nervous system, 195
    - evaluating integrity of, 210–212
    - inner ear, 195
    - middle ear, 194–195
    - model, 194
    - outer ear, 194, 197
    - sound vibration transmission, 196
  - Augmentative and alternative communication (AAC)
    - aided AAC systems, 113
    - aphasia intervention, 112–113
    - defined, 92, 112
    - after laryngectomy, 138
    - Picture Exchange Communication System, 92–93
    - unaided AAC systems, 112–113
    - use for hearing impairments, 80, 212–213, 214–216
  - Aural habilitation/rehabilitation, 221–222
  - Auricle, 194, 195, 196
  - Authors as professionals, 239
  - Autism spectrum disorder (ASD)
    - defined, 78
    - etiology, 78
    - Hacking Autism website, 93
    - oral language and the bridge to written language, 67
    - visual thinking, 14
  - Autonomic nervous system (ANS), 124
  - Avicenna, Abu Ali Hussain, 228
- B**
- Babbling, 42
  - Bacon, Lord Francis, 228
  - Bar codes, 8
  - Basal ganglia, 127
  - Baseline function, 25, 303
  - Basic episode, 46
  - Basic-needs communication board, 110, 111
  - Behavioral trauma to the larynx, 124, 125, 126
  - Bell, Alexander Graham, 229, 230

- Berlin School of Speech and Voice Therapy, 229–230
- Bilabials, 157
- Bilateral conductive hearing loss, 196
- Bilateral synthesis ability, 204
- Bilingualism
  - clients with aphasia, 113–114
  - language difference vs. language disorder, 83
  - literacy development and, 68
- Biofeedback, 170
- Blissymbolics, 7
- Body language, 5, 6
- Bolus, 145
- Bound morpheme, 37
- Braille, 8
- Brain
  - abscesses, 206
  - cerebellum, 97
  - cerebral cortex, 95, 97–98
  - corpus callosum, 96–97
  - damage and resulting aphasia, 98–99
  - dysarthrias, 129–130
  - insufficient blood flow and central auditory disturbance, 205
  - left cerebral hemisphere, 95, 96
  - left-hemisphere damage, 104–106
    - abstract-concrete imbalance, 105
    - altered relationships, 106
    - catastrophic reaction, 106
    - depression, 106
    - extreme fatigue, 104–105
    - perseveration, 105
    - seizures, 105
    - visual field disturbances, 105
  - lobes, 97
  - neurology of aphasia, 96–98
  - right-hemisphere deficits
    - causes of, 107–108
    - dementia, 107–108
    - traumatic brain injury, 108
    - types of, 106–107
- TBI. *See* Traumatic brain injury (TBI)
- Broca's aphasia–nonfluent, 101–103
- Burns to the larynx, 126
- Businesses as professional work settings, 250
- C**
- CA (communication assistant), 215–216
- Calibrated instrumentation for assessment, 27, 270
- Cancellations, 186
- CANS. *See* Central auditory nervous system (CANS)
- CAPD (central auditory processing disorders), 213
- CAS (child with apraxia of speech), 165, 171
- Case history
  - hearing disorders, 209
  - purpose of, 88
  - speech sound disorders, 167
  - voice disorder, 132
- Catastrophic reaction, 106
- Categorizing words, 54
- CCC (Certificate of Clinical Competence), 239, 243
- Center for Parent Information and Resources, 17
- Centers for Disease Control and Prevention, 79
- Central auditory nervous system (CANS)
  - damage as cause of hearing loss, 19–20
  - function of, 193, 195
  - hearing difficulties from disturbances of, 203–206
- Central auditory processing disorders (CAPD), 213
- Central nervous system (CNS), 96
- Cerebellum, 97
- Cerebral arteriosclerosis, 206
- Cerebral cortex, 95, 97–98
- Cerebral palsy
  - ataxic, 141, 144
  - athetoid, 141
  - as cause of dysarthria, 139
  - as cause of speech problems, 141–142
  - hemiplegia, 141
  - history of records of, 229
  - mixed, 141
  - paraplegia, 141
  - quadriplegia, 141
  - spastic, 141, 144
- Cerebrovascular accident, 143. *See also* Stroke
- Certificates
  - ASHA, 244–247
    - academic coursework requirements, 244–246
    - clinical observation requirement, 246
    - national examination requirement, 247
    - SLP clinical fellowship year requirement, 247
    - supervised clinical experience requirements, 246–247
  - Certificate of Clinical Competence (CCC), 239, 243
- Cerumen, 194
- Cerumen impaction, 197
- Ceruminous glands, 194
- CFCC (Council for Clinical Certification in Audiology and Speech–Language Pathology), 244
- Chief complaint of clients, 269
- Child with apraxia of speech (CAS), 165, 171
- Cholesteatoma, 198
- Cilia, 194

- Classroom discourse, 36
- Classroom-based intervention, 91
- Cleft palate, 164–165, 227
- Clinical evaluation. *See also* Evaluation
  - initial evaluation, questions clinicians ask, 277–281
    - cause of communication disorder, 280–281
    - characteristics of disability and impairment, 279–280
    - client functions within normal limits, 277–279
    - client risk for disorder development, 279
    - clinician providing therapy, 281
  - intervention process, 283–293
    - deciding on therapy, 284
    - defining the communication disorder, 284
    - dismissing the client from therapy, 291–293
    - documenting progress, 291
    - goals of intervention, 284–289
    - strategy development, 290–291
    - strategy implementation, 291, 292
  - procedures, 267–268
  - process, 268–277
    - administering tests, 270–274
    - answering questions, 269–276
    - asking reasonable questions, 268–269
    - dynamic assessment, 275–276
    - hypotheses, 276–277
    - informal observations, 274–275
    - interviews, 275
  - reevaluation questions, 281–283
    - change in severity of disorder, 282
    - client termination of therapy, 283
    - continued improvement of clients, 283
    - disorder remediation/compensatory strategies established, 282–283
    - reasons for reevaluation, 281–282
- Clinical fellowship year requirement, 247
- Clinical observation requirement, 246
- Clinical relationships, 257–265
  - clinician
    - ability to motivate clients, 264
    - belief about the cause of the communication disorder, 263
    - needs of, 263–264
  - defined, 258–259
  - good relationship characteristics, 259–261
  - helping clients believe change is possible, 264–265
  - medical model, 261–262
  - overview, 257
  - participation model, 262–263
- Clinician. *See* Audiologist; Speech-language pathologist (SLP)
- Clinician-investigators, 235, 297, 298–300
- Closed head injuries of TBI, 81
- Cluttering, 178
- CNS (central nervous system), 96
- Cochlea, 195, 196
- Cochlear implants, 214–215
- Code of Ethics of the American Speech-Language-Hearing Association
  - modifications to, 252–253
  - purpose of, 252
  - referrals to other clinicians, 260
  - rules, 252
  - therapy beyond benefits, 283
  - therapy-outcome research, 235
  - welfare of clients as paramount, 262
- Code switching, 83–84
- Codes
  - bar codes, 8
  - Braille, 8
  - computer encryption, 7
  - defined, 7
  - key or translation, 8
  - Morse code, 7–8
- Cognitive decline and hearing loss, 206–207
- Cognitive disability, 77, 166
- Cognitive-sensory impairments, 77–78
- Collaborative service delivery, 258
- Colleges as professional work settings, 250
- Communication
  - between client and clinician, 260
  - codes, 7–8
  - culture and, 11–12
  - defined, 3–5
  - gestural, 5, 6
  - hearing, 10–11
  - language, 8, 10–11
  - manual communication, 219–220
  - modes, 3
  - oral, 5–6
  - oral method, 218–219, 220–221
  - purpose of, 3–12
  - speech. *See* Speech
  - written, 6–7
- Communication assistant (CA), 215–216
- Communication boards or books, 80, 110, 111, 287, 288
- Communication disorder
  - abnormal, determination of, 15–16, 23
  - articulation disorders, 17–18
  - assessment, 24–29
  - autism spectrum disorder, 78
  - classifications, 16–17
  - clinical evaluation question concerning, 280–281
  - culture and, 4–5
  - defined, 4, 15, 174
  - demographics in the U.S., 24

- evidence-based practices for, 29–30
  - fluency disorders, 18
  - hearing disorders, 19–20
  - interpersonal relationships and, 20–22
  - language disorders, 17
  - management and intervention, 28–29
  - multicultural issues, 22–24
  - overview, 1, 13–15
  - prevalence of, 15
  - significant deficits, 20
  - speech disorders, 17
  - speech sound disorders, 167. *See also* Speech sounds, *subhead* disorders
  - visual thinking in autistic persons, 14
  - voice disorders, 18–19
  - Communicative intentions, 42
  - Computer encryption, 7
  - Conductive aphasia, 103–104
  - Conductive hearing loss, 19–20, 165, 196–198
  - Confidence interval, 306
  - Congenital conditions
    - cleft palate, 164–165
    - congenital atresia of the outer ear, 197
    - deafness, 228
    - resulting in voice disorders, 128–129
    - voice disorders, 124
  - Conjoining, 57
  - Conjuncts, 66
  - Consistency effect, 180
  - Consonants, 156–158
  - Consultants, 240, 241
  - Content of language, 38, 44
  - Context of communication
    - cultural context of communication, 12
    - high-context language, 84–85
    - influence of, 4
    - low-context language, 84
  - Contract between client and clinician, 260
  - Contrasts of young children and adolescents, 62–63
  - Conversational code of conduct, 4
  - Conversational competence, 49–50
  - Conversational repair, 45
  - Conversations With Neil's Brain: The Neural Nature of Thought & Language*, 98
  - Conversion disorder, 127
  - Corpus callosum, 96–97
  - Correlation coefficient, 306
  - Cortical stuttering, 179
  - Council for Clinical Certification in Audiology and Speech–Language Pathology (CFCC), 244
  - CPPA (Cycles Phonological Pattern Approach), 169
  - Cranial blow, 205
  - Cricoid cartilage, 120
  - Criterion-referenced procedures, 88
  - Culture
    - bilingual clients with aphasia, 113–114
    - bilingualism, 68, 83
    - code switching, 83–84
    - communication and, 11–12
    - communication disorder vs. cultural variation or custom, 23
    - communication disorders and, 4–5
    - communication variations, 85
    - cultural context of communication, 12
    - Deaf culture, 207
    - Deaf Culture*, 208
    - dialects, 84
    - distance between conversational partners, 85
    - eating, importance of, 145
    - gender and pragmatics, 34
    - impact on communication and disorders, 232–233
    - language difference, 83
    - multiculturalism
      - communication beliefs, 22–24
      - cultural competence by SLPs, 85
      - professional roles, 253–255
      - service delivery to multicultural populations, 254–255
      - understanding by SLPs, 85
    - murder of deformed children, 227
    - negative reactions to people with communication disorders, 21
    - social consequences of falsetto voice, 127
    - Standard English, 83
    - views of communication, 84–85
  - Cycles Phonological Pattern Approach (CPPA), 169
- ## D
- Darwin, Erasmus, 228
  - de L'Épée, Abbé, 228
  - de L'Isère, Colombat, 229
  - Deaf culture, 207
  - Deaf Culture*, 208
  - Deafness, 207–208, 228. *See also* Hearing disorders
  - Decibel (dB), 192–193
  - Decontextualized expository discourse, 50
  - Degenerative disease
    - Alzheimer's disease, 108
    - central auditory disturbance and hearing difficulties, 206
    - dementia, 107–108
  - Delayed auditory feedback, 185–186
  - Dementia, 107–108
  - Demographic profile of the U.S., 24

- Demosthenes, 227
- Dental anomalies and speech sound disorders, 164
- Depression from left-hemisphere damage, 106
- Derivatives, 75
- Desensitization, 186
- Developing language period, 45–48
  - characteristics, 47–48, 49
  - discourse, 49
  - figurative language, 47–48, 49
  - morphology, 46–47, 49
  - phonology, 49
  - pragmatics, 45–46, 49
  - semantics, 49
  - syntax, 46, 49
- Developmental approach to intervention, 25
- Developmental norms, 278
- Developmental scales, 88
- Diadochokinetic rates, 273
- Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)*
  - communication disorders, 78
  - impact on professionals, 255–256
  - social communication disorder, 78–79
  - speech sound disorders, 159
- Dialects, 84
- Diaphragm, 118
- Dieffenbach, Johann Frederick, 229
- Discourse
  - adolescent language development, 64, 65
  - attention-deficit/hyperactivity disorder, 80
  - classroom, 36
  - defined, 35
  - developing language period, 49
  - expository, 36, 50, 51
  - language of learning period, 60
  - narrative, 35
- Disfluencies. *See also* Fluency
  - disfluency behaviors, 176
  - disfluent aphasia, 101
  - disfluent speech, 18
  - normal vs. abnormal, 174–176
  - overview, 173
  - types of, 176–177
- Disjuncts, 66
- Dismissing the client from therapy, 291–293
- Distance rule, 4
- Distortion, 168
- Diversity, prevalence of, 1. *See also* Culture
- Documentation
  - clinician-investigators, 235
  - intervention progress, 291
  - reassessment information, 93
- Double meanings, 39, 40
- Down syndrome, 77
- Drugs and hearing loss, 200–201
- DSM-5. *See Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5)*
- DTTC (*Dynamic Temporal and Tactile Cueing*) for *Speech Motor Learning*, 171
- Dynamic assessment, 89, 275–276
- Dynamic Temporal and Tactile Cueing (DTTC) for Speech Motor Learning*, 171
- Dysarthria, 139–151
  - in adults (acquired dysarthria), 143–144
  - causes of, 140–141
  - cerebral palsy as cause of, 139
  - characteristics, 130
  - in children, 141–142
  - defined, 129, 140
  - intervention, 170–171
  - negative reactions to people with, 21
  - overview, 139
  - speech characteristics, 144
- Dysphagia, 144–150
  - in adults, 148–149
  - assessment and diagnosis, 25
  - causes of, 147, 149
  - in children, 145–148
  - defined, 144–145
  - diagnosis and treatment, 150
  - end-of-life issues, 150–151
  - esophageal phase of swallowing, 149
  - oral phase of swallowing, 149
  - pharyngeal phase of swallowing, 149
  - swallowing, mechanics of, 145, 146
  - symptoms, 147
- Dysphonia, 18, 127
- Dysrhythmic phonations, 177
- Dystonia, 127
- E**
- Ear, anatomy of, 10, 193–196. *See also* Hearing
- EBP. *See* Evidence-based practice (EBP)
- Educators, 236
- Eldridge, M., 227
- Electrolarynx, 137
- ELL (English language learners), 251
- E-mail, 8
- Embedded phrases, 56–57
- Embolus, 99, 205
- Emerging language period, 42–45
  - content/semantics, 44
  - language use/pragmatics, 42–43
  - phonology, 44–45
  - syntax, 44
- Empathy for clients, 259
- Encephalitis, 206
- End-of-life issues, 150–151



- Endoscopic assessment, 147  
 Endotracheal intubation, 125  
 English language  
   African American English, 84  
   Asian English, 84  
   consonants, 156–158  
   English language learners (ELL), 251  
   pronouns, 55  
   Signing Exact English, 219  
   Spanish-influenced (Latino English), 84  
   Standard English, 83  
   vowels, 156  
 Epiglottitis, 145  
 Esophagus  
   speaking ability through, 125  
   swallowing, mechanics of, 145  
 Ethics. *See* Code of Ethics of the American Speech-Language-Hearing Association  
 Etiology  
   central auditory disturbance and hearing difficulties, 205–206  
   defined, 16  
   hypotheses, 276  
   language disorders, 75–83  
     attention-deficit/hyperactivity disorder, 79–80  
     autism spectrum disorder, 78  
     cognitive-sensory impairments, 77–78  
     hearing impairments, 80–81  
     language-learning disabilities, 75–77  
     poverty, abuse, and neglect, 82–83  
     social communication disorder, 78–79  
     specific language impairment, 79  
     traumatic brain injury, 81–82  
   sensorineural hearing loss, 200, 203  
 Eustachian tube, 194, 195, 196  
 Evaluation. *See also* Assessment  
   clinical. *See* Clinical evaluation  
   hearing disorders, 209–213  
   speech musculature, 134  
   voice, 133  
 Evidence-based practice (EBP)  
   ASHA's Evidence-Based Systematic Reviews, 30  
   defined, 29, 291, 297  
   four-step process, 29–30, 297–298  
   as intervention strategy, 291  
   purpose of, 29  
   social influences, 232  
 Expectancy phenomenon, 181  
 Experimenter bias, 296  
 Expert witnesses, 238  
 Expiration, 118  
 Expository discourse  
   defined, 36  
   language of learning period, 50, 51  
 Expressive aphasia, 101  
 Expressive manifestation, 16–17  
 External auditory meatus, 194, 195, 196  
 External intercostals, 118  
 Extrapyramidal systems, 123, 140
- ## F
- Face blindness, 107  
 False vocal fold phonation, 127  
 Familiarity with conversational partners, 34  
 Family-based intervention programs, 90  
 Fatigue from left-hemisphere damage, 104–105  
 FCC (Federal Communications Commission), 216  
 Federal Communication Commission (FCC), 216  
 Fetal alcohol syndrome, 77  
 Figurative language  
   adolescent language development, 63, 65  
   developing language period, 47–48  
   examples, 40  
   language of learning period, 58, 60  
   overview, 39  
 Final consonant devoicing, 168  
 Flaccidity, 140, 144  
 Fluency  
   defined, 18, 173  
   described, 9  
   disorders. *See* Fluency disorders  
   encouraging, in young children, 185  
   normal vs. abnormal, 174–176  
     amount of tension present, 175  
     characteristics of normal speaking, 174  
     distribution in speech sequence, 176  
     duration of individual moments of disfluency, 175  
     frequency of occurrence, 175  
     speakers' awareness/attitude of disfluency, 175–176  
   stuttering, 18  
 Fluency disorders  
   assessment, 183–184, 185  
   characteristics, 18  
   cluttering, 178  
   defined, 18  
   disfluencies. *See* Disfluencies  
   intervention, 184–186  
   neurogenic stuttering, 178–179  
   stuttering. *See* Stuttering  
 Fluent aphasia, 101  
 Form of language. *See* Language form  
 For-profit corporations that sell services to other institutions, 251  
 Fragile X syndrome, 77  
 Free morpheme, 37



Frontal lisp, 164  
 Frontal lobe, 97  
 Functional communication needs, 287  
 Functional hearing loss, 206

## G

Gallaudet University, 208  
 Gender of conversational partners, 34  
 Generative syntax, 37  
 Genetic syndromes causing hearing loss, 191  
 Gestural communication, 5, 6  
 Gestural Morse Code, 287  
 GFTA-2 (*Goldman-Fristoe Test of Articulation, Second Edition*), 167–168  
 Global aphasia, 96, 104  
 Glossary, 309–326  
 Glossectomy, 163, 228  
 Glottals, 157  
 Goals
 

- intervention, 28
- long-term, 28, 284–289
- short-term, 28, 284–285, 289

*Goldman-Fristoe Test of Articulation, Second Edition* (GFTA-2), 167–168  
 Grandin, Temple, personal account of, 14  
 Graphophonemic awareness, 59  
 Group therapy, 90–91

## H

Hand Talk, 287  
 HAPP-3 (*Hodson Assessment of Phonological Patterns-3*), 168  
 Hard palate, 155  
 “Have taken” expression, 56  
 Health-care settings, 248–250  
 H.E.A.R. (Hearing Education and Awareness for Rockers), 201  
 Hearing
 

- anatomy of the ear, 10
- defined, 10
- disorders. *See* Hearing disorders
- loss. *See* Hearing loss
- relation to communication, 10–11

 Hearing aids, 214, 216–217  
 Hearing disorders
 

- assessment, 208–214
- causes of, 19
- deafness, 207–208, 228
- defined, 19
- etiology, 80–81
- hearing loss. *See* Hearing loss
- history of records of, 229
- postlingual deafness, 81
- prelingual deafness, 81
- sign language for. *See* Sign language
- speech sounds and, 165–166
- treatment, 214–221
  - augmentative and alternative communication, 214–216
  - aural habilitation/rehabilitation, 221–222
  - communication strategies, 218–221
  - hearing amplification, 216–217
  - modifying listening environments, 217–218
  - speechreading, 217, 218, 250

 Hearing Education and Awareness for Rockers (H.E.A.R.), 201  
 Hearing Health Foundation, 190  
 Hearing loss
 

- apraxia as cause of, 165–166
- causes of, 196
- central auditory disturbance, 203–206
- cognitive decline and, 206–207
- conductive, 19–20, 196–198
- defined, 189
- determining severity, 212, 213
- functional, 206
- genetic syndromes causing, 190, 191
- mixed hearing loss, 203
- prevalence of, 190
- sensorineural, 20, 198–203
- speech sounds and, 159

 Hematoma, 108  
 Hemiplegia, 141  
 Hemorrhages, 99, 205  
 Hemorrhagic strokes, 99, 105  
 Herodotus, 227  
 Hertz (Hz), 191, 210  
 Hesitation phenomena, 176  
 High-context language, 84–85  
 Hippocrates, 227  
*Hodson Assessment of Phonological Patterns-3* (HAPP-3), 168  
 Homonyms, 52  
 Homophones, 52  
 HPV (human papillomavirus), 128  
 Human papillomavirus (HPV), 128  
 Humor
 

- developing language period, 47–48
- retelling jokes, 47–48

 Huntington’s disease, 143, 206  
 Hyperactivity, 80  
 Hyperkinetic dysarthria, 144  
 Hypernasality, 19, 131, 140  
 Hypokinetic dysarthria, 144  
 Hyponasality, 19, 122, 131  
 Hypotheses
 

- clinical evaluation, 276–277
- etiology, 276
- testing, 277, 278
- therapy outcome, 276–277

**I**

- Identification, stuttering intervention strategy, 186
- Ideographic system of written communication, 6–7
- IEP (Individualized Education Program), 237, 282, 286
- Impulsivity of ADHD, 80
- Incisors, 147, 155
- Incus (anvil), 194, 196
- Independent professionals, 233, 234–235
- Indirect laryngoscopy, 121
- Individual therapy, 90–91
- Individualized Education Program (IEP), 237, 282, 286
- Individuals With Disabilities Education Improvement Act of 2004, 258
- Infections
  - central auditory disturbance and hearing difficulties, 206
  - encephalitis, 206
  - sensorineural hearing loss from, 201–202
- Informal observations, 274–275
- Information
  - defined, 3
  - information counselors, 235–236
  - sharing, by communication, 3–12
- Inner ear, 195
- Inspiration, 118
- Instant messaging, 8
- Integrative treatment model, 258
- Intellectual disability, 77
- Intelligibility
  - severe communication disorders, 287
  - speech sound disorders, 167, 168
  - unintelligible speech, 76, 160
- Intensity of sound, 192–193
- Interjections, 177
- Internal intercostal muscles, 118
- International Association of Logopedics and Phoniatrics, 231
- International Phonetic Alphabet (IPA), 159, 160
- Internet Stroke Center, 112
- Interpersonal relationships
  - interference between speaker and listener, 20
  - negative reactions, 21
  - poor self-image, 22
- Interrogative forms of language, 42
- Interrogatives, 296
- Intervention. *See also* Management of disorders
  - adolescents, 91–92
  - aphasia, 110–112
  - apraxia, 170–171
  - articulation disorders, 169–170
  - augmentative and alternative communication, 80, 92–93
  - classroom-based, 91
  - clinical intervention process, 283–293
    - deciding on therapy, 284
    - defining the communication disorder, 284
    - dismissing the client from therapy, 291–293
    - documenting progress, 291
    - goals of intervention, 284–289
    - strategy development, 290–291
    - strategy implementation, 291, 292
  - developmental approach, 25
  - dysarthria, 170–171
  - dysphagia, 148, 150
  - efficacy of, 28–29
  - family-based programs, 90
  - fluency disorders, 184–186
  - goals and objectives, 28
  - individual and group therapy, 90–91
  - life inclusion intervention, 263
  - measuring progress, 28–29
  - medical approach, 24
  - phonological disorders, 169
  - purpose of, 28, 89–90
  - strategy differences, 226
  - voice disorders, 134–138
- Interviews
  - aphasia assessment, 109
  - for assessment, 88–89
  - with families and caregivers, 26, 275
- IPA (International Phonetic Alphabet), 159, 160
- Itard, J. M. G., 228–229

**J**

- Jabberwocky, 101, 102
- Jokes, retelling, 47–48. *See also* Humor
- Journal of Speech Disorders*, 231

**K**

- Keller, Helen, 229
- Khan-Lewis Phonological Analysis, Second Edition* (KLPA-2), 168
- Klencke, 229
- KLPA-2 (*Khan-Lewis Phonological Analysis, Second Edition*), 168

**L**

- Labio dentals, 157
- Language
  - bilingual clients with aphasia, 113–114
  - bilingualism, 68
  - content, 38, 72, 75

- defined, 8
- figurative, 39, 40
- form of, 36–38
- nonverbal, 38–39
- paralinguistic signals, 38–39
- relation to communication, 10–11
- tests for adults, 272
- tests for children and adolescents, 271–272
- types, 8
- use of, 34–36
- Language content, 38, 72, 75
- Language development
  - adolescents, 59–65
  - children learning language, 40
  - developing language period, 45–48
  - emerging language period, 42–45
  - five-stage model, 40–41
  - language of learning period, 48–59
  - literacy and academic success, 68–69
  - oral language and the bridge to written language, 66–68
  - overview, 33–34
  - prelinguistic period, 41–42
  - young adults, 65–66
- Language difference vs. language disorder, 83
- Language disorders, 71–93
  - abuse and neglect, 82–83
  - adults. *See* Adult language disorders
  - assessment, 86–89
  - attention-deficit/hyperactivity disorder, 79–80
  - autism spectrum disorder, 78
  - causes of, 72
  - cognitive-sensory impairments, 77–78
  - cultural considerations, 83–85
  - defined, 17
  - etiology, 75–83
  - hearing impairments, 80–81
  - intervention, 89–93
  - language content, 72, 75
  - language difference vs., 83
  - language form, 72, 74–75
  - language use, 72, 74
  - language-learning disabilities, 75–77
  - oral language and the bridge to written language, 67
  - overview, 31, 71–72
  - poverty, 82
  - reassessment, 93
  - social communication disorder, 78–79
  - specific language impairment, 79
  - speech–language pathologist services, 72, 73
  - symptoms, 72
  - traumatic brain injury, 81–82
- Language form
  - disorders, 72, 74–75
  - morphology, 37
  - phonology, 36
  - syntax, 37–38
- Language of learning development period, 48–59
  - characteristics, 60
  - figurative language, 58
  - morphology, 57
  - overview, 48–49
  - phonology and phonological awareness, 57–58
  - pragmatics, 49–53
  - semantics, 53–54, 55
  - syntax, 54–57
  - writing, 58–59
- Language use. *See also* Pragmatics
  - defined, 34
  - disorders, 72, 74
- Language-learning disabilities (LLCs), 75–77
- Laryngeal tone, 121
- Laryngeal web, 129
- Laryngectomy
  - defined, 125
  - history of, 229
  - voice disorders related to, 135, 137–138
  - voice disorders unrelated to, 136, 1435
- Laryngopharyngeal, 118
- Laryngoscopic view, 121
- Larynx
  - anatomy, 119
  - artificial larynx, 125
  - congenital mass lesions, 128
  - congenital structural anomalies, 128–129
  - dysphagia in adults, 148
  - function of, 117, 118
  - to produce speech, 8
  - swallowing, mechanics of, 145
  - trauma-related disorders, 124–126
  - voice disorders and, 18
- Le Mounier, 228
- Left neglect, 107
- Left-hemisphere brain damage
  - abstract-concrete imbalance, 105
  - altered relationships, 106
  - catastrophic reaction, 106
  - depression, 106
  - extreme fatigue, 104–105
  - perseveration, 105
  - seizures, 105
  - visual field disturbances, 105
- Level of confidence, 306
- License for audiology and speech–language pathology, 231
- Life inclusion intervention, 263
- Linear relationship, 307

- Lingua alveolars, 157  
 Lingua dentals, 157  
 Lispering, 21, 164  
 Little, William John, 229  
 Little's Disease, 229  
 LLDs (language-learning disabilities), 75–77  
 Lobbyists, 237–238  
 Lobes of the brain, 97  
 Localization ability, 203–204  
 Localization of function, 97  
 Long-term goals, 28, 287–289  
 Loudness of sound, 192–193  
 Loudness recruitment, 199–200  
 Low-contact language, 84  
 Lower motor neurons, 122, 140  
 Lungs, 117–118
- M**
- Magnetometers, 27  
 Malleus (hammer), 194, 196  
 Management of disorders. *See also* Intervention  
   childhood dysarthria, 142–143  
   of communication disorders, 28–29  
   dysarthria in adults, 143–144  
   language disorders, 86  
   speech sound disorders, 168–171  
 Mandible, 122, 155  
 Manner of articulation, 157–158  
 Manual communication, 219–220  
 Marketing representatives, 237  
 Maxilla, 155  
 Maxims, 58  
 Mayo Clinic, hearing aid features, 216–217  
 Mean, 307  
 Mechanical trauma to the larynx, 124–125  
 Median, 307  
 Medical approach to intervention, 24  
 Medical model, 261–262  
 Medicare, 238, 262, 281, 298  
 Medicare Improvements for Patients and Pro-  
   viders Act (MIPPA), 251  
 Ménière's disease, 202  
 Mental retardation, 77  
 Merrill Advanced Studies Center, 79  
 Metacognitive abilities, 50, 52–53  
 Metalinguistic skills, 36  
 Metaphors, 47  
 Metapragmatics, 50, 52, 63, 74  
 Middle ear, 194–195  
 Mills, Charles K., 230  
 Mind experiments, 35  
 MIPPA (Medicare Improvements for Patients  
   and Providers Act), 251  
 Mixed aphasia, 104  
 Mixed cerebral palsy, 141  
 Mixed dysarthria, 144  
 Mixed hearing loss, 203  
 Mode, defined, 307  
 Modes of communication, 3  
 Modification, stuttering intervention strategy,  
   186  
 Modified barium swallow, 147  
 Morphemes  
   bound morpheme, 37  
   defined, 37  
   free morpheme, 37  
 Morphology  
   defined, 37  
   developing language period, 46–47  
   disorders, 74–75  
   language disorders, 72  
   language form, 37  
   language of learning period, 57, 60  
 Morse code, 7–8  
 Motivating the client, 264  
 Motor aphasia, 101  
 Motor functioning tests, 273  
 Motor system, 117, 122–124  
 MS (multiple sclerosis), 143  
 Multiculturalism  
   communication beliefs, 22–24  
   cultural competence by SLPs, 85  
   professional roles, 253–255  
   service delivery to multicultural populations,  
     254–255  
   understanding by SLPs, 85  
 Multiple sclerosis (MS), 143  
 Muscular dystrophy, 124, 140  
 Mutational falsetto, 127  
 Myasthenia gravis, 123, 140  
 Myofunctional therapy, 148  
 Myoneural junctions, 123, 140
- N**
- Narrative development, 50  
 Narrative discourse, 35  
 Narratives of clients and clinicians, 262–263  
 Nasal cavity  
   function of, 118  
   to produce speech, 8–9  
   resonance and, 121  
 Nasal speech sounds, 156–157  
 Nasality, 131  
 Nasogastric tube, 125  
 National Aphasia Association, 259  
 National examination requirement, 247  
 National Health Service Choices, 106  
 National Institute on Deafness and Other Com-  
   munication Disorders (NIDCD)  
   cochlear implants, 215

- prevalence of specific language impairment, 71–72
  - specific language impairment in kindergarten children, 79
  - National Institute on Neurological Disorders and Stroke, 123
  - National Outcomes Measurement System (NOMS), 298
  - National Stroke Association, 98, 104–105
  - National Theatre of the Deaf, 207–208
  - Negation forms of language, 42
  - Negative reactions to people with communication disorders, 21
  - Negative relationship, 307
  - Neglect and language disorders, 82–83
  - Neoplasms, 99, 205–206
  - Neurodevelopmental disorder, 79
  - Neurofibrillary tangles, 108
  - Neurogenic acquired stuttering, 179
  - Neurogenic stuttering, 178–179
  - Neurological disfluency, 179
  - Neuromas, 202
  - NIDCD. *See* National Institute on Deafness and Other Communication Disorders (NIDCD)
  - Noise and hearing loss, 201
  - NOMS (National Outcomes Measurement System), 298
  - Nonreversible passive sentences, 55
  - Nonstandardized assessments, 26
  - Nonverbal language
    - language development, 38–39
    - proxemics, 39
  - Normal distribution, 307
  - Normal limits, 277–279
  - Normal vs. abnormal disfluencies, 174–176
    - amount of tension present, 175
    - characteristics of normal speaking, 174
    - distribution in speech sequence, 176
    - duration of individual moments of disfluency, 175
    - frequency of occurrence, 175
    - speakers' awareness/attitude of disfluency, 175–176
  - Norm-referenced tests. *See* Standardized (norm-referenced) assessments
  - Norms, 87
  - Nottingham Hearing Biomedical Research Unit, 199
- O**
- OAE (otoacoustic emissions test), 208
  - Objective attitude, 236
  - Objectives of intervention, 28
  - Objectivity of clinicians, 262
  - Observations
    - aphasia assessment, 109
    - for assessment, 88–89
    - of the client in familiar environment, 26
    - informal, 274–275
  - Occipital lobe, 97
  - Occlude, 129
  - Occupational therapist, 235
  - Omission, 168
  - Oncologist, 134
  - Onset of the disorders, 16
  - Optometrist, 235
  - Oral cavity
    - function of, 118
    - to produce speech, 8–9
    - resonance and, 121
  - Oral communication
    - defined, 5–6
    - hearing loss and, 220–221
    - purpose of, 218–219
  - Oral language and the bridge to written language, 66–68
  - Oral mechanism exam, 134
  - Oral peripheral exam, 134, 166
  - Orality, 131
  - Oral-to-literate shift, 48–49
  - Orofacial myofunctional disorder, 147
  - Oromo language, 7
  - Oropharynx, 118
  - Ossicles, 194, 195
  - Ossicular discontinuity, 198
  - Otitis media, 197–198
  - Otoacoustic emissions test (OAE), 208
  - Otolaryngologist, 27, 134
  - Otosclerosis, 198
  - Otoscopic examination, 209
  - Outer ear, 194, 197
  - Oval window, 194, 195, 196
- P**
- Palatals, 157
  - Paradoxical vocal fold motion, 128
  - Paralinguistic signals, 38–39
  - Paraphasia, 104
  - Paraplegia, 141
  - Paraprofessionals, 233, 240–241, 258
  - “Parentese”, 41
  - Parietal lobe, 97
  - Parkinson's disease, 123, 143
  - Participation model, 262–263
  - Part-word repetitions, 177
  - Passive sentences, 55–56
  - PECS (Picture Exchange Communication System), 92–93
  - Penetrating injuries of TBI, 81, 205
  - Percentile, 307

- Perinatal anoxia, 141
- Perseveration, 105
- Person-centered planning, 262
- Pharyngeal cavity  
function of, 118  
to produce speech, 8–9  
resonance and, 121  
swallowing, mechanics of, 145
- Pharynx and resonance, 121
- Phonation  
dysrhythmic, 177  
phonatory system, 119–120  
voice disorders, 18
- Phonemes  
age of children producing phonemes correctly, 160  
articulation disorders and, 18  
conduction aphasia, 104  
disturbed ability to segment, 204  
language form, 36  
phoneme collapse, 160  
speech production and, 8–9  
target phoneme, 273  
voiced phonemes, 9
- Phonological disorders  
causes of, 154, 159–160  
characteristics, 153  
defined, 74, 159  
intervention, 169  
phonological processes used by children, 160, 161
- Phonological processes, 160, 161
- Phonology  
defined, 36  
developing language period, 49  
emerging language development period, 44–45  
language disorders, 72  
language form, 36  
language of learning period, 57–58, 60  
phonological processes, 45
- Phrase repetitions, 177
- Physical therapist, 235
- Pictographic system of written communication, 7
- Picture Exchange Communication System (PECS), 92–93
- Pitch of the voice, 120–121
- Place of articulation, 157, 158
- Plethysmographs, 27
- Polio, 140
- Polloway, E. A., 36
- Population, defined, 308
- Positive relationship, 308
- Postlingual deafness, 81
- Postnatal anoxia, 141
- Poverty and language disorders, 82
- Power dynamic of conversational partners, 34
- Pragmatics  
adolescent language development, 61, 63, 65  
attention-deficit/hyperactivity disorder, 80  
defined, 34  
developing language period, 45–46, 49  
disorders, 72, 74  
emerging language development period, 42–43  
factors in language use, 34  
language of learning period, 49–53  
language therapy, 299  
metapragmatics, 74  
mind experiments, 35  
social communication disorder, 78–79  
Social Communication (Pragmatic) Disorder, 255  
stuttering, relationship to, 182–183  
young adult language development, 65–66, 67
- Prelingual deafness, 81
- Prelinguistic period of language development, 41–42
- Prenatal anoxia, 141
- Preparatory sets, 186
- Prepositional phrases, 46
- Presbycusis, 200
- Pre-suppositions, 45
- Private practice, 251–252
- Profession of communication sciences and disorders, 225–256  
administrators, 239, 240  
audiologist. *See also* Audiologist  
assistants, 242–243  
functions, 234  
requirements for becoming, 243–247  
authors, 239  
clinician-investigators, 235  
consultants, 240, 241  
DSM-5 impact on clinical practice, 255–256  
educators, 236  
ethics, 252–253  
expert witnesses, 238  
history, 226–232  
independent professionals, 234–235  
information counselors, 235–236  
lobbyists and advocates, 237–238  
marketing representatives, 237  
multicultural populations, 253–255  
overview, 225–226  
report writers, 236  
researchers, 238–239  
social influences, 232–233  
speech–language pathologist. *See also* Speech–language pathologist (SLP)

- assistants, 240–242
  - functions, 233–234
  - requirements for becoming, 243–247
  - supervisors, 239
  - team members, 236–237
  - work settings, 247–252
  - Pronouns, 55
  - Prosody of speech, 142
  - Prosopagnosia, 107
  - Prosthesis, 164
  - Prosthodontist, 163
  - Proverbs, 58
  - Proxemics, 39
  - Psychiatrist, 135, 235
  - Psychoanalysis, 230
  - Psychological causes of voice disorders, 127
  - Psychologist for voice disorder intervention, 135
  - Psychology Today*, 15
  - Puberphonia, 127
  - Pull-outs, 186
  - Pure tones, 191, 193
  - Pure-tone audiometry, 209–210, 270
  - Pyramidal systems, 122, 140
- Q**
- Quadriplegia, 141
  - Qualitative data, 303
  - Quantitative data, 303
  - Questions during clinical evaluations
    - answering questions, 269–276
    - asking reasonable questions, 268–269
    - initial evaluation, 277–281
    - reevaluation questions, 281–283
    - relevant and answerable questions, 300–303
- R**
- Random error, 308
  - Random sample, 308
  - Range, 308
  - Reassessment of client progress, 93, 281–283
  - Receptive aphasia, 100–101
  - Receptive manifestation, 16–17
  - Receptive–expressive manifestation, 16–17
  - Reevaluation. *See* Reassessment of client progress
  - Referents, 38
  - Regurgitative syntax, 37
  - Relationships
    - altered, from left-hemisphere damage, 106
    - arbitrary relationship between words and referents, 38
    - clinical. *See* Clinical relationships
    - interpersonal relationships and, 20–22
    - linear, 307
    - negative, 307
    - positive, 308
  - Reliable data, 269, 295
  - Report writers, 236
  - Representative data, 269, 295
  - Research process, 300–308
    - answering the questions, 304, 306–308
    - communicating findings, 305–306
    - methodology selection, 303
    - observations, 303
    - organizing data, 303–304, 305
    - relevant and answerable questions, 300–303
    - statistical terms, 306–308
    - theoretical and clinical implications, 304–305
  - Researchers as professionals, 238–239
  - Residential facilities for people with developmental disabilities, 251
  - Resonance
    - vocal resonance disorders, 131–132
    - vocal tract and, 121–122
  - Respect conveyed and language use, 34
  - Respiratory system
    - function of, 117–118
    - lungs, 117–118
    - to produce speech, 8
  - Respiratory therapist, 150
  - Reversible passive sentences, 55–56
  - Revision-incomplete phrase, 177
  - Right hemiplegia, 98
  - Right-hemisphere deficits
    - causes of, 107–108
    - dementia, 107–108
    - traumatic brain injury, 108
    - types of, 106–107
- S**
- St. John of Beverly, 227–228
  - Sample, 308
  - Scattergram, 308
  - Schools
    - classroom-based intervention, 91
    - for the deaf as professional work settings, 250
    - as professional work settings, 247–248, 250
    - SLP services to, 72, 73, 74
  - Scientific method, 246
  - Scope of practice, 231
  - Screening
    - audiometric screening test, 270–271
    - hearing disorders, 208
  - Secondary behaviors, 181
  - SEE (Signing Exact English), 219
  - Seizures from left-hemisphere damage, 105
  - Self-image of people with communication disorders, 22
  - Semantics



- adolescent language development, 64, 65
- defined, 38
- developing language period, 49
- disorders, 75
- emerging language development period, 44
- language disorders, 72
- language of learning period, 53–54, 55, 60
- young adult language development, 65, 67
- Semicircular canals, 195
- Senile plaques, 108
- Sensorineural hearing loss, 198–203
  - aging process, 200
  - auditory nerve damage, 202–203
  - as cause of articulation errors, 165
  - characteristics, 199
  - defined, 19–20, 198
  - drugs, 200–201
  - etiology, 200, 203
  - illustration, 199
  - loud noise, 201
  - loudness recruitment, 199–200
  - Ménière's disease, 202
  - tinnitus, 190, 199
  - trauma, 202
  - tumors, 202
  - viral infections, 201–202
- Sentences, passive, 55–56
- Severity of communication disorders, 17
- SGDs (speech-generating devices), 113
- Short-term goals, 28, 284–285, 289
- Side effects of interventions, 226, 300
- Sign language
  - American Fingerspelling Alphabet, 219, 220
  - American Indian Sign Language, 287
  - American Sign Language (ASL)
    - communication system for hearing impairments, 80
    - defined, 219
    - fluency of deaf children and families, 190, 207
    - as intervention strategy, 287
    - use at schools for the deaf, 250
  - cultural issues, 23–24
  - Hand Talk, 287
  - Signing Exact English, 219
- Significance tests, 308
- Signing Exact English (SEE), 219
- Sine wave, 191, 193
- Single-subject research, 298
- Slang, 63. *See also* Figurative language
- SLI. *See* Specific language impairment (SLI)
- SLP. *See* Speech-language pathologist (SLP)
- SLPA (speech-language pathology assistant), 240–242
- Social communication disorder etiology, 78–79
- Social Communication (Pragmatic) Disorder, 255
- Social workers, 150
- Soft palate, 122
- Sound
  - auditory system, 193–196
  - distortion, 18
  - intensity (loudness), 192–193
  - omission, 18
  - production of, 190
  - substitution, 18
  - waves and waveforms, 190–192
  - word relationships, 75
- Spanish-influenced (Latino English), 84
- Spasmodic dysphonia, 21, 127
- Spastic cerebral palsy, 141, 144
- Spasticity, 140
- Spatial relationships between objects, deficits in
  - recognition of, 107
- Specific language impairment (SLI)
  - etiology, 79
  - prevalence of, 71–72
- Speech. *See also* Fluency
  - aphasia assessment, 109–110
  - characteristics of normal speaking, 174
  - disorders. *See* Speech disorder
  - intelligibility assessment, 167, 168
  - production of, 8–9
  - relation to communication, 10–11
- Speech disorder
  - acquired dysarthria and, 143, 144
  - cerebral palsy as cause of, 141–142
  - defined, 17
  - history of records of, 227
  - history of treatment, 227
- Speech mechanism, 118
- Speech musculature, evaluation of, 134
- Speech sounds
  - consonants, 156–158
  - disorders
    - articulation disorders, 161–162, 169–170
    - assessment, 166–168
    - causes of, 162–165
    - defined, 159
    - management of, 168–171
    - phonological disorders, 159–161, 169
    - verbal apraxia, 165–166, 170–171
  - production of, 154–156
  - voiceless consonants, 154–155
  - vowels, 156
- Speech-generating devices (SGDs), 113
- Speech–language pathologist (SLP)
  - ability to motivate clients, 264
  - abnormal, determination of, 16
  - adolescent communication disorders, 92

- aphasia assessment, 109–110
  - aphasia intervention, 110–112
  - articulation disorders, 153–154
  - assistants, 240–242
  - belief about the cause of the communication disorder, 263
  - central auditory processing disorders evaluations, 213–214
  - certificates of clinical competence, 239, 244–247
  - clinical relationships, 258
  - clinical research process, 300–308
    - as clinician-investigator, 298–300
    - communication disorder diagnosis by, 15
    - culturally sensitive practices, 23, 85
    - dysphagia treatment, 150
    - end-of-life issues, 150–151
    - ethics, 252–253
    - evidence-based practices, 297–298
    - function of, 233–234
    - multicultural issues, 85, 253–255
    - need for knowledge of language development, 33
    - needs of, 263–264
    - responsibilities, 295–297
    - student services, 72, 73
    - work settings, 65–66, 247–252
  - Speech-language pathology assistant (SLPA), 240–242
  - Speechreading, 217, 218, 250
  - Spirometer, 27
  - Spontaneous recovery, 98, 303
  - Stabilization, 186
  - Standard deviation, 308
  - Standard English, 83
  - Standardized (norm-referenced) assessments
    - determining what is abnormal, 16
    - language tests for adults, 272
    - overview, 25–26
    - purpose of, 87–88
    - as valid, reliable, and representative, 295–296
  - Stapes (stirrup), 194, 196
  - Starters, 181
  - Statistically significant difference, 308
  - Sternocleidomastoid muscle, 118
  - Strain gauges, 27
  - Stress as cause of voice disorders, 127
  - Stridency, 131–132
  - Stroke
    - as cause of aphasia, 98–99, 104–105
    - as cause of dysarthria, 140–141, 143
    - hemorrhagic strokes, 99, 105
    - Internet Stroke Center, 112
    - National Institute on Neurological Disorders and Stroke, 123
    - National Stroke Association, 98, 104–105
    - thromboembolic, 99
    - thrombotic, 99
  - Structural irregularities and speech sound disorders, 163–165
  - Students. *See* Schools
  - Stuttering
    - avoidance strategies, 180–181
    - causes of, 181–182
    - characteristics, 179–181
    - as fluency disorder, 18
    - history of records of, 227–229
    - negative reactions to people with communication disorders, 21
    - neurogenic stuttering, 178–179
    - pragmatics, relationship to, 182–183
    - prevalence of, 179
    - Stuttering: For Kids, By Kids*, 177
    - Stuttering Foundation, 173, 177
    - stuttering of sudden onset, 179
  - Substitution, 168
  - Supervised clinical experience requirements, 246–247
  - Supervisors as professionals, 239
  - Support groups, 261
  - Supramarginal gyrus, 103
  - Swallowing
    - disorder. *See* Dysphagia
    - mechanics of, 145
    - normal swallow illustrated, 146
  - Syllabary system of written communication, 7
  - Symbols in written communication, 6–7
  - Synonyms, 52, 75
  - Syntax
    - adolescent language development, 64, 65
    - developing language period, 46
    - disorders, 74–75
    - emerging language development period, 44
    - generative, 37
    - language disorders, 72
    - language form, 37–38
    - language of learning period, 54–57, 60
    - purpose of, 37
    - regurgitative, 37
    - young adult language development, 65, 67
  - Synthesized speech, 113
  - Systematic error, 308
- T**
- T test, 308
  - Target phoneme, 273
  - TBI. *See* Traumatic brain injury (TBI)
  - Team members, 236–237

- Telecommunication relay services (TRS), 215–216, 288
  - Telephones for hearing impaired people, 215
  - Temporal convolution, 100
  - Temporal lobe, 97
  - Temporal processing, 214
  - Temporary threshold shift, 199
  - Tense pauses, 177
  - Terminating therapy, 291–293
  - Testing. *See* Assessment
  - Text telephones (TTYs), 215–216
  - Therapy room, 258
  - Third-party payers, 235, 238, 281
  - Thromboembolic stroke, 99
  - Thrombotic stroke, 99
  - Thrombus, 205
  - Thucydides, 227
  - Thyroarytenoid muscle, 120
  - Tinnitus, 190, 199
  - Tongue
    - resonance disorders and, 131
    - for speech sounds, 155
    - tongue thrust, 147
    - tongue twisters, 103
  - Toxoplasmosis, 77
  - Transcortical aphasia, 104
  - Transcortical motor aphasia, 104
  - Transcortical sensory aphasia, 104
  - Transduce vibrations, 195
  - Trauma
    - as cause of inner ear damage, 202
    - central auditory disturbance and hearing difficulties, 205
  - Trauma-related voice disorders, 124–126
    - behavioral traumas, 124, 125, 126
    - burns, 126
    - dysarthria, 140
    - mechanical traumas, 124–125
  - Traumatic brain injury (TBI)
    - causes of, 81
    - closed head injuries, 81
    - communication problems from, 82
    - cranial blow, 205
    - etiology, 81–82
    - penetrating injuries, 81, 205
    - right-hemisphere deficits, 108
    - secondary brain damage, 81–82
  - Treatment. *See* Intervention
  - TRS (telecommunication relay services), 215–216, 288
  - TTYs (text telephones), 215–216
  - Tulp, Nicholas, 228
  - Tumors
    - as cause of aphasia, 99
    - as cause of hearing loss, 202
    - central auditory disturbance and hearing difficulties, 205–206
    - neoplasms, 99, 205–206
  - Turn-taking, 43
  - Tympanic membrane, 194, 195, 196
  - Tympanogram, 211, 212
  - Tympanometer, 27, 270–271
- ## U
- Unfilled pauses, 177
  - Unilateral conductive hearing loss, 196–197
  - Unintelligible speech, 76, 160
  - Universities as professional work settings, 250
  - Upper motor neurons, 122
  - Use of language. *See* Pragmatics
- ## V
- Valid data, 269, 295
  - Van Riper, Charles, 20
  - Variable, 308
  - Velars, 157
  - Velopharyngeal closure, 156
  - Velopharyngeal port, 131
  - Velum, 122, 140, 142, 155
  - Ventilator dependence, 150
  - Ventricular (vestibular) folds, 127
  - Ventricular dysphonia, 127
  - Verbal apraxia, 165–166
  - Vestibular folds, 127
  - Vestibule, 195
  - Viral infections and hearing loss, 201–202
  - Visual field disturbance, 105
  - Visual thinking in the mind of autistic persons, 14
  - Vocabulary, 38
  - Vocal folds
    - dysfunction, 128
    - examining, 121
    - function of, 118, 119
    - growths, 126
    - opening and closing, 119, 120
    - to produce speech, 9
    - vibration, 120
    - voice disorders and, 18
  - Vocal resonance disorders, 131–132
  - Vocal tract
    - function of, 117
    - to produce speech, 8–9
    - resonance and, 121–122
    - speech mechanism, 153
  - Voice disorders

- apraxia of speech, 130
  - assessment, 132–134
  - brain disorders, 129–130
  - causes of, 18, 19
  - congenital conditions, 124, 128–129
  - defined, 18
  - hygiene and medications, 136
  - hypernasality, 19, 131, 140
  - hyponasality, 19, 122, 131
  - intervention, 134–138
    - augmentative and alternative communication, 138
    - related to laryngectomy, 135, 137–138
    - unrelated to laryngectomy, 135, 136
  - nervous system disorders, 129–130
  - trauma-related disorders, 124–126
  - unknown causes, 126–128
  - voice evaluation, 133
  - Voice mechanism, 117–124
    - changing pitch, 120–121
    - motor system, 122–124
    - phonatory system, 119–120
    - respiratory system, 117–118
    - vocal folds, 120, 121
    - vocal tract and resonance, 121–122
  - Voice services for transgender and transsexual persons, 138
  - Voiced phonemes, 9
  - Voiced speech sounds, 156–157
  - Voiceless speech sounds, 156–157
  - von Hahn, Johann Gottfried, 228
  - Vowels, 156
- W**
- Waves and waveforms, 190–192
  - Web sites
    - aphasia, 100, 106
    - articulation disorders, 18
    - articulators, 161
    - artificial larynges, 137
    - Broca's aphasia, 102
    - clinical relationships, 259
    - dysarthria, 140
    - Evidence-Based Systematic Reviews, 30
    - fluency disorders, 18
    - glossectomy, 163
    - Hacking Autism, 93
    - hearing loss and speech sound disorders, 166
    - myasthenia gravis, 123
    - Parkinson's disease, 123
    - spasmodic dysphonia, 127
    - stuttering, 173, 186
    - transgender and transsexual voice services, 138
    - vocal fold vibration, 120
    - voice disorders, 19
    - Wernicke's aphasia, 101
  - Wernicke's aphasia (receptive aphasia), 100–101
  - Wernicke's area, 100
  - White lies, 5
  - WHO (World Health Organization), 166, 279
  - Words
    - categorizing, 54
    - disturbed ability to relate heard words to experience, 205
    - repetitions, 177
    - word-finding problems, 76
  - Work settings for professionals, 247–252
    - businesses, 250
    - colleges and universities, 250
    - health-care settings, 248–250
    - private practice, 251–252
    - for-profit corporations that sell services to other institutions, 251
    - residential facilities for people with developmental disabilities, 251
    - schools, 247–248
    - schools for the deaf, 250
  - World Health Organization (WHO), 166, 279
  - Written communication
    - adolescent language development, 64, 65
    - defined, 9
    - language of learning period, 58–59, 60
    - oral language and the bridge to, 66–68
    - purpose of, 7
    - symbols, 6–7
    - young adult language development, 65, 67
- Y**
- Yates, 229