

# Index

## A

Achalasia, 107, 108, 154, 562  
Allergy, 22–23, 55, 173, 270, 320, 326, 342, 350, 390, 398, 498, 570, 574, 598, 602  
    to foods, 12, 18–19, 108, 112, 114, 178, 182, 318, 324, 327, 337, 342–347, 558–559, 566, 570, 574–575, 580, 603, 614, 620, 636, 676, 678  
    and constipation, 109, 112, 570  
    signs and symptoms of, 112, 318, 342–346, 348, 390, 558–559, 566, 574, 620, 676  
    testing for, 114, 345, 566, 676  
Anal atresia, 103  
Anthropometric measures, 313  
Antibiotics; *see also* specific drug name, 111–112, 342–343, 558  
    and nutrition, 338, 341  
Anticonvulsants; *see also* specific drug name, 132, 341, 377, 650  
Aortic stenosis, 105  
Aryepiglottic folds, 44, 46  
Arnold Chiari malformation, 575  
Aspiration, 47, 51, 100, 106–107, 111, 135, 140, 143–144, 146, 153–155, 164, 210, 213, 267, 302, 334, 347–349, 387, 390, 469–470, 486–487, 490, 541, 545, 559, 564, 566–567  
    avoidance of, 512, 606  
    silent, 141–142, 189, 202, 611

in tube-fed infants, 145, 189, 200, 533–534, 585, 588, 598–599, 603, 605–606, 610–611, 613  
Assessment, 15, 59–61, 94, 139, 146, 157–188, 205, 209, 213, 215, 218, 222–223, 240–241, 252, 312, 495, 537, 540, 555, 619, 621, 624, 625, 631, 692–693  
    definition of, 6  
    intuitive approach to, 159  
    pre-feeding, 175, 179, 184  
    rational approach to, 159  
Atrial septal defect, 105  
Attachment, 32–33, 118, 164, 543, 558, 561, 587, 592, 598  
Auditory sensory information, 246, 253, 277, 285, 413, 447, 524  
Autism, 672–681  
    and food allergy, 343, 345, 676, 681  
    and hypersensitivity, 669  
    and mealtime communication, 382, 671, 678–679, 681  
    and motor planning deficits, 671  
    and nutrition, 318, 321, 677–678, 681  
    and sensory overload, 382, 670–671, 681  
**B**  
Babkin's reflex, 76  
Backward chaining, 296, 515–516, 667  
Balance and equilibrium; *see also* Vestibular sensory information, 62–64, 73, 90–91, 109, 217, 278–279, 299–300, 347, 390, 404–405, 433, 511, 516, 603, 686, 688  
Behavior, 2, 5, 24, 61, 72, 97, 117, 133, 152, 162, 206, 210, 211, 212, 217, 218, 240, 241, 242, 252, 253, 256, 262, 263, 285, 316, 345, 347, 361, 362, 382, 387, 395, 450, 453, 457, 491, 492, 497, 509, 515, 534, 537, 539, 559, 566, 569, 673, 677, 681  
    and food, 6, 16–17, 19, 24, 26, 30, 32, 61, 99, 115, 117, 126, 136, 149, 163–164, 166, 168–169, 191, 197–203, 207, 209–210, 237, 250, 255, 261, 265, 267, 271–276, 301, 345–347, 354–355, 387, 410, 426, 428, 474, 488, 538, 545–546, 561, 575, 606, 611, 617, 621, 625, 629–630, 636, 639–642, 647, 669, 672, 675–676, 681, 684–685, 691, 693  
mealtime, 17, 26, 99, 115, 126, 136, 164, 166, 190, 197, 199, 203, 207, 216, 249, 251, 254, 266, 273–276, 410, 426, 546, 561, 566, 608, 625, 631, 639, 640–642, 669, 671, 678, 693  
    observation of, 17, 26, 164, 166, 197, 199, 207, 247, 255, 266, 274, 426, 678  
modification, 201, 221, 265, 271–276, 546, 611, 639, 647  
Bile, 46  
Bite, 39, 186, 226, 228, 238, 412, 440, 450, 456, 529, 663  
    facilitation of normal pattern, 394–395

**Bite (continued)**

jaw movement in, 53, 61, 63, 68, 80, 82, 85–89, 91–93, 121, 125–126, 135–136, 219, 227, 229, 357–366, 375, 395, 406, 413, 416, 431–433, 446, 467, 471, 475–479, 501, 607  
jaw stability and, 53, 63, 68, 80, 125–126, 136, 219, 358–360, 362–363, 375, 392, 431–433, 446, 449, 453, 456–467, 471–473, 478  
treatment options and selection criteria, 167–174, 186–187, 189–190, 193, 196–197, 205–206, 209–213, 235–237, 239, 257, 357–401, 413, 429, 431–433, 441, 447–450, 453, 467, 471–473, 475–479, 485, 487–488, 497–502, 607, 639  
problems with, 102, 115–116, 121, 125, 132, 135, 167, 188–193, 196–197, 239, 357, 359, 373–375, 377–381, 394–395, 448–449, 470, 487–488, 607, 641, 644, 656, 683  
types of, 92–93, 125–126, 136, 357, 360, 363, 413

**Blindness, see Visual Impairment**, 189, 284, 659–668

**Body alignment**, 226, 298, 302, 446, 448, 450–451, 456, 550

**Body Alignment for Seating and Positioning Checklist**, 309–310

**Bolus**, 44–46, 48–50, 53–54, 71, 78, 83, 92, 107–108, 126–129, 132–135, 141, 150, 170, 192, 202, 210, 213, 219, 227, 349, 359, 367–370, 372–373, 376, 384, 387–389, 391–392, 398–401, 413, 433, 435, 438, 469, 471, 485–487, 490–491, 512, 533, 542, 558–559, 562, 567, 575, 579, 599, 606–607, 644, 657, 689  
size, 140, 146–148, 266, 389, 547, 602  
in tube feeding, 190, 211, 266, 275, 295–296, 560, 588–589, 592, 602, 612, 615–616, 639

**Bottle-feeding**, 33, 35, 39, 54, 69–72, 165, 200, 250, 295, 319, 322, 337, 344, 350, 358, 370, 386, 399, 468, 499, 508, 532, 538–539, 543, 546–547, 593–594, 601, 627, 659–660, 662–663, 673, 692  
with cleft lip or palate, 98, 519, 652, 654–655  
coordination of breathing with, 53, 84, 114, 267, 388, 392–393, 474, 551, 613  
developmental sequence of, 78, 385, 508  
position for, 34, 73, 190, 294, 296, 383–384, 460–461, 474, 509–510, 551, 600, 654–655  
and sucking difficulty, 30, 34, 78, 98, 116, 125–126, 128, 136, 372, 461, 541, 545, 571

**Bottles**, 16, 24, 30, 33–35, 39, 53–54, 60–61, 65, 67, 72–73, 76–78, 81, 84–85,

89–92, 98, 102, 114–116, 125–128, 134–136, 140, 142, 148, 190, 193, 200, 216, 250, 264, 267, 294, 296, 349–350, 372, 380, 385, 388, 398, 437, 460–463, 471, 474, 483, 495, 503, 508, 510, 511–512, 516, 518–520, 523, 531–532, 540–541, 543, 545–546, 551, 556, 571, 601, 612–614, 631, 652, 654–655, 658–663, 673  
criteria for, 498–499  
products, 497  
variations in, 468, 509

**Brain**, 47, 107, 131, 142, 159–160, 254, 264, 283, 301, 316–317, 320, 327–328, 344, 346, 382, 534, 577, 609, 675–677  
dysfunction, 67, 122, 301, 327, 371, 382, 392–393  
sucking rhythm and, 67

**Breast-feeding**, 9, 34, 39, 53–54, 61, 70–73, 75, 78, 99, 102, 118–119, 134, 153, 165, 176–177, 179, 207, 316, 319, 321, 337, 344, 350, 383–384, 386, 392, 399, 462, 474, 498–499, 503, 532, 538, 541, 543–544, 547–549, 593, 613, 627, 652, 659–660, 673, 692  
with cleft lip/palate, 653–654  
football hold in, 546, 653  
positions for, 546, 653–654, 693  
and sucking difficulties, 77, 91, 206, 545, 601

**Breathing patterns**, 48, 51, 56, 67, 84, 161, 189, 197, 206, 210, 297, 356, 366, 368, 383, 474–475, 541, 548, 598, 688

**Bronchopulmonary dysplasia**, 107, 110, 114, 127, 135, 200, 267, 350, 368, 392–393, 564, 626

**Bronchoscopy with bronchoalveolar lavage**, 154

## C

**Candida albicans**, 112, 342–343

**Capital extension**, 356, 362, 365–366, 368–369, 372, 376, 383, 464

**Central nervous system damage**, 122, 378, 428, 569

**Cerebral palsy**, 61, 122–124, 160, 189, 312–314, 318, 332, 345, 355, 397, 621

**Cervical auscultation**, 147

**Cervical spine damage**, 371

**Cervical vertebrae**, 45

**Chewing**, 13, 25, 29–30, 39–40, 43, 45, 48–49, 51, 53–54, 59, 61, 63–64, 67–68, 71, 75–76, 84–85, 87, 89, 92–95, 98, 102, 115, 121, 125–126, 128–129, 134, 167, 170, 186–187, 189, 192, 202, 204, 209, 215, 219, 227–228, 239, 247, 256, 259,

270, 279, 283, 287, 295–297, 313, 327, 348, 355, 357–359, 361, 364, 366–375, 378, 380–382, 389, 392, 397, 412–413, 416, 432–435, 437, 440–441, 450, 478–481, 484–485, 487–488, 491, 494, 498, 500, 511, 517, 531–533, 558, 571, 575, 596, 625, 644–645, 649, 655–657, 662, 664, 666, 670–671, 681, 683–687, 689–690  
facilitation of, 394–396  
movements, and food transitions, 66, 400–401, 454, 486

**munching**, pattern of, 65, 86, 88, 91, 135, 229, 395, 396, 401, 477

**Chin-tuck position**,  
for feeding, 258, 550, 603  
and swallowing, 258

**Choanal atresia**, 100

**Choking and gagging**, 22, 25–26, 48, 51, 65–66, 71, 75, 83–85, 92–93, 141, 202, 204, 238, 250, 264, 275–276, 289, 297, 302, 412, 420, 438, 484, 492, 512, 524, 547, 576, 578–579, 631, 645, 655, 661, 670  
problems, 23, 28, 47, 91, 94, 102, 106–107, 114–115, 118, 132, 134, 154, 161, 192, 200, 203, 208, 241, 256, 328, 347, 379, 384, 386, 389–390, 393–395, 398–400, 487–491, 521, 540–541, 552, 555, 558–562, 564, 567–569, 574–575, 578, 586, 605, 627–628, 634, 640, 644, 656

**treatment options and selection criteria**, 95, 154, 160, 189, 192, 203, 210, 213, 219, 241, 379, 384, 386–387, 389–390, 393–395, 398–400, 433, 441, 469, 475, 485, 487, 489–491, 493, 534, 555, 557–559, 562, 564, 568, 574, 589, 601–602, 604, 639–640

**Chronic intestinal pseudo-obstruction (CIP)**, 109

**Cleft lip**, 98, 101, 190–191, 376, 651, 653–658  
bilateral, 649–651, 653

**Cleft lip or palate**,  
and breast-feeding, 78, 652–654  
causes of, 377, 650  
and feeding, 98, 101, 128, 190–191, 297, 376–377, 649, 651–658  
and nasal reflux, 128, 376, 438  
in older children, 438, 519, 657  
resources for, 653–656  
and tongue retraction, 101, 128, 366

**Cleft palate**, 78, 101, 128, 173, 190–191, 297, 366, 376, 438, 519, 651–658  
bilateral, 649–650

**Communication**, 5, 9, 12, 24, 67, 92, 122, 124–125, 136, 170, 197, 205–207, 215–216, 224, 229, 236, 238–239, 242,

257, 272–273, 301, 321, 351, 353, 418, 451–452, 531, 537, 557, 596, 600–601, 605, 608–609, 617, 621, 672, 675, 678 and crying, 206–208, 257, 262, 661 environment, 3, 8, 28–29, 171–172, 207, 224, 236, 238, 245, 251, 253, 260, 262–263, 270, 276, 382, 419, 447, 608, 627, 681 at mealtime, 13, 25, 27–33, 61, 67, 97–98, 119, 160–162, 166, 171–172, 174, 199, 218, 237, 241, 245–246, 249, 251, 253, 255, 259–264, 266–271, 274, 276, 294–295, 305–306, 330, 357–358, 360, 362, 364–365, 367, 369, 373, 379, 380–382, 384–385, 389, 394, 408, 410, 419, 422–425, 427–428, 447, 475, 491–492, 507, 521, 539, 558–559, 574, 595, 602, 607, 621, 627, 631, 646, 655, 659–660, 663, 671, 673, 679, 681, 692–693 nonverbal, 174, 195, 218, 237, 245, 254, 260, 263, 669, 671, 678

Compensatory patterns, 129–130, 301, 304, 363

Congestive heart failure, 110, 588

Constipation, 24, 109, 316, 318, 341, 348–351, 555, 560–561, 570–573, 579

Coordination difficulties, 24, 51, 84, 97, 99, 101–102, 105, 109, 111–112, 116, 121, 128–130, 133, 135, 188–189, 191, 200, 202, 206, 208, 267, 293, 313–314, 323, 332, 366, 376, 383–384, 387–394, 400, 438, 473, 488, 490, 534, 541, 558, 562, 568, 587–588, 598, 608, 613, 626–627, 630, 643, 684

Cough reflex, 75, 141

Cranial nerve damage, 55, 374, 569 and drooling, 128 and limited movement, 47–49, 122, 127–128, 189, 370–372, 375, 388, 417 and swallowing, 189, 374–375, 378, 388

Cricopharyngeal sphincter, *see also* esophageal sphincter, 44–45, 49–50

Cup drinking, 25, 39, 59, 72, 82, 92–93, 148, 204, 240, 269, 280, 295–296, 358, 363, 424, 471, 499–500, 517–518, 525, 528–529, 666 coordination of breathing with, 84, 259, 393–394, 474–475, 516, 613 facilitating mature oral movements during, 80, 369–371, 375, 384–387, 432, 463, 466–467, 475, 486 introduction of, 61, 68, 79, 84, 91, 467

Cups, 36, 39, 59–61, 67–68, 72, 79–82, 84–85, 91–93, 125–128, 195, 199, 204, 208, 240, 247, 259, 267, 275, 280, 286, 288–289, 295–296, 358, 362–364, 368–369, 371–372, 375, 385–388, 393–394, 414, 424, 429–430, 432–433,

437–438, 442, 449, 452–453, 462–463, 466–467, 471, 474–475, 483, 486, 495–496, 502–504, 507, 509, 512, 516–524, 531, 546, 571, 576, 587, 609, 612–614, 619, 631, 646, 660, 662–666, 668, 679–681, 686, 689 guidelines for use of, 79, 499–500

## D

Demand feedings, 39, 74, 549

Dental malocclusion, 102, 367, 375

Development, normal, 6, 59, 63–66, 69–70, 76, 81, 83, 87, 91, 94, 124, 126, 136, 192, 249, 252, 283, 337, 369, 377, 385–386, 463, 489, 519, 521, 655, 672 stability in, 363, 387, 391, 396, 432, 467, 472, 476, 622, 683 timing of, 53, 67–68, 71–75, 79, 85, 89, 93, 95, 97, 355, 532

Developmental Pre-Feeding Checklist, global, 60, 697 sequential, 60, 712

Developmental Self-Feeding Summary, 525

Developmentally supportive care, 537–538, 543–544, 551

Diaphragmatic hernia, 103

Diarrhea, 23, 34, 109, 330, 340, 561, 573

Digestive enzymes, 23, 45, 46, 112, 316, 319, 321, 326, 328–331, 340, 342, 538, 675, 677 amylase, 54–55, 85, 327 lipase, 55, 327 protease, 55, 327

Diuretics; *see also* specific drug names, and nutrition, 340–341

Division of Responsibility, 32, 35, 192, 241, 350, 426, 578, 640, 642, 692–693

Down syndrome, 127, 166, 312–313, 368, 534, 622

Drinking process, 79, 280, 302

Drooling, 84–85, 259, 470, 683, 690 control of, 390–391, 472–473 and medications, 349, 390 problem, 128, 373, 390–391, 540, 684 and sensory awareness, 390, 472, 684, 686 snack cap, 472

Dumping syndrome, 108, 351, 555, 570

Duodenum, 45–46, 55, 108, 148, 153, 155, 590

Dysphagia, 1, 274, 502, 692

Dyspraxia, 316, 347, 532, 671, 685, 687

## E

Endoscope; Endoscopy, 102, 146, 147, 152–153, 156, 165, 566, 589, 675

Endotracheal tubes in premature infants, 542

Entrainment, 66–67

Environmental limitations, 28, 97, 115, 118–119, 238, 263, 344, 353, 356, 360–361, 364, 369, 373, 384, 395–397, 421, 451, 477

Environmental sensory variables, 69, 277, 285, 287, 381, 409, 417, 454, 661, 671 analysis, 278, 286, 291

Environmental stimuli, 69, 112, 278, 356, 361, 396, 409, 418, 421, 551, 608 and biting, 286, 357, 364–365, 373, 378–379, 382, 493 and chewing, 534, 543, 550, 556, 558, 565, 570 and gastroesophageal reflux, 275, 389, 493, 610, 630 and jaw retraction, 365 and jaw thrust, 122, 356, 357, 419

Epiglottis, in infant, 51–53, 84 and swallowing, 44, 46, 50, 146

Epipharynx, *see* nasopharynx

Equilibrium reaction, 63, 217, 405, 688

Equipment and feeding, 72, 79, 115, 365, 495–505, 509–510, 513–514, 592–594, 601, 613–614, 654–656

Esophageal atresia, 103–104, 107–108, 147, 150, 190, 193, 562, 575, 587

Esophageal dysmotility, 103, 107, 562–563

Esophageal manometry, 154

Esophageal sphincter, 135, 151 lower, 45, 46, 103, 106–107, 151–152, 154, 296, 300, 328, 347, 550, 561–562, 564, 567, 599 upper, 45, 50, 135, 154, 589

Esophagitis, 54, 106, 152–153, 265, 561, 564, 566–567

Eustachian tube, 44 and middle ear infection, 52, 342

Exaggerated jaw movement, 123, 125, 136, 357–359, 362, 368, 452–453

Exaggerated tongue protrusion, 127, 136, 367–368, 406, 453–454, 518

Experiential limitations, 113–118, 312

emotional experiences, 115

lost experiences, 117–118

mealtime experiences, 115–117, 671

sensory experiences, 99, 113–115, 133, 671

Extension, 63–64, 68, 78, 89, 93, 123, 125, 127–130, 141, 161–162, 197, 199, 206, 212, 216, 258–261, 299, 301, 305, 356, 361–366, 369, 372–373, 376, 383–384, 404, 407, 410, 419, 448, 451, 453, 455–456, 464, 514–516, 541, 548, 550, 552, 603, 613, 667

Extensor muscles, 125

movement and, 63–64, 123, 136, 161, 198, 261, 300, 345, 356, 363–366, 369, 373, 541

Extensor system, 63

External stability, 62, 79, 126, 517, 689

Eye control and positioning, 238, 262, 294, 298, 301, 403, 408

## F

Facial molding and lip retraction, 60, 128–130, 134, 137, 167, 299, 372–373, 385–386, 395, 415–416, 443, 444, 446, 449, 455–457, 459, 463–464, 532

Facial tension and limited upper lip movement, 375, 415–416, 457

Facilitation and movement, 253–254, 301, 304, 383–392, 394–400, 460, 463–464, 466–467, 469, 474–475, 477, 479, 481, 483, 486–488, 491, 510, 593, 603, 607–608

Failure to thrive, *see also* Pediatric under-nutrition, 314, 326, 616, 623–625, 627, 643, 647

Fauzial arches, 44, 605  
anterior, 43  
posterior, 43

Feeding, 7, 9, 13, 18, 20, 23, 29–31, 36, 48, 62–63, 65, 69–70, 81, 83, 87, 103, 108, 115, 127, 129, 150, 176, 180, 182, 193, 194, 201, 203, 205, 210–211, 215, 217, 219–220, 222–223, 227–228, 236, 241–242, 250, 255, 256, 265, 268, 271–272, 275–276, 313–314, 316–318, 321–322, 324, 327, 331, 333, 336, 341–342, 345, 347, 349, 353, 358, 376–377, 381–382, 399–401, 410, 412, 417, 425, 427, 434, 441–442, 448, 483, 492–493, 512–513, 544, 552–553, 558, 560, 565, 567, 571, 574, 576, 578–580, 585, 589, 591, 604, 607, 611, 617, 619, 620, 622, 627, 630, 636, 639–641, 643, 647, 649, 656, 668–672, 675, 679, 684, 689–690, 692, 694

assessment, 4, 6, 61, 94, 139, 149, 157–158, 160, 163–165, 168, 170–174, 184–186, 188, 240, 312, 546, 548, 555, 621, 624–625, 693

and breathing, coordination of, 56, 84, 101, 104, 106, 110, 161, 188–189, 259,

267, 328, 388, 438, 474, 539–542, 547, 551, 588, 626  
during bottle- or breast-feeding, 53, 383, 392–394, 474, 541  
during cup drinking, 85, 393–394, 474–475, 516, 613

equipment for, 22, 79, 191, 245, 286, 301, 304, 350, 365, 461, 495–496, 502–505, 510, 514, 523, 606, 614, 654, 657, 693

criteria for, 495, 497–502

independence and, 15, 17, 35, 38–39, 75, 93, 117, 167, 295–297, 429–430, 491, 501, 507–529, 592, 631, 659, 665–668

limiting movement patterns in, 6, 97, 109, 121, 124, 126, 130, 134–135, 167, 190, 202, 246, 262–263, 301, 332, 354, 356–357, 360–361, 364–365, 367, 369, 371–373, 375, 380, 385–386, 392–393, 395, 421, 429–430, 449, 451–454, 459–463, 465–467, 469, 473, 489, 605

methods of, 66, 101, 296, 366, 373, 515–516, 520, 546, 592, 602, 651–652, 654

parent involvement in, 1, 10, 17, 32, 170, 174, 192, 221, 543–546, 577, 597, 642

patterns and rhythm, 67, 79, 85, 95, 226, 254, 357, 361, 363–364, 366, 398, 461, 474, 480, 542, 599, 606

position, 34–35, 73, 101, 166, 208, 247, 249, 259, 262, 287, 293–306, 402–404, 407–409, 460, 462–463, 466–467, 469, 474, 490, 503, 522, 546, 548, 550–551, 564, 568, 592–593, 600–601, 606, 631, 653–655, 657–658, 693

summary of, 171, 186, 197

process, 24, 32–33, 34, 41, 43, 74–75, 90, 121, 139, 172, 189, 239, 280, 294, 302, 326, 354–355, 374, 392, 499, 507, 515–516, 521, 543, 557, 577, 601, 610, 612, 616, 652–654, 659–660, 662–663, 666

and speech, 102, 172, 219, 370, 373, 375, 416, 531–535, 595, 608, 683, 685–687, 691

system, 3, 46, 55, 67, 92, 100, 102, 106–119, 197, 264, 503, 545, 613, 652, 654–655, 657

anatomy of, 46, 55, 172, 691

Feeding plan, 167

demonstrating, 169

follow-up, 168, 171

steps of, 168

Feeding problems, 2–3, 6, 17–18, 23, 34, 38, 99, 102, 106, 109–110, 114–115, 119, 124, 127–130, 134, 139, 157, 165, 172–173, 191, 194, 197, 251, 266, 287, 295, 312–313, 320–321, 326, 328, 332–334, 336–337, 346, 348, 353–355,

363, 370–373, 383–397, 480, 532–533, 541, 555, 557, 562, 568, 574, 585, 591, 595, 597, 610–611, 613, 619, 621, 624, 626–630, 639, 651, 657, 683, 685, 687, 692

Big Picture model, 205, 208

combination, 133, 192–193

Component Skills model, 208–209, 222

motor-based, 188–189, 356, 377–379, 381–382, 522

pattern clusters, 188

in premature infants, 30, 319, 538, 545, 552–553, 586–588, 623

sensory-based, 189–190, 192, 265, 319, 349, 556, 640

Feeding skills, 25, 90, 104, 164–166, 190,

199, 223, 241, 249, 294–295, 313, 370,

376, 381–383, 386, 392, 399, 417, 547, 620, 664, 687

development of, 2, 32, 34, 59–95,

97–119, 124–125, 135, 167, 173–174, 209, 211, 251–252, 271, 324, 357, 359, 361, 364, 373–375, 377–378, 380, 397, 460, 504, 531–534, 546, 549, 568, 587, 590, 596, 598–599, 610, 659, 683, 690–694

global approach, 5, 60, 89, 160, 211

checklist of, 60, 697

sequential approach, 160

checklist of, 60, 712

in treatment planning, summary of, 171, 186, 197

Feeding therapy for tube-fed children, 595

Feeding tubes, 19, 103, 109, 117, 189, 196, 250, 252, 264, 332, 348, 350, 388, 523, 533, 545, 567–568, 585–617, 625–626, 636

Fiberoptic endoscopic evaluation of swallowing (FEES),  
advantages, 146, 147  
limitations, 147

Fight-or-flight mechanism, 132, 137, 189, 203, 255, 328, 380, 674

Finger-feeding, 295–296, 479, 511–512, 516, 521, 523, 525–526, 545–546

Finger toothbrush, 270, 440, 471

Flexion, 68, 130, 258, 298, 356, 360, 362–363, 365, 402–405, 407–408, 420, 448, 515, 541, 564, 566, 603  
and sucking, 78, 89–90, 123, 126, 372, 383–384, 460, 508, 541, 548, 550

Flexor system, 63

Food, 8, 11, 13, 15, 20–22, 25, 27, 34,

39–41, 44–49, 53, 56, 59–60, 64, 68,

70–71, 76–77, 81–93, 95, 103–104,

110–111, 113, 116, 119, 126–127,

133–134, 137, 140–145, 147, 154–155,

160–161, 163–164, 167–168, 171, 174,

177, 187–189, 191, 193, 196, 199, 202–204, 207–208, 213, 216–217, 219, 227, 229, 237, 241, 245, 249, 251, 254–256, 260, 268, 277, 279–283, 290, 294, 296–297, 299, 311, 313–315, 317, 325, 330–331, 342, 349, 360, 363, 365–366, 370, 372–374, 377–379, 381–382, 388, 391–392, 394, 415–416, 418, 423–424, 433–435, 442, 456, 461, 465, 470, 472, 479–480, 487, 495, 501, 503, 507–508, 514, 516, 520–523, 525–527, 531–532, 553, 557, 574, 577–578, 586, 588, 590, 592, 594, 605, 607–609, 624, 629, 644–646, 658, 660, 662–663, 665–669, 671, 680, 683, 688, 692  
and behavior, 24, 117, 265, 273, 345, 347, 681, 685  
to facilitate oral movement, 51, 63, 65–66, 94, 195, 209, 226, 354, 357, 364, 367–369, 371, 385–387, 395–397, 399–400, 420–421, 429–431, 436, 452, 458, 463, 476–478, 481, 486–489, 493–494, 595, 684–686, 689–690  
for finger feeding, 228, 511, 512  
and gastroesophageal reflux, 19, 23, 26, 52, 106–108, 151, 153, 250, 264, 275, 312, 326, 334, 340, 345–347, 389, 438, 555, 565, 567, 576, 598  
high fiber, 329, 340  
and interference with oral movement, 489  
nutritional value of, 10, 316, 333, 339, 340, 642  
quantity, 74, 173, 239, 276, 321–322, 576, 614, 656  
selection of, 7, 9–10, 17, 312, 324, 329, 336, 338–339, 341, 367, 376, 390, 400–401, 413, 421, 426, 429, 445, 481, 483, 485–486, 489, 606, 625, 642, 674, 676, 690, 693  
sensitivity, 19, 108–109, 112, 114, 287, 334, 337–338, 343–347, 425, 558, 576, 602–604, 670  
and constipation, 316, 351  
transition, 36, 66, 70, 72, 74–75, 91, 102, 258, 287–288, 322–323, 336, 338, 398–401, 437, 454, 462, 471, 477, 481, 483–484, 486, 491, 551–552, 563, 593, 598, 610–616, 625, 627, 656, 673–674, 685, 687  
from liquids to smooth solids, 165, 398–399, 483–484, 563, 613, 685  
from lumpy solids to chewy solids, 75, 91, 400  
from smooth solids to lumpy solids, 36, 75, 91, 399, 484  
vegetable protein, 335

Forks, 39, 40, 41, 289, 295, 513–514, 520, 524–525, 527, 612, 646, 666, 668

Frenulum, *see* Lingual frenulum

Fundoplication, *see* Nissen fundoplication, Thal fundoplication, Toupet fundoplication

## G

Gag reflex, 48, 71, 75, 91, 204, 379, 398–400, 412, 438, 441, 484, 490–492, 644  
hyperactive, 389, 420

Gagging, 23, 83, 107, 132, 154, 200, 202–204, 241, 264, 275–276, 347, 351, 379, 384, 398–400, 420, 438, 485, 487, 489, 492–493, 512, 540, 552, 555, 557, 559–562, 564, 567–569, 574–579, 589, 598, 602, 628, 640, 686  
types of, 71, 102, 241, 389, 490–491, 558  
communication, 241, 389, 491, 558  
coordination and timing, 490  
emotional, 491, 558  
hypersensitivity, 490–491, 558  
motor-based, 558  
mucous, 490, 558  
protective, 490, 558  
structural, 102, 389, 490–491, 558

Gastric emptying, delayed, *see* stomach emptying

Gastroesophageal reflux (GER), 19, 29, 72, 102–103, 108, 114, 142, 146, 148, 150–156, 163, 178, 183, 190, 202, 210, 250, 264–265, 267, 275, 320, 326, 328, 334, 340–341, 346, 355, 387, 389–390, 491, 539, 541, 555–558, 561, 563, 570, 575–576, 579, 590, 598–599, 610, 619–620, 626, 629–631, 634  
medical factors and, 349, 567, 601  
medical management of, 351, 562, 575–576, 589, 601  
possible causes or relationship, 109–110, 149, 338, 490, 550, 559, 564–566, 568, 602  
reduction of, 23, 98–99, 105–107, 112, 296, 319, 338, 342, 490, 493, 550, 552, 562, 566–567, 570, 593, 601, 603

Gastroesophageal scintigraphy: *also* scintigraphy; nuclear scintigraphy; technetium scan, 153, 156, 565

Gastrointestinal discomfort, 24, 100, 114, 152, 190–191, 199, 201–204, 239, 255, 265–266, 274, 331, 338, 341, 343, 555–557, 559, 561–563, 570–571, 573–575, 602, 620, 626, 636, 639, 675–676

Gastroesophageal reflux disease (GERD), 103, 106–107, 152, 558–559, 563–566, 568, 591, 598

Gastroesophageal Reflux Parent Questionnaire, 163, 565, 568, 581–583

Gastrostomy tube, 95, 152, 160, 193, 195–196, 200, 223, 258, 275, 314, 560, 565, 569, 586, 589–590, 594, 616, 639, 640

Grasp, 37, 39, 65, 90, 496, 507–514, 518, 520, 523–524, 577, 666  
refined, with reach, 62–64, 92  
with sucking reflex, 76, 133–134, 653

Growth Charts, 166, 168, 184, 313, 553, 621–624

Gustatory sensory information, 277, 281, 524

## H

Hand over hand, 66, 115, 270, 515–516, 666

Hand under hand, 257, 269, 405, 462, 474, 476, 479, 517, 665

Hand-mouth reflexes, 35, 49, 75–76, 78, 85, 87, 90, 106, 125–126, 129, 131, 134, 188, 238, 260, 364–365, 379, 388–389, 398–400, 412, 441, 449, 456, 470, 472, 476–478, 484, 488, 490, 492, 497, 501, 605, 607, 644, 652

Hard palate, 43, 53, 82, 101–102, 127, 129, 191, 366, 376–377, 420, 438, 471, 650, 685

Head control, 63, 74, 78–79, 85, 90, 142, 166, 209–210, 253, 297–300, 472, 603  
and drooling, 390, 472, 683  
equipment for, 301

Head and spine positioning, 210, 298, 300–301

Hearing; *see also* Auditory sensory information, 5, 169, 208, 285, 379, 382, 492, 626, 670–671

Hemiplegia, and tongue asymmetry, 371

Hemi-Sync, 217, 609, 679

Metamusic, 224, 227, 255–256, 286, 421–422, 474–475, 646  
signals, 254

Hiatal hernia, 103, 564

Hips and pelvis positioning, 298–302, 305, 356, 360, 365, 372, 404, 460, 566

Hirschsprung's disease, 109

Homeostasis; *see also* State of regulation, 32, 538

Hydrochloric acid, 54–55, 108, 112, 319–320, 342, 567

Hyoid bone, 44–46, 48, 50, 52–53, 58, 146, 470

Hyperreaction, 131–132, 137, 199, 246, 356–357, 361, 365, 375, 379–380, 386,

## Hyperreaction (*continued*)

395–396, 418–420, 425, 436, 451–457, 491, 627

Hypersensitivity, 126, 131–132, 134, 136, 227, 261, 341, 358, 364, 369, 379, 384, 400, 444, 446–447, 449, 456, 466, 470, 488, 490–491, 495, 501, 542, 558, 574, 610, 669–670

Hypertonia,  
and gastroesophageal reflux, 389, 599  
and oral movement, 369, 372, 429  
and swallowing, 389, 391, 398–400, 470  
and tongue movement, 369, 371–372, 377, 389, 391, 397, 406, 453, 458, 599  
and tongue retraction, 122, 129, 356, 369, 372, 393, 406, 541  
and tonic bite, 361, 364, 379, 476

Hypopharynx, 44, 146, 151

Hypoplastic left heart, 105

Hyporeaction, 131–132, 137, 246, 372, 377–378, 417

Hyposensitivity, 131–132, 341, 377–378, 542, 610

Hypotonia, 122  
and biting, 359, 406  
of cheeks, 260, 373, 375, 391, 397, 406  
and chewing, 397, 400  
and gastroesophageal reflux, 107, 389, 541, 599  
and jaw instability, 359  
and oral movements, 372, 377, 393, 397  
and suckle pattern, 370, 373, 541  
and swallowing, 389, 391, 400, 607  
and tongue, 370, 372, 377, 391, 397, 406, 453, 607

**I**  
Imagination, 133, 164, 256, 275, 325, 424, 518, 521, 692

Independence and feeding, 15, 17, 25, 36, 38–39, 67, 75, 92, 117, 219, 295, 429, 477, 507, 513, 518, 522–523, 628, 631, 663, 666–667

Individual Education Plan (IEP), 213

Individual Mealtime Plan, 231–233

Infadent *see* finger toothbrush, 440, 471

Information, organizing, 60, 71, 188, 205, 213, 255, 418, 540, 604, 684, 686, 689, 691

Inner awareness; *see also* Proprioceptive sensory information, 204, 266, 281

Instant baby foods, 482, 681

Interaction, 18, 26–28, 33–34, 37, 39, 48, 60, 62, 72, 76, 92, 99, 105, 164, 166, 172, 197, 199, 205, 241, 251, 254, 257, 261,

274, 329, 350, 354, 361, 367, 374, 378, 382, 386, 387, 389–390, 393, 395, 398–400, 444–476, 492, 497, 553, 574, 587, 596, 607–608, 612, 627, 641, 645–646, 655, 659, 661, 670, 677, 691 and communication, 3, 8, 25, 30, 98, 171, 218, 237, 255, 262–263, 268, 294–295, 357–358, 360, 364–365, 369, 373, 379, 381, 384, 394, 408, 410, 595, 600, 617, 660, 669, 693 and positioning, 73, 98, 163, 262, 279, 281, 287, 294–295, 298, 302, 304, 306, 408, 657 reducing negative, 263, 410, 425, 652 and trust, 242, 257, 379, 381, 410, 423, 439, 447, 580, 600, 605, 659

Internal stability, 53, 61–63, 80, 93, 126, 358–359, 363, 435–436, 517, 529, 531, 535, 689

Intraoral space, 52–53, 69

Intrauterine complications, 344

Introduction of liquids or pureed foods, 9, 61, 74, 80, 165, 176, 180, 190, 228, 383, 399, 471, 483, 501, 595, 605, 661–662 medicine dropper with, 606, 613

## J

Jaw, 203, 257, 269, 448, 485–486, 491, 507, 519, 545

and biting, 61, 63, 80, 82, 85–86, 91–93, 98, 121, 125–126, 135–136, 219, 227, 229, 357–364, 366, 368, 392, 395, 406, 413, 416, 431–433, 446, 449, 467, 471–473, 475–479

clenching, 126, 129, 134–136, 202, 263, 360–361, 363, 384, 394–396, 405–406, 446–447, 450, 685

control, 53, 63, 79–80, 90, 125–126, 135, 169, 199, 247, 357–364, 366, 368, 386–387, 391, 394–397, 401, 413, 416, 419, 430–433, 435, 437, 439, 441–446, 449–453, 464, 466–467, 471–473, 476–479, 511, 516–518, 542, 551, 607, 684, 689

and hyperreaction, 357, 361, 395–396, 451–453, 455  
in chewing, 48, 61, 63–64, 66, 86–89, 91–93, 98, 121, 125, 135, 229, 357–359, 361, 364, 366, 368, 392, 395–397, 401, 413, 416, 433, 477–480, 488, 517, 533

and feeding, 48, 77, 95, 133, 167, 169, 172, 198–199, 272, 354–366, 385–386, 394, 424, 434–435, 449, 452–454, 461, 463–465, 473–474, 532, 545, 548, 551, 616

instability, 125–126, 129, 135–136, 358–359, 362, 374, 391, 476, 516

jaw joint, *see* Temporomandibular joint lower jaw, 43, 48, 50, 52, 69, 77–78, 95, 101, 125, 136, 365–366, 386–387, 391, 405 movement, 48, 53–54, 61, 63–64, 66–68, 71, 77–82, 85–93, 95, 97–98, 121–123, 125–126, 129, 134–136, 198, 208, 210, 219, 226–227, 229, 239, 247, 257, 279, 305, 356–366, 368, 374–375, 383–386, 388, 395–397, 405–407, 413, 415–416, 424, 430–433, 437, 442–446, 449, 451–453, 455, 458, 460, 462–464, 466–467, 469, 473, 475–481, 488, 501, 516, 532–535, 542, 607–608, 684, 686–687, 689 retraction, 50, 52, 122–123, 125–126, 129–130, 136, 199, 299, 365–366, 383, 405–406, 454–456, 460, 465, 607 stability, 53, 61, 63, 66–68, 78–82, 85–86, 93, 95, 125–126, 129, 134–136, 219, 358–360, 362–363, 368, 375, 386–387, 391–392, 395–397, 406–407, 430–433, 435, 442, 444–446, 449, 452–453, 464–467, 471–473, 475–479, 517–518, 535, 683–684, 686–687, 689 and drinking, 68, 79–80, 82, 85, 93, 219, 296, 358–359, 363, 375, 387, 432, 466–467, 472, 517–518, 535, 686–687, 689 and sucking, 53, 61, 79–80, 89–90, 471, 542 thrust, 122, 124–125, 129–130, 134–136, 198–199, 356–357, 384, 394–395, 405–406, 418–419, 424, 431, 451–452, 465, 473, 477, 479, 497–498, 607 treatment options and selection criteria, 198–199, 356–357, 368, 394–395, 419, 431, 451, 477, 479, 497–498, 607 upper jaw, 43, 650–651, 656

Jejunum, 46, 568, 589–590  
jejunum tube, 590

## K

Keys to learning, 197, 199

Kyphosis, 110

## L

Lact-Aid, *see* Supplemental Nursing System

Large intestine, 46, 55–56, 109, 316, 340, 348

Laryngomalacia, 104–105, 107, 111, 146

Laryngoscopy, 154

Larynx, 47–49, 58, 105, 107, 111, 142, 146, 470, 533, 564, 608  
in the infant, 51–53, 84

- relationship to epiglottis, 44, 46, 50–53, 84
- Lasix and mineral excretion, 341
- Leaky gut, 112, 343, 676
- Learning, 8, 18, 30, 37, 39, 75–76, 79–80, 85, 91, 130, 174, 195–199, 201, 206–207, 220, 229, 236, 241, 250, 256, 258, 263, 269, 273, 280, 295, 305, 323–324, 330, 336, 346–347, 351, 353–354, 359, 395, 410–411, 414, 418, 427–428, 441, 457–466, 474, 486, 495–496, 501, 508, 512–513, 515, 518, 521, 523, 533, 540, 545, 585, 587–588, 598, 600, 611, 614, 621, 628, 630, 640, 646–647, 656, 658, 666, 671, 678, 680, 683–684, 686, 690, 692–693
- approach to, 5, 26, 60, 160, 168–170, 197, 253, 261, 271, 274, 304, 477, 534, 544, 665, 667
- communication of attitudes and beliefs in, 251
- environment, 5, 28, 33, 38, 72, 170–171, 208, 221, 227, 238, 246, 249, 251–254, 260, 270–271, 276, 285–286, 551, 608–609, 659, 681
- expectations in, 22, 251–253
- keys to, 5, 199
- limitations, 40, 98, 113, 121, 252–253, 259, 372, 389, 476, 477, 639, 664
- maximizing ability in, 249
- for neurologically impaired children, 125, 599, 604, 608
- principles of, 247, 249, 257, 275, 520
- sensory modalities in, 5
- style of, 6, 21, 60, 168–170, 237, 247, 249, 253, 257, 286, 355, 610
- suggestion and, 253–256, 413, 642
- and trust, 34–35, 205, 242–243, 257, 355, 365, 419, 423, 439, 575
- Left hemisphere of brain, 159
- Limbic system, 159, 283
- Lingual frenulum, 102, 397
- Lips, 3, 26, 35, 43, 46–47, 49, 55, 67, 72, 98, 132, 154, 160, 191, 202, 204, 296, 327, 334, 354, 387, 394, 420, 432, 439, 458, 474, 479, 485, 486, 490–491, 493, 497, 499–500, 507, 511, 517, 519–520, 523, 533, 544–547, 556, 558, 576, 599, 603–604, 641, 650, 654–655, 660–661, 670, 684
- and exploration of environment, 91, 389, 415, 605
- fetal development of, 377, 649
- hypotonicity of, 260, 375, 391, 397, 406
- lip movement, 53, 59, 63, 65–66, 68, 71, 75–85, 88, 90–93, 95, 97, 101–102, 121, 123, 125, 129, 134–136, 167, 210–211, 215, 219, 225–227, 239, 247, 279, 305, 368, 372–375, 377, 384–386, 389, 391–392, 395–397, 406–407, 415, 434, 438, 440, 442–443, 445–446, 453, 456–457, 459–469, 473, 483, 487–489, 531–532, 534–535, 607–608, 613–614, 652–653, 687, 689
- in chewing, 48, 59, 61, 63, 65–66, 68, 71, 84, 88–89, 91–93, 121, 125, 128, 134–135, 167, 215, 219, 286, 355, 358–359, 368, 372–375, 395–397, 413, 441, 477–478, 480–481, 487–488, 494, 531–532, 664
- during feeding, 48, 59, 65–66, 68, 75, 77, 79, 81, 83, 89, 91–95, 97, 101–102, 121, 125, 128, 133–135, 190, 209, 211, 219, 226, 239, 247, 290, 355, 359, 368, 373–377, 384–386, 391–392, 395, 413, 415, 434–435, 437, 442–444, 453, 456–457, 459–460, 462–467, 469, 472–473, 480, 483, 488, 501, 518, 531–532, 534–535, 607–608, 614, 651–653, 657–658, 662, 664, 686–687
- improvement of tone and movement of, 374, 438, 443, 445, 607, 689
- limited, 66, 133–134, 225, 373, 375, 384–386, 395–396, 406–407, 456, 459–460, 462–463, 466–467, 469, 473, 475, 477, 481, 532
- variations, 68, 77–79, 95, 134, 208, 247, 305, 468, 614
- lip retraction, 57, 60, 101–102, 123, 128–130, 134–137, 167, 219, 226, 286, 299, 372–373, 375, 385–386, 395, 406, 415–416, 456–457, 459, 461, 463, 473, 532
- possible causes or relationships, 102, 373, 456
- treatment options and selection criteria, 60, 130, 167, 219, 372–373, 375, 385–386, 395, 457, 459, 461, 463, 473
- and spoon feeding, 60, 66, 77, 81, 93, 95, 127–128, 134, 200, 368, 385, 399, 412, 435, 449, 452, 454, 459, 463–465, 467, 471, 476, 495, 501, 513, 516, 523, 531–532, 656, 662, 664, 672
- and swallowing, 48, 57, 61, 77, 82–84, 89, 91–93, 102, 134, 167, 186, 210, 358–359, 367–368, 373, 375, 389–392, 398–401, 413, 463, 469, 471, 473, 532, 542, 607, 613, 651, 664
- Liquids, 9, 24, 34, 39, 44, 46–47, 51–55, 60–61, 70, 74–77, 79–81, 83–85, 89–90, 93–95, 101–103, 106, 108–109, 114, 128, 140–145, 147, 153, 155, 165, 167, 176–178, 182, 199–201, 208–209, 211, 219, 226, 237, 239, 250, 258, 261, 264, 271, 276, 287–288, 296–297, 312, 316–317, 326–328, 333, 337–338, 343, 345, 348, 361, 365, 369, 372–373, 383, 386, 391–392, 398–399, 418, 427, 435, 452–453, 461–462, 465, 467–470, 482, 484, 488–489, 494, 498, 500, 509, 513, 519–521, 523–525, 532, 534, 548, 551–552, 555, 562–563, 567, 571, 587–588, 595–596, 598, 602–603, 605, 607, 610–614, 616–617, 626–627, 642–643, 652, 654–655, 662, 668, 670–672, 674, 679, 681, 685–686, 689–690
- and cup drinking, 25, 61, 79, 82, 91–92, 204, 280, 387, 393–394, 432, 438, 463, 466, 474–475, 483, 486, 499, 516–518, 528
- swallowing bolus of, 50, 78, 107, 126–127, 132–134, 195, 210, 213, 370, 376, 384, 387, 400, 471, 486–487, 490, 547, 599, 602, 606
- Lower esophageal sphincter (LES), *see* Esophageal sphincter
- Lungs, 46, 47, 105–107, 141, 143, 154, 348, 490, 588
- M**
- Macroglossia, 101
- Macrophages, 154
- Manometry, *see* esophageal manometry
- Mandible, 43–45, 48–49, 53
- Massage, pediatric, 403, 406–407, 415–416, 420, 572–573, 600
- Maxilla, *see* Jaw, upper
- Maturation, and feeding patterns, 52–53, 78, 93, 616
- Mealtimes,
- behavior, 17, 275–276, 426
  - communication, 8, 13, 25, 27–29, 31–32, 61, 67, 119, 161, 166, 171–172, 188, 197, 218, 236–237, 241, 245–246, 251, 255, 260–263, 267–269, 274, 294–295, 306, 330, 357–358, 360, 364–365, 367, 373, 380–382, 385, 410, 424–425, 451, 491, 507, 574, 608, 621, 627, 631, 655, 659–660, 663, 671, 678–679, 681
  - communication board, 172, 267–269
  - dance, 32, 35, 241, 523, 546, 655, 659, 671–672
  - influences, 8, 13, 15, 17, 22, 39, 41, 43, 54, 113, 121, 130, 133, 167, 189, 200, 222, 235–239, 262, 277, 284, 287, 294, 298, 393, 577, 580, 599
  - beliefs, 20, 116, 640
  - child's developmental skills and needs, 15, 18, 24, 26, 28, 32, 113, 118, 164, 197, 219, 236, 249–250, 293, 295, 299, 353, 587, 598, 646

## Mealtime (*continued*)

child's emotional state and temperament, 15, 19–21, 25–26, 28, 133, 293, 557, 561, 592, 629  
child's feeding and oral motor skills, 15, 17–21, 23–30, 32, 113, 116, 118, 121, 130, 133, 164, 197, 219, 236, 239, 246, 249–250, 283, 293, 295, 297, 299, 301, 303, 305, 350, 355, 368, 382, 436, 557, 561, 592, 598, 625–626  
child's health, 15, 18, 24, 121, 350, 557, 592  
child's history, 15, 18–19, 625–626, 640  
culture, 15  
family dynamics, 545, 550–551  
parent, emotional state and temperament of, 18, 21, 261, 545, 551, 556, 558–559, 561, 592, 672  
parent history, 15, 17–18, 116  
interaction, 3, 8, 13, 23, 25–26, 31–32, 37, 39, 99, 163–164, 166, 168, 171, 192, 197, 205, 229, 242, 251, 255, 263, 274, 279, 294, 357, 378–379, 492, 557, 574, 578–580, 587, 598, 616, 621, 623, 639, 641, 645–646, 652, 657, 660–661, 669, 677, 693  
location, 460, 644, 679  
meanings, 7, 33, 121, 150  
nourishment, 8, 11–13, 31, 39, 166, 237, 245, 590, 592  
place mat, 268, 665, 673, 680  
roles, 16, 20–22, 24, 27, 31–32, 34, 36–37, 39, 41, 115–116, 119, 172, 191, 202–203, 241, 251–252, 256, 271, 285, 350, 642  
during infancy, 33, 294  
6–12 months, 33, 35  
toddlers, 39

Mealtime Assessment Guide, 164, 171, 184–186, 188

Mealtime Program, 230

Medication, 18, 109, 132, 152, 165, 200, 206–207, 320, 350, 377, 556, 573, 579, 589  
and anorexia, 341  
and appetite, 22–23, 56, 167, 265, 341, 351, 555, 558, 575, 580, 588, 598, 601, 619, 628, 640  
and drooling, 349, 390  
and gastroesophageal reflux, 98, 108, 112, 250, 275, 319, 341–342, 345, 351, 390, 490, 558, 567–568, 575–576, 598, 601, 619, 631, 634, 639  
and nutrition, 319, 331, 341, 347, 351, 538, 552, 593  
and vitamin and mineral supplementation, 341

Mesopharynx, 44

## Metamusic, *see* Hemi-Sync

Micrognathia, 101, 365, 366, 460  
Midline development, 64, 88, 377, 457  
Milk, 19, 34–36, 53–54, 69–71, 74–77, 84–85, 101, 114, 315–325, 327, 329–330, 333, 335, 337–342, 344–346, 350, 398, 462, 487, 489, 513, 541, 543–544, 546, 548–549, 552, 565, 643, 676–678  
delivery alternatives, 545, 653  
Mineral oil, and nutrition, 317–318, 341, 349  
Minimal involvement, 683–690  
diagnosis of, 685  
Mini-meals, and weight gain, 333, 614, 642  
Mouth, 3–4, 6–7, 19, 21, 26, 29–30, 36–40, 44, 46–49, 53–54, 57, 59–66, 68, 70–71, 74–75, 77, 79–80, 82–84, 86–87, 89–92, 94–95, 98, 106, 109, 113–114, 116–117, 122–123, 125, 128, 130–135, 137, 144, 153, 160, 162, 166–167, 172–173, 182, 187–191, 193, 195–196, 198–204, 206–212, 216–219, 222–224, 226, 228–229, 236, 238–241, 245–246, 249–251, 253, 256–259, 261–262, 264–267, 272, 275–277, 280–281, 285–287, 289–290, 296–299, 305, 313, 326–328, 337, 341, 349, 351, 355–365, 367, 369–377, 379, 381, 384–385, 387–389, 395–401, 404, 406–407, 409–417, 419–420, 422–424, 428, 430–437, 440–449, 451–452, 454–455, 457–459, 461, 464–465, 468, 470–472, 474, 476, 478, 480, 482–486, 488–492, 495–499, 501, 503, 507–509, 513–514, 517–521, 523, 525–527, 533–535, 540, 542, 544–546, 548, 556, 559, 561, 568, 575–576, 578, 586–590, 592, 594–604, 606, 608–616, 619–620, 629–630, 634, 636, 639–641, 644–645, 649–650, 652, 654–657, 660–666, 668–672, 679, 686–688, 691, 693  
in adult, 52, 81, 101, 115, 118, 126, 161, 225, 227, 242, 270, 271, 429, 450, 456, 479, 502, 515, 516, 524, 593, 605, 607, 667  
breathing, 105, 110, 260, 393  
differences in newborn and adult, 52, 101  
fine-motor control of, 24, 85, 192, 295, 390, 511, 683, 685, 689  
floor of, 43, 51, 102, 145, 453, 628  
limiting movement patterns of, 129, 260, 392–393, 418, 429, 446, 460, 462–463, 466–467, 469, 473, 475, 477, 481  
in newborn, 35, 52, 69, 78, 100–101  
position of, and drooling, 390–391  
stuffing, 378, 487, 493–494, 683–686, 689–690

## Mouthing, 69–70, 72, 85, 90, 115, 117–118, 189, 208, 227, 239, 290, 358–359, 363, 371, 375, 379–380, 389, 411–412, 415, 439, 441, 450, 454, 501–502, 507–508, 512, 520–521, 533, 552, 576, 660–663, 679, 685

discriminative mouthing, 71, 91, 414, 423, 432, 437, 442, 446–447, 458–459, 467, 472, 478, 484, 491, 534, 604

Movement, 3, 5, 25, 44, 49–50, 52, 64, 69, 74, 87, 94, 99, 108, 132, 141, 145–147, 151, 156, 159, 162, 173, 188–189, 196, 198, 200, 208, 217, 222, 227, 239, 258–259, 278–279, 284–285, 290, 302, 323, 347, 350, 362, 364, 366, 377, 382, 403–404, 414–417, 420–422, 431–433, 435, 440, 442–443, 445, 447, 457, 470, 490, 493, 504, 508, 511, 513, 515–516, 523, 535, 559, 561–562, 564, 566, 569, 589, 595, 599, 603, 613, 616, 627, 654, 657, 660, 667, 670, 686–690  
and body awareness, 280, 303, 305, 409–411, 441

in communication, 67, 92, 124, 136, 161, 166, 197, 199, 207, 245, 254, 257, 260, 262, 270, 301, 357, 360, 365, 369, 373, 410, 418, 424–425, 451–452, 600, 607–608, 671

economy and efficiency of, 62, 65–68, 76, 79–81, 83, 85–86, 88–90, 102, 105, 121, 126, 128, 135, 210, 219, 226, 247, 261, 293, 303, 305, 328, 375, 378, 383–386, 388–389, 391, 394, 461, 469, 471, 512, 614

extensor and flexor muscles in, 63, 68, 123, 127, 136, 300, 356, 363, 365

in feeding, freedom of, 71, 101, 110, 124, 301, 367–369

of jaw, tongue, lips, during sucking, 51, 61, 67, 77–83, 89–93, 95, 98, 121, 123, 134–136, 167, 210, 226, 355, 359, 367–368, 372–373, 375, 384–385, 452–454, 461–465, 468, 473, 519–520, 532, 541, 545, 607

limiting, 51, 121–130, 134–136, 190, 199, 202, 207, 221, 260–263, 267, 301, 304, 332, 356–357, 360, 365, 368–369, 371–373, 375–376, 379–380, 383–400, 405–407, 418–419, 421, 429–430, 436, 439, 444, 446, 449, 451–456, 458–460, 462–463, 465–467, 469–470, 473, 475–477, 479, 481, 489, 494, 510, 571, 605, 685

programs, 293, 300, 304, 534

Mucus, 55, 347–348, 489–491, 558, 561, 603, 606, 608

Munching pattern of chewing, 88, 135  
facilitation of, 396, 477  
and food transitions, 91, 477

Muscle tone, 51, 101, 107, 110, 122–124, 127, 129, 131, 134, 137, 311, 362–363, 370, 372, 375, 384, 389, 391–392, 394, 417, 440, 443–446, 458–459, 480, 488, 539, 571  
abnormal, 108–109, 280, 541, 570  
allergy and, 112, 343–347, 390, 398, 570, 620, 636–637  
and constipation, 109, 318, 341, 348–350, 570–571  
and learning, 73, 90, 102, 167, 188–189, 208, 210, 238, 243, 245, 280, 354, 357, 359, 361, 365, 369, 386, 395, 397, 457, 474, 494  
during mealtime, 128, 167, 188, 200, 219, 245, 257, 262, 279–281, 297, 300, 332, 354, 356–358, 365, 368, 374, 378, 385–386, 388, 393, 396, 398–400, 409, 521, 599, 689

Music, 2, 4, 11, 28, 32, 35, 145, 206, 208, 226–227, 253, 256, 258, 275–276, 278, 285–287, 330, 406, 414, 418–420, 423, 444–445, 447, 450, 456, 460–461, 463, 476, 492, 503, 551, 561, 577, 605–607, 645, 660, 693  
for sensory organization, 207, 255, 421–422, 609, 689

## N

Nasal cavity, 51–52, 100, 283, 376

Nasal reflux, 438  
possible causes or relationship, 128  
problem, 376  
treatment and selection criteria, 375–376

Naso-esophageal probe, 151

Nasogastric tubes, 115, 195, 538, 586–589, 591, 598

Nasopharyngeal reflux, 107

Nasopharynx, 44, 51, 58, 107, 283

Nausea, 112, 265, 555, 557, 559, 561  
emotional influences and, 558  
medication and, 341, 558, 576, 579, 628  
physiological processes and, 558

Neck hyperextension, 208, 259, 517, 564  
and jaw thrust, 356  
and jaw retraction, 365  
and lip retraction and pursing, 372  
and tongue protraction, 603  
and tongue retraction, 126, 356, 366

Neonatal Oral Motor Assessment (NOMAS), 540

Neophobia, 40, 624, 643

Nerves, 564  
cranial, 47–49, 55, 122, 127–128, 189, 370–372, 374–375, 378, 388  
facial, 48, 127–128, 370, 374–375

glossopharyngeal, 48, 127  
hypoglossal, 48  
olfactory, 47–49  
trigeminal, 48–49, 374–375  
vagus, 47–48, 55, 388

Neurological damage,  
and hyperreaction, 379  
and hyporeaction, 378

Neurological Immaturity, 541, 552

Nipple, 33–35, 51, 53–54, 64, 70, 74, 77–80, 89–90, 98, 101–102, 127, 148, 190, 200, 206, 294, 369, 380, 384, 387, 393, 461–462, 464, 474, 497, 499, 509, 518, 537, 539–541, 544–545, 547, 549, 551  
for cleft lip or palate, 652, 654–655  
criteria for, 498  
for premature infant, 72, 546, 548  
products, 134

Nissen fundoplication, 108, 114, 154, 567, 568–570, 602, 639

Non-nutritive sucking, *see* Sucking

Nose breathing, 51–52, 100, 283

Nourishment, 8, 11–13, 31, 41, 71, 75–76, 166, 237, 245, 508, 523, 596, 625

NUK toothbrush trainer sets, 438, 440, 471, 607

Numi-Med medicine pacifier, *see* Pacifier

Nutrition, 7, 20, 319, 325, 623, 651  
and ADHD, 318, 321, 346, 347  
antibiotics and, 341  
assessment of, 555, 592, 621, 624–625, 674–675  
caloric density, 74, 333  
calories and, 10, 23, 313, 315, 323–324, 333, 335, 350, 567, 588, 615, 625  
carbohydrates, 315, 321, 333  
and cerebral palsy, 312–313, 318, 621  
dietary diversity, 321, 337, 593, 615, 625  
and Down syndrome, 312–313  
fats, 315, 317, 320, 321–324, 327, 329, 331, 333–334, 337, 339, 341, 349  
food quantity and, 74, 173, 324, 624–625  
food sensitivities and allergies and, 23, 109, 173, 318, 324, 327, 337, 343–347, 498  
glyconutrients, 321  
intake, 74, 173, 311–312, 317, 320, 328, 333, 587, 592, 677  
metabolism, 317, 319, 329  
minerals, 10, 312, 314, 317–320, 329, 341, 346, 681  
and Noonan syndrome, 312  
nutrient density, 315, 333  
osmolality, 333  
and Prader-Willi syndrome, 312

proteins, 10, 22–23, 313–317, 320–321, 324, 326–327, 333–335, 337, 346, 349, 677

phytonutrients, 320–321, 337, 343  
and tube feeding, 109–110, 145, 196, 250, 296, 313, 320, 323–324, 337, 350, 388, 533, 538, 549, 585–588, 590–593, 597, 626  
and Turner syndrome, 312–313  
vitamins, 312, 315–320, 327, 329, 331, 336, 339, 341, 346, 349, 677, 681

Nutritional value of foods, 10, 316, 333, 339–340, 642

Nutritive sucking, *see* Sucking

Nuts and seeds, 7, 317, 320, 333, 335–336, 339, 571–572

## O

Obligate nose breathing, 51

Olfactory sensory information, 47–48, 277, 282, 287, 524

Olfactory system, 281–283, 594

Oral acuity, 197, 377

Oral cavity, 46–47, 51–54, 76–77, 115, 128, 135, 366, 375–376, 437–438, 487, 548, 599  
midlines of, 64, 650  
structures of, 43, 650

Oral Control, 24–25, 43, 62, 64, 74, 85, 125, 141, 188, 200, 209, 298, 354, 365, 367, 371–373, 376–378, 380–382, 384–385, 388–389, 393, 398–400, 402, 414, 420, 423, 427, 441, 443, 447, 484, 491, 493–494, 511–512, 521–523, 534, 552, 562, 568, 595, 599, 605, 608, 617, 656, 683, 685, 687, 689–690  
jaw control, 247, 357–360, 362–364, 366, 368, 374–375, 386–387, 391, 394–397, 430–434, 439, 445–446, 449, 451–453, 466–467, 471–473, 475–479, 511, 542, 551, 684  
limiting areas, 443–460, 462–463, 466–467, 469, 473, 475, 477, 481  
lip and cheek control, 94, 129, 204, 368, 374–375, 385–386, 391, 395–396, 434–435, 445–446, 456, 459–460, 462–463, 466–467, 469, 473, 475, 477, 479, 481, 518, 531–533, 542, 551  
tongue control, 199, 247, 367–370, 372, 377, 391, 394–397, 435–439, 445, 451–453, 456, 458, 471, 511, 603, 684  
velopharyngeal control, 438

Oral-facial stimulation materials, 501–502

Oral feeding, 1, 3, 5, 7, 15, 19, 21, 25, 28, 30, 53–54, 62–63, 68, 74, 77, 85, 93, 98, 100–104, 106, 109–111, 114–119, 121, 124–136, 142–143, 167, 171, 179, 182

INDEX 791

## Oral feeding (*continued*)

188–193, 195–197, 199, 201, 203, 207, 209, 212, 219, 224, 226–227, 236, 238, 240, 245, 247, 249–250, 253, 256, 263–265, 267, 270, 297–299, 304, 313, 332–333, 341, 348, 351, 353, 359, 361–362, 365, 368–371, 373–374, 376–379, 381–382, 386, 388, 390, 392–394, 397, 399, 401, 403–404, 408, 415, 424, 429–430, 432, 435, 443, 453, 455, 459–461, 463, 465, 472, 476, 479, 490–491, 493, 503, 511, 522, 531, 542, 548, 556, 568, 571, 574, 576, 578, 580, 588, 590, 596, 629–630, 639, 641, 644, 657, 660, 663, 669, 683–686, 691, 694 readiness factors, 61, 72–73, 89, 90, 94–95, 173, 211, 323, 357–358, 360, 364, 398–400, 507–508, 521–524, 538, 540, 546–547, 549, 551, 597, 611–615, 617, 625, 656 transition to, 70, 72, 75, 165, 211, 274, 275, 323, 336, 338, 355, 380, 385, 400, 421, 454, 471, 497, 538, 540, 549–551, 562–563, 585, 598, 601–602, 610–612, 614–616, 620, 625, 636, 656, 679, 687 in tube-fed children, 95, 145, 200, 239, 295–296, 337, 346, 349, 532–534, 549, 575, 585, 587, 589, 591–592, 595–601, 606–612, 615, 617, 619

Oral hypersensitivity, 400, 488, 495, 542, 574, 664 and biting pattern, 126, 134, 136, 364 and jaw clenching and tooth grinding, 126, 136, 384 and jaw thrust, 134, 136 and tongue retraction, 384, 456 and tongue thrust, 369 and tonic bite reflex, 126, 134, 364

Oral-motor treatment program, 596

Oral movements, 51, 62–64, 69, 74, 89, 97, 101, 121, 123, 129, 130, 133, 182, 189, 195, 197, 219, 239, 332, 340, 348–349, 354–355, 357, 361, 367, 380, 383, 391, 395–397, 407, 411, 417, 421, 440–441, 444–445, 451, 458, 460, 469, 473, 477–478, 481, 485, 487–489, 493–494, 533–534, 542, 589, 595, 607–608, 684–685, 687, 690 during cup feeding, 65, 68, 80, 125, 135, 247, 368–369, 371–372, 375, 385–387, 432, 437, 449, 462–463, 466–467, 686 during spoon feeding, 66, 94, 125, 135–136, 226–227, 364, 368–369, 375, 385–386, 419, 437, 449, 452–453, 462–463, 467, 531, 599, 606

Oral pharyngeal structures, anatomy and physiology of, 43 movement of, 44, 101, 146–147

Oral pharyngeal tubes, 599

Oral reflexes, 74–76, 89–90, 106, 125, 129, 134, 204, 354, 364, 371, 387, 395–396, 399, 437, 447, 449, 467, 484, 501, 508, 542

Oral sensory development, 64–66, 69, 71, 75, 94, 97, 105, 119, 135–136, 167, 192, 209, 239, 242, 256, 324, 349, 354, 357, 361, 364, 366, 369, 373–375, 377–378, 380, 388, 391, 395–397, 454, 460, 463, 466–467, 469, 473, 475, 477, 486, 489, 491, 496, 521, 533, 534, 542, 587, 595, 604, 608, 617, 683, 686, 689

Oral stability, 51, 62–63, 73, 89–90, 102, 125, 129, 136, 219, 243, 298–299, 362–363, 367, 375, 386–387, 391, 397, 411, 430–431, 438, 441, 452–453, 467, 473, 538, 542, 548

Oral stimulation, 3, 187, 239, 390, 415, 437, 440, 453, 493, 495, 501, 576, 587, 592, 600, 610 and hyperreaction, 365, 380, 420 response to, 69, 365–366, 372, 380–381, 389, 420, 446–449, 467, 469, 542, 547, 597, 599, 604–607

Orogastric tubes, 113, 115, 192, 538, 542, 549, 552, 586–588

Oropharynx, 44, 145, 147, 153, 490

Osmolality, 333

## P

Pacifier, 70–72, 95, 464, 471, 495–496, 502–503, 540, 556, 569–570, 601, 605, 613, 673 criteria for, 497 guidelines for use of, 497–498 modification of, 471, 498, 606 Numi-Med, 461

Pain, 9, 12, 19, 24, 66, 98–99, 105–106, 109, 113–114, 125, 152, 190, 195–196, 202, 204, 210, 250, 255–256, 265, 276, 281, 318, 330, 340, 342, 356, 361, 363, 365, 555, 557, 559, 561–562, 564, 567–570, 574, 578–579, 589, 598, 610, 614, 626, 675

Palate, 19, 52, 54, 67, 69, 78, 93, 133–134, 146, 173, 190, 297, 389, 437, 470, 512, 545, 639, 651, 653–656 hard, 43, 53, 82, 98, 101–102, 127–129, 191, 366, 376–377, 420, 438, 471, 650, 685 high, 129, 376–377, 541 movement of, 46, 97, 121, 128, 142, 210, 388, 438 narrow, 129, 376–377 soft, 43–44, 46, 48–52, 98, 101, 128, 142, 191, 210, 376, 438, 541, 649–650, 652

Palatal Obturator, 654–655

Palmosternal reflex, 76

Parent Mealtimes Questionnaire, Eating and Drinking Skills, 175–178 Spanish Translation, 729–732 Tube Feedings and Beginning Oral Feedings, 181–184 Spanish Translation, 733–737

Participation Experience, 128, 130, 170

Patent ductus arteriosus, 105

Pediatric undernutrition, *see also* Failure to thrive, 623–625

Percutaneous endoscopic gastrostomy (PEG) tube, 152, 589–591

Peristalsis, 45, 106, 108, 112, 154, 326, 342, 564, 567–568

pH probe, 150–154, 156, 565, 634

Also, intraesophageal pH probe

Also, intraluminal pH monitoring

Pharyngeal constrictors, 44, 50

Pharyngeal-esophageal junction (P-E junction), 44, 46

Pharyngeal wall, 46, 146, 376, 603

Pharynx, 45–49, 54, 77, 83, 106, 115, 121, 126, 134–135, 141–142, 145–146, 152–154, 189, 210, 347, 370, 376, 387, 389, 391, 438, 471, 482, 490, 540, 558, 576, 586–590, 602–603, 606, 608, 612–613, 616–617, 620, 641–642, 649, 655, 659, 670–671, 678–679, 684–685, 668 in adult, 44, 50–52, 101 constrictors of, and swallowing, 44, 50 in newborn, 52, 101

Phasic bite reflex, 126, 135

Physical environment, 7, 28, 72, 171, 237–238, 253, 262, 276, 356, 358–362, 364–366, 368–369, 371–374, 375–376, 379–379, 394, 608 in feeding assessment, 171

Physiological limitations, 119, 353

gastrointestinal, 100, 103, 105–106, 109–110, 191

oral-pharyngeal, 106

respiratory-cardiac, 199, 211, 250,

259–260, 267, 297, 302, 331, 340–343, 348, 356, 368, 383, 387, 390, 392–394, 405, 452, 455–456, 462, 473–474, 533, 537, 539, 541, 550, 553, 564, 568, 588, 598, 605–606, 610–611, 616–617, 619–620, 626, 628, 630–631, 636, 639–640, 684–685

Pierre Robin syndrome, 173, 366, 616

Poor appetite, 109, 152, 319, 334, 560, 577, 579, 619–620, 631, 636, 640

- Positional stability, 62, 65, 80, 548
- Positioning, 45, 62, 65, 80, 85, 102, 108, 127, 134, 137, 150, 156, 170, 205, 210, 217, 225, 258, 353, 360–361, 363–365, 371–373, 375–376, 385, 388–389, 396–400, 409–410, 418–420, 431, 433, 439, 445–448, 453, 457, 464–465, 468, 477, 486, 502, 565–567, 569, 572–573, 658  
for breast- or bottle-feeding, 28, 34–35, 73, 89–90, 94, 98, 101, 130, 143–145, 155, 161–162, 166, 190, 208, 226, 237, 294–296, 302, 384, 386, 462, 474, 498, 502–503, 509–510, 546, 548, 551, 601, 603, 653–657, 660, 693
- gastrointestinal positioning needs, 566–568
- mealtime, 28, 36, 161, 163–164, 166, 216, 222, 249, 279, 281, 293–306, 350, 355, 368, 407–408, 430, 449, 460, 463, 466, 469, 473, 475, 503, 539, 546, 550, 555, 557, 586, 592–593, 600, 606, 657–658, 660
- neurological positioning needs, 125, 279, 294, 296–297, 301, 564, 568, 599
- oral-facial positioning needs, 296, 460, 462–463, 466–467, 473, 481
- and options for feeding, 73, 141, 295–298, 306
- respiratory positioning needs, 101, 130, 154, 260, 296, 297, 302, 356, 405, 474, 550
- and self-feeding, 202, 295, 297, 394, 522
- Postprandial period, 151, 153, 156, 565
- Postural alignment,  
capital flexion, 402–403  
of head, neck, and trunk, 402–404, 408, 446–453, 455–456, 475, 477, 550  
symmetry, 403
- Postural stability; *see also* Internal stability, 48, 53, 62, 65, 122, 237, 243, 254, 279, 304, 306, 684  
of head, neck, and trunk, 125–126, 129–130, 207, 209, 216–217, 402, 404, 406–407, 444, 449, 475, 524, 534, 603, 684–685, 688–689  
and jaw clenching and tooth grinding, 129, 406, 685  
and jaw instability, 125
- Postural tone, 216, 450  
and drooling, 684  
and movement, 110, 122, 128–129, 131, 173, 188, 197, 200, 237, 245, 262, 279–280, 293, 297, 301, 304, 332, 362, 379, 384, 395–396, 406–407, 417, 443–444, 448–449, 457–459, 475, 477, 481, 488–489, 539, 607, 627, 684–685, 688  
and sensory threshold, 131–132, 378, 379, 417
- Pre-feeding, 5, 59–60, 164, 210  
and drooling, 581  
and prematurity, 539  
in tube-fed children, 181, 239
- Preemie nipples, 497, 548
- Premature infant, 24, 318, 502, 509, 622  
breast-feeding in, 53, 319, 538, 540–541, 543–546, 548  
compared with term infant, 319, 578  
guidelines for feeding, 72, 74, 103, 535, 537–553, 578, 586–588
- Principles and perspectives of treatment of feeding disorders, 692
- Principles of learning, *see* Learning
- Primary patterns of movement, 54, 91, 122, 127, 129–130, 135, 188, 226, 297, 301, 304, 345, 356, 368, 379–380, 389–390, 392–393, 397, 436, 438, 534, 599, 671, 685
- Problem solving, 103, 157, 188, 216, 256, 273, 348, 427, 448, 511, 591  
model of, 205, 208, 211, 241  
setting priorities and, 187, 189, 193, 199, 201, 205, 213
- Proprioceptive sensory information, 613, 621, 643, 645–646, 653–654, 422–423, 524, 640, 689
- Protein, and weight gain, 314, 316, 334
- Protraction and protrusion, 77, 82–84, 91, 93, 123–124, 127, 136, 198, 226, 299, 367–368, 369, 391–392, 406, 436, 452–454, 462, 474, 518, 532, 552, 603, 607, 688
- Proximal stability, 63, 65, 78, 125, 417, 443–444, 455, 512, 541, 684
- Pulmonary atresia, 105
- Pulmonary stenosis, 105
- Punished by Rewards (Kohn), 272
- Pyloroplasty, 55, 108, 154, 351, 568, 570
- Pyloric stenosis, 102, 147, 149, 555, 559
- R**
- Respiratory distress, 114, 135, 250, 260  
protrusion, 127, 452, 462
- Respiratory dysfunction, 387, 392, 393
- Retching, 19, 108, 114, 154, 200, 202–204, 264–265, 275, 347, 493, 555, 557, 559–560, 569–570, 578, 598, 602, 639
- Reverse swallow, 124
- Rhythm, 4, 53, 67, 81, 95, 254, 357, 394, 419–420, 429, 441, 444, 449, 456, 466, 474–476, 480–481, 600, 605–607, 609  
in sucking, *see* Sucking, rhythm in, *also* Suckle-swallow, rhythmical
- Rooting reaction, 35, 75, 89, 539, 542, 545, 547, 652  
*Also*, rooting reflex; rooting response
- S**
- Sandifer Syndrome, 564
- Satiation, 33, 116–117, 209, 250, 264, 388, 579, 601, 614–615, 659
- Scapulae, 45, 62, 299, 402, 460
- Scapular adduction, 599  
and nasal reflux, 376  
and tongue retraction, 299, 366, 369
- Scheduled feedings, 549, 615
- Scoliosis, 110
- Seating and Positioning Considerations for Mealtime Support, 166, 294–295, 301, 303, 307–308
- Seizure disorder, 23, 318, 341, 422, 626  
and positioning, 297
- Self-feeding, 25, 38, 64, 85, 202, 239, 295–297, 394, 429–430, 495, 500, 507–529, 671, 688  
and autism, 671  
minimal involvement, 688  
readiness factors for, 521  
and visual impairment, 189, 662, 666
- Sensation and movement, 60, 69, 190, 207–208, 222, 259, 323, 388, 409, 411, 417, 476, 488, 600, 657
- Senses, 49, 111, 113, 117, 226, 253, 277, 281–284, 286–287, 347, 377–378, 382, 524, 593, 612, 662–663, 670, 680, 693  
and movement, 64–65, 69, 121  
and stability, 64–65
- Sensory-based feeding problems, 189–193, 265, 349, 524
- Sensory defensiveness, 19, 60, 114, 118, 131–133, 137, 187, 189, 199, 201–204, 218, 223, 246, 255, 257, 275, 328, 349, 367, 375, 380–381, 386, 395–398, 418, 422–423, 436, 457, 470, 484, 493, 494, 521, 524, 533, 625, 627, 629–630, 640
- Sensory discrimination, 71, 132, 137, 190, 204, 209, 211, 362, 378, 380, 397, 409, 414, 417, 432, 435–436, 442, 445, 457–459, 472, 478, 534, 595–596, 608, 686–688, 690
- Sensory environment, 11, 26, 28–29, 35, 65, 69, 94, 99, 119, 167, 171, 189, 205, 207, 227–228, 236, 238, 246, 249, 253, 262–263, 276–279, 285–288, 306, 345, 356–358, 360, 364–367, 369, 372–373, 378–379, 381–385, 387–389, 391–392, 394–400, 409–411, 414–415, 417–419,

- Sensory environment (*continued*)  
421, 451–456, 476–477, 524, 547, 551, 561, 604, 671, 679, 681
- Sensory feedback, 69, 191, 258, 301, 362, 388, 415–416, 435–437, 443–444, 446, 449–451, 453–455, 457, 464, 467, 472, 477, 480, 603, 617, 688
- Sensory input, 11, 19, 26, 65–66, 68–69, 71, 94, 99, 122, 131–133, 137, 167, 188–190, 195, 204, 207, 209, 216, 218, 222, 225, 237, 243, 246, 253–254, 266, 278–279, 281, 285, 304, 340–341, 356–358, 360–361, 364–365, 367, 369, 373, 378–382, 387, 389, 395–396, 409, 412–413, 415–419, 421, 423, 436, 440–441, 444–445, 450–460, 476–479, 487, 491, 494, 523–524, 533–534, 547, 587, 597, 603, 605, 629, 673, 679, 681, 684
- Sensory modulation, 21, 26, 114, 349, 381, 413, 521, 627, 629, 671, 688
- Sensory overload, 99, 131, 133, 137, 189, 207, 217–218, 246, 255, 263, 285, 289, 378, 381–383, 417–418, 421, 447, 451–456, 460, 470, 476–477, 524, 640, 670–671, 681
- Sensory processes, 3, 5, 25, 28, 47, 75, 114, 121, 130–132, 189–191, 197, 218, 222, 237, 239, 241–242, 249, 275, 278, 314, 326, 329, 354, 377, 383, 385, 387, 395, 457, 497, 504, 523, 533, 627, 629, 640, 644, 669–671, 674–675, 678–679, 685–688
- Sensory systems, 24, 26, 29, 66, 69, 72, 97, 105, 113–114, 130–132, 137, 188–190, 197, 204, 218, 220, 225, 228, 241, 243, 258, 277, 286–287, 343, 378, 381–382, 388, 411, 413–415, 421, 423, 440, 447, 451–456, 460, 464, 467, 476–477, 490, 523–524, 545, 569, 595, 670–671, 678, 688  
auditory, 253  
olfactory, 281, 283, 594  
proprioceptive, 279–290, 422  
taste, 111, 281–282, 481, 488, 587, 594  
vestibular, 278–280, 422  
vision, 99, 253, 301, 316, 661
- Sensory threshold, 131–132, 197, 377–379, 417, 589
- Separation and Individuation, 36, 38, 46, 51, 53, 63, 67, 82, 103, 118, 240, 386, 509, 534, 649, 686
- Sequential analysis in assessment, 160
- Short Bowel syndrome, 103, 190, 590
- Short lingual frenulum, 102, 397
- Shoulders, and position, 62, 68, 90, 122–123, 125–126, 128–130, 136, 161, 196, 198, 247, 259, 297–300, 362, 365–366, 369, 376, 402–405, 411, 415, 441, 508, 513
- Sight; *see also* Visual sensory information, 9, 35, 90, 190, 236, 250, 275, 283, 285, 379, 389, 417, 481, 491, 574, 586, 659, 671, 681
- Sitting position, 24, 36, 62, 68, 72–73, 101, 141, 144–145, 148, 160–161, 210, 216–217, 222, 298, 300, 403–404, 407–408, 418, 567, 573  
and jaw clenching and tooth grinding, 360, 363, 405  
and jaw retraction, 299, 365, 405  
and jaw thrust, 356, 405  
and lip retraction and pursing, 299, 372  
and tongue protrusion, 603  
and tonic bite reflex, 360, 363, 365
- Small intestine, 23, 45–48, 54–56, 104, 108, 326–328, 568, 570, 589–590, 593, 677
- Smell; *see also* Olfactory sensory information, 29, 111, 131–132, 189–190, 282, 337, 379, 663–664, 670, 680–681  
and taste, 40, 48, 281, 283, 287–288, 347, 377, 380, 481, 488, 594, 662
- Snack cap, 416, 450, 453–454, 467, 472, 477, 480
- Snack food, and transition to oral feeding in tube-fed children, 615
- SNS; *see* Supplementary Nursing System
- Socialization; *see also* Attachment, 3, 8, 13, 33, 35, 41, 245, 294–295, 306, 592
- Soft palate, 43–44, 46, 48–52, 58, 98, 101, 128, 142, 210, 376, 438, 649–650, 652
- Solid foods, smooth, introduction of, 81, 399, 484
- Sound, at mealtime, 254, 256, 285, 659, 661
- Spanish translation of parent questionnaires, 727–740
- Special feeding issues, 23, 40, 77, 152–153, 160, 220, 227, 316, 321–322, 327–328, 427, 513, 525, 527–528, 567, 571, 588, 592, 612, 616, 620, 692
- Speech, 46, 67, 82, 83, 85, 102, 124, 146, 172, 185, 192, 219, 243, 259, 262, 285, 416, 418, 437–438, 521, 595, 603, 651, 657, 683, 685–687, 691  
and hypotonia, 370, 373, 375  
feeding and early speech sounds, 531–535, 608  
and language delays, 533
- Speech-language pathologist, role in feeding assessment, 172
- Spoon and Fork Summary, 527
- Spoon feeding, 72–73, 77, 90–91, 200, 209, 363, 368–370, 385, 399, 435, 463, 465, 467, 501, 512–514, 516, 523, 531–532, 656  
in cleft lip or palate, 656  
developmental sequence of, 385  
mature oral movements during, 134, 385, 463  
sensory input and, 66, 134, 385, 412, 459, 523, 662
- Spoons, 23–24, 26, 29–30, 36–41, 53, 60–61, 66–67, 70–73, 76–77, 81–82, 90–95, 98, 116–117, 125–128, 134–136, 140, 155, 160–161, 169–170, 177, 186, 188, 190, 192–193, 195–196, 198–203, 206–209, 213, 215–216, 222, 224, 226–229, 238, 241, 245, 257–259, 261–263, 267, 275–278, 280, 284, 286, 289–290, 294, 296, 299, 304, 358, 362–365, 367–369, 372, 374–375, 379, 385–386, 388, 398–400, 412–414, 419, 420, 423, 428–430, 435–438, 442, 446–449, 452–454, 459, 462–467, 470–471, 476, 481–483, 485, 487–488, 491–492, 496, 501–502, 504, 507–508, 512–516, 520–525, 527, 531–532, 535, 552, 576–577, 587, 599, 606, 609–610, 612–614, 619, 628, 631, 634, 636, 641, 645–646, 656, 659, 661–664, 666–668, 671–673, 679–680  
adaptations, 501  
criteria for, 501  
for early spoon feeding, 370, 385, 532  
products, 503
- Squeeze bottles, with aquarium tubing, 519
- Stability, 33, 62–63, 65, 73–74, 79–80, 91, 102, 122, 125, 127, 136, 207, 222, 225, 237, 239, 243, 254–255, 257, 279, 298, 301, 304, 306, 343, 370, 386, 397, 405–406, 409, 411, 417, 432–433, 435–437, 444, 445, 449, 454, 456, 464–465, 471–472, 506, 508, 511, 513, 514, 516–517, 522, 524, 531, 537, 540, 543–544, 603, 685, 689  
of airway, 366, 368, 405, 455–456, 603  
of head and trunk, 28, 62, 71, 73–74, 78–79, 85, 90, 93, 122, 125, 129–130, 209, 217, 219, 243, 258, 295, 297–299, 302, 362, 404, 417, 443–444, 455, 474, 534, 541, 548, 683, 688
- in normal development, 53, 62–65, 67–68, 71, 73, 79, 81, 85, 89, 91, 93, 95, 125–126, 135–136, 363, 387, 389, 391–392, 397, 432, 467, 472, 476, 683, 685–686, 689

- and sensorimotor development, 62, 688–689
- Stability bite, 136, 362, 406, 449
- State of regulation, 32–33, 71, 541–542, 544, 546–548
- Sternum, 45, 420
- Stimulation, normalizing the response to, 448, 604, 607
- Stomach, 24, 34, 45–48, 50, 54–55, 98, 100, 102–103, 106–108, 112, 114–115, 117, 140, 142, 147–156, 192, 198, 201, 210, 265–266, 275, 297, 315, 320, 326–328, 333, 337–338, 342, 347, 490, 555, 557, 559–570, 574, 579, 586, 588–590, 592–594, 601–603, 611–612, 614–615, 629, 634
- Stomach emptying; *also* Gastric emptying, 148, 150–153, 155–156, 170, 200–201, 210, 326, 408, 560, 566–569, 593, 601 delayed stomach emptying; *also* delayed gastric emptying, 98, 108, 110, 154, 328, 334, 347, 564, 568, 570, 579, 589
- Stomach motility, 108
- Straws, 39, 61, 68, 79–80, 91–92, 250, 287–288, 296, 358, 363, 371, 432–436, 458, 467–468, 473, 481, 500, 503, 519–520, 577, 605, adaptors for, 468, 473, 500 criteria for, 500 guidelines for use of, 500 and the physically challenged child, 500
- Stress, and allergy, 12, 19, 22–23, 109, 112, 114, 324, 327, 342, 344–345, 350, 558–559, 574, 598, 602
- Structural Limitations, 101, 103, 105, 110, 190–192, 387, 389, 490–491, 575, 625 gastrointestinal, 102 oral-facial, 100
- Subcortical areas of brain, 159
- Suck; *see also* Sucking; Suckling, 25, 30, 33, 34, 54, 70, 72–75, 80–81, 89, 92–93, 101, 125, 134, 141, 186, 196, 226, 254, 261, 296, 393, 452–454, 460–462, 468, 471, 483, 497, 500, 508, 517–520, 541–542, 545–546, 556, 576, 588, 590, 601, 606–607, 613, 631, 691 pattern of, 24, 71–79, 82, 95, 127, 206, 383, 385, 388, 463, 498, 540, 547 and suckle, similarities and differences, 78
- Suck-swallow-breathe, 35, 44–45, 47–48, 51, 53, 56, 65, 67, 84–85, 89, 100–101, 104, 106, 110–111, 114, 142, 188, 210–211, 226, 250, 267, 328, 347, 366, 383–384, 388, 392–394, 438, 473–474, 539, 541–542, 547–548, 551, 590, 598, 626, 691, 693
- Suck-swallow reflex, 75
- Sucking; *see also* Suck; Suckling, 24, 33–34, 43–45, 47–48, 51–54, 60, 66, 71, 73, 76–82, 84–85, 89–95, 98, 101, 104–105, 123, 125, 127–128, 133–136, 142, 160, 195–196, 208, 213, 219, 226, 245, 249–250, 262, 269, 287, 294, 296–297, 355, 357, 367–370, 372, 374–376, 378, 380–384, 388, 398, 434–437, 452–453, 458–464, 466–469, 471, 474–475, 483, 486, 497–498, 500–501, 508, 517, 519–520, 529, 531, 543–546, 548, 563, 569–571, 575–576, 587–588, 595, 601, 606, 656, 658–660, 664, 683, 693 before birth, 70, 75 from bottle or breast, 54, 76–79 with cleft palate, 78, 98, 101, 438, 649, 651–654, 657 from cup, 79–80 difficulty with, and bottle or breast-feeding, 98, 101, 116, 128, 206, 372, 383, 393, 462, 545 facilitating food transitions, 74–75, 385, facilitating normal pattern of, 383–384, 469, 485, 491 and flexion, 89 and hypotonia, 373, 541 negative pressure, 54, 652 non-nutritive, 54, 69, 71–72, 118, 134, 383, 461, 540, 601, 673 nutritive, 54, 71–72, 76, 78, 134, 383, 461, 673 positive pressure, 54, 652 in premature infants, 53, 72, 540–542, 545–548 problems with, 128, 134, 383–384, 393, 541, 571, 613, 626 rhythm in, 53, 79, 143, 384, 474, 599, 673 soft solids from spoon, 81–82, 90 swallowing and breathing, coordination of, 53, 56, 84, 100–101, 106, 110–111, 114, 167, 188, 206, 210, 267, 328, 366, 383, 388, 392–394, 438, 473–474, 539, 541–542, 551, 598, 626–627 and suckling, similarities and differences, 78 and tongue touch, 384, 462, 599 and up-down tongue movement, 82, 367, 384
- Sucking pads, 51–53, 89–90, 531, 542, 548
- Suckle-swallow, 65, 77, 82–84, 90–91, 124, 208, 391, 449, 463, 469, 606, 610, 613 rhythmical, 82, 606–607
- Suckling; *see also* Suck; Sucking, 66, 70, 75, 78, 81, 90, 238, 283, 384, 462, 477, 519, 617 in drinking, 385
- patterns of, 64, 77–79, 90, 127, 136, 368, 383–385, 391, 437, 452–453, 460–462, 464, 477, 532, 607 transition to sucking, 79, 355, 384–385, 437, 462, 477
- Suggestion, and learning, 253, 255–256, 354
- Sulcus, anterior and posterior, 47
- Supplemental nursing system, 613 Lact-Aid, 462, 503, 654
- Surgery, and cleft palate, 656
- Swallow reflex, 44, 46–47, 49–50, 106, 135, 387–388, 488, 605–606
- Swallowing, 3–4, 24–25, 29–30, 33–34, 47, 52, 54, 56, 61, 64, 66–67, 73, 75–77, 80–82, 84, 86, 89–93, 95, 98, 101–102, 104–105, 108, 110, 114–115, 117, 121, 124, 128–129, 134, 139–140, 142, 147–148, 151, 154, 160–162, 167, 186, 188, 190, 192–193, 196, 204, 206, 208, 226–229, 250, 258–259, 263, 267, 283, 287, 294, 296–297, 312, 328, 337, 340, 350, 357–358, 361, 364, 366, 373–376, 378, 380–383, 387, 389–394, 396–397, 434, 437, 440, 463, 466, 474–475, 480, 482, 488, 491, 499, 502–503, 508, 510, 521, 531–532, 534, 539–542, 544–546, 548, 556, 559, 563–564, 567–571, 587, 590, 596, 598, 601, 605, 608, 610, 613, 626–627, 630, 645, 649, 652–653, 655–656, 664, 683–684, 687, 690–691 and aspiration, *see* Aspiration with cleft palate, 128 coordination of, and food transitions, 551 disorders of, 135, 140, 246, 595, 599 and drooling, 84–85, 266, 390, 470, 472–473, 540, 683, 684 facilitating mature pattern of, 391 facilitating normal pattern of, in aspiration, 387, 388 of food bolus, *see* Bolus and gagging, 48, 71, 83, 102, 202, 389, 400, 438, 485, 490–491, 558, 574–576, 589, 686 and nasal reflux, 376 oral pharyngeal structures in, 43–44 oral phase/oral preparatory phase, 49, 53, 57, 134 pharyngeal phase, 49–50, 58, 388 problems with, 142, 146, 489 process of, 49, 139, 142, 368 of semisolids, 83–85 swallow mechanism, 46, 74, 106, 139, 142, 155, 170, 589, 612 and tracheostomy, 111, 470–471 valving mechanism in, 49, 51
- Syndactive theory of development, 544

# T

- Table foods, introduction of, 484
- Tables, for feeding options, 17, 73, 103, 193–194, 228, 275, 284, 295, 416, 523, 526, 554, 563, 592, 601, 614, 645
- Tactile sensory information, 246, 277, 280–281, 353, 422, 447, 524, 679
- Tantrums, and feeding, 192, 410, 425, 426
- Taste; *see also* Gustatory sensory information, 11, 19, 23, 36, 38–41, 47–49, 65–66, 69–71, 75–76, 81, 90, 94, 95, 111, 131–132, 145, 167, 171, 185, 189, 195, 202, 204, 207, 209, 212–213, 216, 218, 222–223, 228, 246, 250, 253, 265, 270, 276, 281–283, 286–289, 315, 319–322, 324, 326, 334, 336–337, 340–341, 347, 366, 372, 377–380, 398, 412, 415–418, 420–421, 425, 437, 440–442, 456, 470, 472, 481, 483–484, 486, 488–489, 491, 501, 511–512, 516, 558, 561, 574, 576, 587, 593–594, 603–606, 613–615, 628, 641, 643–645, 656, 662, 664, 670, 674, 679–681, 684, 690
- Teacher, 31, 99, 164, 173, 221, 252–254, 273, 519–522, 687
- Teaching self-feeding, 430, 479, 519, 524  
with spoon, 514, 521  
in visually impaired child, 663–666
- Teething, and drooling, 85, 390
- Temporomandibular joint (TMJ), 51, 61, 80, 93, 190, 356, 359–360, 363, 446, 448–449, 476  
and jaw stability, 358, 430, 444–445  
and jaw thrust, 125, 356  
limitation of movement at, 126
- Tetracycline, and zinc absorption, 341
- Tetralogy of Fallot, 105
- Thal fundoplication, 567
- Therapist, role of, 5, 31, 172–173, 198, 202, 205, 213, 557, 576, 585, 596
- Therapy, 1, 3–5, 13, 16, 22, 57–59, 95, 117, 139, 140, 143–145, 165, 170–171, 173–188, 191, 197, 207, 208–209, 211, 213–223, 227, 239, 241, 243–247, 251–254, 257–260, 270–271, 276, 282, 293, 298, 300–301, 304–305, 325, 331, 336, 339, 341, 350, 375, 388, 402, 404, 412, 414, 417, 419–420, 425–426, 433, 450, 460, 462–464, 466–467, 469, 474–475, 477, 481, 481, 483–484, 486, 488–489, 491, 502–505, 525–529, 556, 568, 571, 573, 575–576, 595–596, 600–601, 605, 610, 615, 627, 640, 643, 651, 658, 678, 680, 683, 687–688, 690–693  
role of food in, 354, 398
- Thyroid cartilage, 44, 147
- Tone, 29, 37, 51, 89, 90, 105, 109, 121, 123–124, 126, 128, 132, 134–135, 137, 167, 173, 185, 188, 197, 200, 207, 210, 216–217, 219, 237, 243, 247, 258–261, 293, 299, 301, 304–305, 318, 330, 345, 350, 354, 360, 362, 372, 380, 384, 387, 389, 392, 394, 397–400, 407, 409, 415, 418, 435–438, 440, 445–446, 448, 454, 456, 458–459, 475–477, 510, 521, 524, 539, 541, 550–552, 568, 599, 603, 619–620, 627, 660, 684  
changes in, 107, 131, 164, 208, 279, 297, 300, 358, 406–407, 410, 474, 489, 599  
decrease, 110, 332, 344, 358, 374, 378, 383, 390, 395, 406–407, 417, 443–444, 446, 450–451, 455–460, 463, 466–467, 469, 473, 475, 477, 481, 541  
increase, 73, 78, 102, 110, 127, 219, 238, 245, 261–262, 279, 332, 344–345, 356–358, 361, 363, 365, 376, 378–379, 383, 390, 392–393, 395–396, 406–407, 417, 439, 443–446, 449, 452–453, 455–456, 458–459, 467, 469, 473, 475, 477, 480–481, 488, 607  
fluctuating, 123, 311, 358–359, 370, 389, 571  
high, (*see* hypertonia), 122, 127, 280, 311, 366, 368, 385–386, 391–392, 406–407, 419, 449, 457–459, 463, 541, 571  
low, (*see* hypotonia), 101–102, 122–123, 125, 127–130, 189, 201, 206, 280–281, 302, 311, 332, 358–359, 362, 366, 368–370, 373–375, 377, 385–386, 388, 391, 404, 435–437, 444, 452–455, 463, 465, 476, 488–489, 494, 518, 571, 588, 685–686, 688–689  
stabilizing, 407, 603
- Tongue, 3, 13, 30, 34, 43, 45, 54, 65, 67, 80, 100, 115, 132, 136, 146, 167, 186–187, 195, 197, 199, 203–204, 208, 210, 223, 225, 241, 245–246, 250, 254, 259, 269, 276, 280–281, 286–287, 290, 299, 328, 354–356, 366, 373, 379, 383, 387–389, 391, 393–394, 398, 401, 405–407, 412–413, 416, 418–420, 431–432, 439–442, 452, 455–457, 461, 465, 468, 472, 474, 476, 482, 485–487, 489–491, 497, 499, 507, 511–513, 519–520, 531, 533, 535, 541, 545, 547–548, 558, 562, 576, 588, 603–604, 639, 641, 644, 650, 652, 656, 662, 688, 690  
asymmetry of, 370–371, 457  
bunchy or bunched, 127, 134, 136, 198, 201–202, 377, 607  
and exploration of environment, 605  
hypotonia of, 370, 372, 377, 391, 397, 607  
movement of, 46, 49–53, 63–64, 66, 69, 71, 76–95, 98, 101–102, 122–129, 135, 145, 189, 198, 202, 219, 247, 345, 359, 366–372, 375–377, 383–386, 392, 395–397, 415, 424, 435–438, 443, 445, 451, 453–454, 458, 460, 462–464, 466–467, 469, 471, 473, 475, 477–481, 488, 494, 501, 532, 534, 542, 599, 606–608, 613–614, 616, 652, 683–687, 689  
posterior of, 44, 46, 48  
protrusion of, 77, 82–84, 91, 93, 123–124, 127, 136, 367–369, 371, 386, 391–392, 436, 452–454, 462, 518, 532, 552, 603, 607
- Tongue depressor, as spoon, 464
- Tongue retraction, 52, 57, 82, 101–102, 122–123, 126–129, 134–136, 167, 189, 198–199, 202, 226, 250, 286, 299, 356, 366–367, 369, 372, 376, 383–385, 393, 395, 405–406, 436, 455–456, 460–461, 463, 465, 474, 532, 541, 613, 614
- Tongue thrust, 82–83, 98, 122, 124, 127, 129, 134–136, 167, 198–199, 259, 367–370, 395, 406, 431, 451–452, 497  
allergy and, 345
- Tongue thrust swallow, 82, 124
- Tonic bite reflex, 126, 135, 361, 364, 440, 447, 449, 456, 467, 472, 476, 478, 501  
possible causes or relationship, 379, 448  
problem, 134, 470
- Tonic neck reflex, 260, 457  
asymmetrical, and tongue asymmetry, 129, 371
- Tonicity; *see also* Tone, 90, 122, 126, 129, 134–136, 260, 360–361, 363–365, 371, 394–395, 406, 440, 446–449, 453, 456–457, 467, 470, 472, 475–478, 501, 607
- Tooth decay, 349, 489, 579
- Tooth grinding, and attention getting, 361–362, 450
- Toothbrush trainer sets, 438, 440, 607
- Toothbrushing, 190, 224–226, 349, 412, 420, 423, 431, 435, 439–441, 446, 458, 607, 685  
and lateralization for chewing, 437, 480, 494  
and tonic bite reflex, 449
- Touch; *see also* Tactile sensory information, 5, 11, 26, 35, 40, 60, 65, 75–76, 81, 88, 90, 116, 131–133, 171, 195, 199, 204, 206–208, 211, 225, 238, 257, 284–285, 290, 299–300, 328, 358, 360, 372, 379–382, 384, 386, 389, 406, 411, 414, 416–421, 423–424, 437, 440, 444–446, 448–449, 451–452, 454–457, 461, 465, 470–471, 476–477, 479, 490, 507,

509–510, 519, 521, 524, 543, 546, 587, 600, 605, 614, 627, 639–640, 645, 659–663, 667, 670–671, 673, 680, 684  
in tube-fed infants, 599  
types of, 281, 422, 462

Toupet fundoplication, 567

Toys, 22, 24, 53, 62–66, 69–71, 85–86, 90–91, 117, 125, 140, 152, 188, 190, 198–199, 201, 203, 206, 208–209, 217–218, 223–225, 239, 241–242, 245, 270–271, 275–276, 285, 290, 336, 356, 358, 371, 375, 380–381, 386, 407, 411–412, 415, 419–420, 423, 425, 436, 438–442, 445–446, 449–450, 457, 464, 467, 476–478, 480, 484, 491, 501–503, 511–512, 520–521, 523, 534, 587, 595, 602, 604–605, 607, 610, 613, 619, 626, 631, 645, 660–661, 679, 685, 693  
mouth learning, 359, 414, 496, 507, 576, 662  
teether/teething, 432, 496

Transposition of the great arteries, 105

Trachea, 44, 46, 47, 103, 105, 146

Tracheoesophageal atresia, 142

Tracheoesophageal fistula (TEF), 103, 107–108, 142, 190, 193, 562, 587

Tracheomalacia, 103–105, 111

Tracheostomy and swallowing; *see* swallowing and tracheostomy

Transverse tongue reflex, 76, 87, 437

Treatment, 15, 41, 59–60, 95, 130, 140, 145–146, 152, 154–155, 162, 167–168, 170–171, 174, 186, 189–193, 195–196, 198–199, 201, 203, 205–207, 216–218, 220–223, 231, 236, 240–241, 244–246, 253, 257, 260, 279, 293, 300–301, 304, 318, 320, 330, 341, 348, 350, 355, 383, 397–401, 403–405, 407–409, 423, 439, 457, 462, 469, 490, 493, 534, 548, 550, 553, 555–559, 562–563, 565–566, 568, 570–571, 580, 585, 589–590, 594–596, 599–603, 607, 609–610, 612, 616–617, 624–625, 639, 647, 651, 675, 677–679, 683, 687–689, 691–694  
definition of, 6, 595  
and feeding assessment, 172, 174, 188, 495  
goals of, 160, 174, 187, 197, 209–211, 215–219, 222, 339, 355, 590, 595, 597, 600–601, 604  
principles and perspectives of, 215, 235–247  
strategies and activities, 353–396, 402–494

Treatment plan, 140, 167–168, 187, 213, 219

Trigger events; *also* symptom triggers, 260–561, 569, 627, 628

Trunk, 64–65, 71, 73, 78–90, 125, 129, 166, 172–173, 206–207, 209, 212, 217, 219, 239, 247, 258, 298, 362, 402, 406–407, 417, 443–453, 455–456, 460, 474–475, 477, 524, 541, 550, 568, 599, 603, 667, 685, 688  
control of, and drooling, 390, 472  
and positioning, 161, 208, 210, 295–297, 299–302, 404–405, 408, 564

Trust, and learning, 34, 242, 257, 419, 423, 439, 447, 575

Tube-fed children, 25, 109, 115–116, 239, 295–296, 337–338, 346, 533–534, 560, 578, 585, 587, 589, 592–594, 597–599, 601, 606, 609–612, 615  
breast-feeding in, 462, 545, 600, 613, 654  
neurologically impaired, 608

Tube feeding, 104, 114, 131, 179–181, 189, 211, 239, 250, 264, 266, 313, 380–381, 540, 578, 585, 595, 597, 602, 609–612, 625–626  
and allergy, 346, 574  
bolus feeding, 195, 295, 592, 602, 615–616  
and diet, 109, 324, 337–338, 349, 593–594, 614  
drip feeding, 560, 589, 592–593, 601, 615

Duodenal tube (Dou-tube), 590  
and feeding therapy, 117, 388, 596  
effects of, 117, 561, 586  
enteral tube, 323, 588, 591  
and gastroesophageal reflux, 19, 190, 601  
gastrojejunal tube (GJ-tube), 590  
gastrostomy tube (G-tube), 95, 152, 160, 193, 195–196, 200, 223, 258, 275, 314, 560, 565, 569, 586, 589–591, 616, 639–640  
surgically placed, 589, 591

jejunostomy tube (J-tube), 568, 590–591  
management of, 587, 591–592, 594  
nasogastric tube (NG-tube), 101, 115, 148, 192, 195, 200, 538, 586–589, 591, 598, 639

nasojejunal tube (NJ-tube), 589, 590–591  
orogastric tube (OG-tube), 115, 538, 549, 586–588, 591  
parenteral tube, 588, 590  
percutaneous endoscopic gastrostomy tube (PEG), 152, 589–591  
positioning for, 586, 592–593, 600  
reasons for placement, 586, 592, 599  
referral for, 596  
removal of, 195, 588–589, 616

## U

Ultrasound, 77  
advantages, 145–146  
disadvantages, 146

Unsustained bite, 86

Upper esophageal sphincter (UES); *see* esophageal sphincter; *see also* cricopharyngeal sphincter

Upper gastrointestinal endoscopy, 152, 675

Upper GI (UGI) Series; *also* barium swallow; *also* esophagram, 139, 142, 147, 156, 165, 469, 490–491, 565, 576  
advantages, 148  
limitations, 148–149

Upper respiratory problems, and drooling, 390, 473, 684

Utensils, 24, 26, 30, 32, 36, 39–40, 61, 68, 70, 94, 125, 133, 155, 163–164, 166, 171, 185, 203, 228, 237, 242, 267–268, 275, 354, 356, 358, 369, 372, 381, 387–388, 412, 415, 424, 430, 432, 441–442, 449, 467, 495–497, 503–504, 513–515, 522–524, 587, 613, 619, 631, 645, 663, 665, 667–668, 679

Utility hand hold, 514, 515

Uvula, 43, 48

## V

Valleculae, 135, 142, 146  
collection of food in, 44, 47, 599

Valving mechanism of feeding system, 46

Velopharyngeal insufficiency, 128, 376, 438

Velopharyngeal valve, 46

Ventricular septal defect, 105

Vertical midline, 64–65

Vertical pattern of chewing, 64–65, 86–87, 91, 92

Vests for positioning, 217, 279–280, 299, 353, 378, 404, 406, 448, 561, 674, 686

Vestibular sensory information, 278–279, 524, 624, 644  
alerting and calming variables, 679  
and movement, 422

Videofluoroscopic swallow study (VFSS); *also* modified barium swallow study; *also* cookie swallow study, 139, 140, 143–145

benefits, 141, 611  
in combination with Upper GI Series, 142, 154  
limitations, 140–141  
stresses of the VFSS for children, 140–141  
X-ray exposure, 141

Videofluoroscopy, 139–146, 149, 154, 469, 605, 611

Visual impairment, 132, 377, 659–668, 675, 677  
effect on feeding, 132  
effect on incidental learning and imitation, 284, 664–668

Visual sensory information, 5, 125, 253, 283, 312, 314, 318, 320, 322, 329, 331, 339, 341, 473, 524, 677, 681

Vitamins, 46, 312, 316–317, 335–336, 338, 349, 675  
and medication, 319–320, 329, 331, 339, 341–342, 346  
vitamin B, 318, 341

Vocal cords, 44, 58, 146

Vocal folds, 51, 122, 141, 470, 608  
false, 44, 46, 50  
true, 44, 46, 50

Vocalization and sound play, facilitation of, 534, 596, 603, 607–608

Vomiting, 23, 34, 45, 107–108, 114–115,

132, 142, 148, 152, 183, 250, 289, 312–313, 326, 341, 345–346, 384, 420, 489, 552, 555, 561–562, 569–570, 577–579, 619, 629, 631, 634, 645, 661, 670

types of, 559

acute or chronic illness, 557–559, 574  
for attention, 29, 491–492, 559, 602  
chronic GERD, 106, 559, 563–564, 566, 568, 591  
for communication, 491–492, 559, 574  
cyclical vomiting, 559  
innocent vomiting, 559, 563  
ridding of a substance, 559  
structural problem, 490, 559, 575

tube feeding, 19, 109, 117, 190, 200, 559–560, 574, 576, 586, 589, 601, 639

Weight gain, 23, 25, 28, 34, 72, 98, 110, 160, 191, 257, 312, 538, 542, 547, 562, 586, 601, 634, 651  
calories and, 314, 316, 331–334, 542, 549, 552  
fats and, 18, 314, 316, 331–334  
protein and, 23, 314, 316, 333–334

Whistles, and lip and respiratory control, 432, 434, 442, 497

## Z

Zinc, 10, 318, 322, 326, 331, 340, 677  
deficiency, 212, 223, 282, 319–320, 329, 339, 341, 347, 580  
and appetite, 212, 319–320, 339, 341, 580  
and taste, 212, 223, 282, 319–320, 341, 347

## W

Water, 39, 46, 55, 69–70, 95, 109, 141, 144, 162, 201–202, 212–213, 226, 228–229, 235, 266, 275–276, 281–282, 287, 317, 331, 333–334, 344, 350–351, 414–415, 426–427, 432, 434, 440, 442, 448, 467–471, 483–484, 487, 489–491, 494, 520–521, 523, 571–573, 602, 605–606, 610, 613–614, 616, 643, 675, 680, 684  
body's need for, 24, 56, 327–328, 348

Weight, and food and utensil choices, 9, 23, 74, 338, 625, 643, 675

Weight bearing, and stability, 62, 64, 243