## Index

| A  | Adaptation as stimulus control in stuttering, 242–243   |
|--|---|
| AAC. See Augmentative and alternative communication      | Adductor spasmodic dysphonia, 300                       |
| (AAC)  | Adenoidectomy, 288                                      |
| ABAB design, 529–530                                     | ADHD (attention-deficient/hyperactivity disorder),      |
| ABA design, 529–530<br>ABA design, 529–530               | 149–150   |
| Abdomen, 4   | Adjacency effect as stimulus control in stuttering, 243 |
| Abdominal muscles of expiration, 6                       | Admittance of sound, 455                                |
| Abducens nerve (cranial nerve VI), 29, 30                | Adolescents   |
| ,                  | assessment, 160–163                                     |
| Abaduta rara paint 544                                   | language assessment, 151                                |
| Absolute zero point, 544                                 | language impairments, 417–418                           |
| Abuse, language problems related to, 146–147             | stuttering treatment for, 256, 257                      |
| Abuse-based disorders of phonation, 302–307              | voice changes, 275–276                                  |
| Academic language, 164                                   | Adopted children, second-language acquisition of,       |
| Academic performance and speech sound disorders, 199     | 407–408   |
| Acceleration, 81   | Adults  |
| Acceleration—deceleration head injuries, 366             | with neurologically based communication disorders       |
| Accent training, 219–220                                 | 420–422   |
| Accreditation, 600                                       | stuttering in, 241–242                                  |
| Acculturation, 393                                       | stuttering treatment for, 256, 257                      |
| Acetylcholine, 28  | voice changes, 276                                      |
| Achalasia, 372   | Aerodynamic measurements, 284                           |
| Acoustic analysis of speech, 82–83, 282–283              | Afferent nerves, 29                                     |
| Acoustic branch, 438                                     | Affordable Health Care Act, 607                         |
| Acoustic immitance, 455–456                              | Affricates, 71, 189                                     |
| Acoustic nerve (cranial nerve VIII), 29, 31, 438         | Affrication, 197  |
| Acoustic neuroma, 450                                    | African American English (AAE), 395-396                 |
| Acoustic phonetics, 61, 62                               | African American Language                               |
| Acoustic reflex, 437, 456                                | articulation and phonology characteristics, 396, 399    |
| Acoustics  | background, 395   |
| defined, 78  | bias against AAL speakers on tests, 397                 |
| frequency and intensity, 440–441                         | examples of acceptable utterances, 396, 400             |
| sound pressure level and hearing level, 442              | misconceptions about, 395–396                           |
| sound waves, 440, 441                                    | morphology and syntax characteristics, 396, 398         |
| source of sound, 439–440                                 | African American medical conditions and communica-      |
| Acquired immune deficiency syndrome (AIDS), 563–565      | tion disorders, 418–419                                 |
| as cause of strokes, 420                                 | Age and counseling issues, 557                          |
| dementia complex, 357–358                                | Agnosia, 338  |
| Acquired stuttering, 258. See also Neurogenic stuttering | Agraphia, 338   |
| Acronyms   | AIDS. See Acquired immune deficiency syndrome           |
| SCERTS, 142  | (AIDS)  |
| STORCH, 449–450  | Air–bone gap, 458                                       |
| TOSS, 275  | Air conduction of sound, 443                            |
| Active sentence, 93                                      | Air-conduction testing, 455                             |
| Acute otitis media, 445                                  | Alaryngeal speech, 292                                  |

| Alcohol abuse                                     | Speech Sound Disorders Evidence Map, 198            |
|---|---|
| as cause of strokes, 420                          | standard precautions and hygiene, 563               |
| language problems related to, 147-149             | stuttering information, 239                         |
| Alexia, 338                                       | telepractice, 609                                   |
| Allomorph, defined, 92                            | traumatic brain injury, 365                         |
| Allophones, defined, 62, 188                      | Americans With Disabilities Act (ADA), 606–607      |
| Alternate form reliability, 492, 524              | Amplification aids for hearing impairment, 463–467  |
| Alternative assessment, 152                       | assistive devices, 467                              |
| Alternative hypothesis, 522–523                   | cochlear implants, 465–466                          |
| Alveolar arch, 19                                 | hearing aids, 463–465                               |
| Alveolar ducts, 3                                 | tactile aids, 466–467                               |
| Alveolar process, 18                              | Amplitude, 78, 81–82, 440–441                       |
| Alzheimer's disease, 352–353                      | Amplitude perturbation (shimmer), 277               |
| American Academy of Audiology (AAA), 435          | Amsterdam-Nijmegen Everyday Language Test (ANELT)   |
| American Congress of Rehabilitation Medicine, 367 | 331   |
| American English, dialects, 394–395               | Amyotrophic lateral sclerosis (ALS), 301, 343       |
| American Indian Hand Talk (AMER-IND), 172         | Analog hearing aid, 464                             |
| American Psychiatric Association                  | Angelman Syndrome (AS), 575                         |
| DSM-V. See Diagnostic and Statistical Manual of   | Anger reaction and communication disorders, 558     |
| Mental Disorders–Fifth Edition (DSM-V)            | Angular gyrus, 45                                   |
| intellectual disability definition, 139           | Ankyloglossia (tongue-tie), 200                     |
| American Sign Language (ASL), 172, 470            | Ankylosis, 299–300                                  |
| American Speech-Language-Hearing Association      | Anomic aphasia, 328                                 |
| (ASHA)  | Antagonistic Recovery Theory, 421                   |
| accreditation, 600                                | Antecedents, 499, 500                               |
| aphasia, 322                                      | Anterior belly of digastric muscle, 20              |
| audiology degree, 435                             | Anterior sounds, 69                                 |
| autism spectrum disorder, 142                     | Anticipatory struggle hypothesis of stuttering, 248 |
| bilingual children, 410                           | Anxiety reaction, 558                               |
| Certificate of Clinical Competence, 618           | Aorta, 52   |
| certification, 600–602                            | AOS. See Apraxia of speech (AOS)                    |
| children's language development, 97               | Aperiodic vibrations, 81, 440                       |
| Code of Ethics, 602                               | Aperiodic waves, 78                                 |
| cultural competence, 394                          | Apert syndrome, 575                                 |
| Dementia Evidence Map, 352                        | Aphasia, 321–338                                    |
| dynamic assessment, 416                           | agnosia, 338  |
| dysphagia, 374                                    | agraphia, 338                                       |
| evidence-based practice, 480, 541                 | alexia, 338   |
| functions, 595                                    | assessment, 329–334                                 |
| goals, 596–597                                    | foundational concepts, 329                          |
| Head and Neck Cancer Evidence Map, 291            | functional tools, 330–331                           |
| history of, 595–596                               | outline, 331–334                                    |
| membership, 596, 597                              | standardized tests, 330                             |
| multicultural issues, 393–394                     | in bilingual populations, 329                       |
| National Outcome Measurement System (NOMS),       | classification, 323                                 |
| 609   | defined, 321, 322, 323                              |
| orofacial myofunctional disorders, 201            | fluent, 325–328                                     |
| professional regulatory body, 599–600             | anomic aphasia, 328                                 |
| special interest groups, 597–598                  | conduction aphasia, 327                             |
| speech–language pathology assistants, 602–603     | transcortical sensory aphasia, 326–327              |
| speech sound disorders, 204                       | Wernicke's aphasia, 46, 326                         |

Deep Test of Articulation, 213-214 foundational concepts, 322 nonfluent, 323-325 defined, 1, 15, 188 Broca's aphasia, 323-324 disorder, defined, 187 global aphasia, 325 errors, 200 mixed transcortical aphasia, 325 foundations of, 187-190 transcortical motor aphasia, 324 functional articulation disorder, 198 statistics, 322 fundamentals of, 15-25 subcortical, 328-329 face (lips and cheeks), 23–25 treatment, 334-337 hard palate, 18-19, 20 auditory comprehension, 334-335 mandible, 19-20 bilingual speakers, 337 pharynx, 16-17 experimental approaches, 337 soft palate (velum), 17, 19 teeth, 20-21 foundational concepts, 334 group treatment, 337 tongue, 21-23 reading skills, 336 glottal articulation, 70, 190, 197 social approaches, 337 *Iowa Pressure Articulation Test*, 572 types of, 321 lateral articulation, 73 verbal expression: expanded utterances, 336 manner of, 67, 70-73, 189-190 verbal expression: naming, 335 place of, 67, 70, 189, 190 writing skills, 336 skills development, 191-198 Aphasia Diagnostic Profiles (ADP), 330 in children, 194, 195 Aphasia Language Performance Scale (ALPS), 330 in infants, 193-194 Aphasia Screening Test-Second Edition (AST-2), 330 intelligibility, 194-196 Applied (clinical) phonetics, 62 skills development theories, 191-192 behavioral theory, 191 Approach-avoidance hypothesis of stuttering, 248 Approximants, 69 generative phonology theory, 192 Apraxia of speech (AOS), 339-343 linear vs. nonlinear phonology theories, 192 Apraxia Battery for Adults (ABA), 341 natural phonology theory, 191-192 assessment, 203, 341 structural theory, 191 Spanish-influenced English, 401 causes of, 202 Templin Darley Test of Articulation, 572 characteristics, 203 communication deficits in, 340-341 Articulatory errors, 199-200 defined, 321, 339 Articulatory phonetics, 62 distinctions, 339 Articulatory problems, 135 neuropathology of, 339-340 Arvepiglottic folds, 11, 12, 272 primary progressive apraxia of speech, 339, 340 Arytenoid cartilage, 7, 12, 272, 274 ASHA. See American Speech-Language-Hearing Assopure apraxia, 339 symptoms, 340 ciation (ASHA) treatment, 203-204, 342 Asian American medical conditions and communication Arachnoid, 51, 52 disorders, 419 Arcuate fasciculus, 50 Asian-influenced languages Arizona Battery for Communication Disorders of Demenarticulation, 405 tia (ABCD), 359 background, 402 Arteries feeding the larynx, 272 characteristics, 403 Arteriosclerosis, 420 language differences, 404 Articulation Asperger, Hans, 140 African American English, 396, 399 Asperger's syndrome, 140, 142 anatomy and physiology, 63 Assessment Asian-influenced languages, 405 aphasia, 329-334 bunched articulation, 72 apraxia of speech, 203, 341 coarticulation, 77 children with clefts, 571-572

| cluttering, 261  | assessment, 332  |
|--|--|
| defined, 479   | treatment, 334–335                                       |
| dementia, 358–359  | Auditory Comprehension Test for Sentences (ACTS), 331    |
| dynamic, 152, 415, 416                                       | Auditory development, 442-443                            |
| Dynamic Evaluation of Motor Speech Skill                     | Auditory discrimination, 119                             |
| (DEMSS), 203   | Auditory discrimination/perceptual training, 212–213     |
| dysarthrias, 348–349   | Auditory discrimination skills as factor in speech sound |
| evidence-based practice. See Evidence-based practice         | disorders, 199   |
| hearing impairment, 454-460                                  | Auditory-evoked potentials, 456                          |
| of information processing skills, 152                        | Auditory feedback problems of stutterers, 246–247        |
| language disorders, 151–163                                  | Auditory memory, 120                                     |
| multicultural population communication disorders,            | Auditory nervous system, 438                             |
| 410-417  | Auditory nervous system impairments, 450-454             |
| neurogenic stuttering, 259–260                               | central auditory disorders, 450-452                      |
| right-hemisphere brain damage, 363-364                       | retrocochlear disorders, 452–454                         |
| speech sound disorder, 204–210                               | Auditory–oral skills, 112                                |
| standardized. See Standardized assessment                    | Auditory phonetics, 62                                   |
| stuttering, 249–251  | Auditory rate, 120                                       |
| swallowing disorders, 372–373                                | Auditory sequencing, 120                                 |
| traumatic brain injury, 367–368                              | Auditory training, 468                                   |
| voice disorders, 279–287                                     | Auditory verbal agnosia, 338                             |
| Assessment of Intelligibility of Dysarthric Speakers (AIDS), | Augmentative and alternative communication (AAC),        |
| 349  | 171–173  |
| Assimilation, 77, 393  | basic principles, 171–172                                |
| Assimilation processes, 197                                  | gestural (unaided) AAC, 172                              |
| Assimilative nasality, 288                                   | gestural-assisted (aided) AAC, 173                       |
| Association fibers, 50                                       | neuro-assisted (aided) AAC, 173                          |
| Associative play, 157  | Aural atresia, 445                                       |
| Astrocytes, 26   | Aural/oral training method, 470                          |
| Ataxia, 42, 344  | Aural rehabilitation, 462–463                            |
| Ataxic CP, 144   | Auricle of the outer ear, 436                            |
| Ataxic dysarthria, 42, 344–345                               | Auricular muscle, 31                                     |
| Athetoid CP, 144   | Authentic assessment, 496                                |
| Attention-deficit/hyperactivity disorder (ADHD),             | Autism spectrum disorder (ASD), 140–142                  |
| 149–150  | Asperger's syndrome, 140, 142                            |
| Attention to task deficits, 138                              | background of term, 140                                  |
| Attrition, 538   | characteristics, 140–141                                 |
| Audience size effect as stimulus control in stuttering,      | language problems, 141                                   |
| 243–244  | manifestations, 140                                      |
| Audiologists, 435, 463                                       | treatment, 141   |
| Audiology. See also Hearing impairment                       | Autistic psychopathy, 140                                |
| defined, 435   | Autoclitics, 114   |
| education and training for, 435                              | Automated speech and singing assessment, 333             |
| as a profession, 435   | Automatic reinforcer, 504                                |
| Audiometer, 454  | Autonomic nervous system (ANS), 35-37                    |
| Audiometry, 454–455, 456                                     | Average score, 543                                       |
| Auditory agnosia, 338  | Aversive stimuli, 499                                    |
| Auditory association cortex, 45                              | Avoidance  |
| Auditory attention, 119                                      | defined, 499   |
| Auditory brainstem response (ABR), 456                       | escape vs., 500  |
| Auditory branch, 438   | stuttering and, 241, 248                                 |
| Auditory comprehension                                       | Axon, 26, 27   |

| Bone conduction of sound, 443 Backing, 197 Back sounds, 69 Back up reinforcer, 504 Back vowels, 73, 75 Basal ganglia, 40–41 Baselines, 499 Base morpheme, 92 Base rating, 529 Basilar artery, 54 Basilar membrane, 437, 438 Bedside Evaluation Screening Test—Second Edition (BEST-2), 330 Behavioral theory Bone conduction of sound, 443 Bone-conduction testing, 455 Bony growths, 445 Booster treatment, 500, 509 Booster treatmen |
|--|
| Back sounds, 69 Back up reinforcer, 504 Back vowels, 73, 75 Basal ganglia, 40–41 Baselines, 499 Base morpheme, 92 Base rating, 529 Basilar artery, 54 Basilar membrane, 437, 438 Bedside Evaluation Screening Test—Second Edition (BEST-2), 330 Behavioral theory Bony growths, 445 Booster treatment, 500, 509 Booster treatment, 500 Booster  |
| Backup reinforcer, 504  Back vowels, 73, 75  Basal ganglia, 40–41  Baselines, 499  Base morpheme, 92  Base rating, 529  Basilar artery, 54  Basilar membrane, 437, 438  Bedside Evaluation Screening Test—Second Edition (BEST-2), 330  Behavioral theory  Booster treatment, 500, 509  Booster treatment, 500, 509  Boston Diagnostic Aphasia Examination—Third Edition (BDAE-3), 330  Botox injections, 300  Bound morpheme, 92, 139  Brachycephaly, 575  Brain  connecting fibers, 50–51  damage. See Right-hemisphere brain damage (RHBD); Traumatic brain injury (TBI) illustration, 38   |
| Back vowels, 73, 75  Basal ganglia, 40–41  Baselines, 499  Base morpheme, 92  Base rating, 529  Basilar artery, 54  Basilar membrane, 437, 438  Bedside Evaluation Screening Test—Second Edition (BEST-2), 330  Behavioral theory  Boston Diagnostic Aphasia Examination—Third Edition (BDAE-3), 330  Botox injections, 300  Bound morpheme, 92, 139  Brachycephaly, 575  Brain  connecting fibers, 50–51  damage. See Right-hemisphere brain damage (RHBD); Traumatic brain injury (TBI)  illustration, 38  |
| Basal ganglia, 40–41  Baselines, 499  Botox injections, 300  Bound morpheme, 92, 139  Basilar artery, 54  Basilar membrane, 437, 438  Bedside Evaluation Screening Test–Second Edition (BEST-2), 330  Behavioral theory  (BDAE-3), 330  Botox injections, 300  Bound morpheme, 92, 139  Brachycephaly, 575  Brain  connecting fibers, 50–51  damage. See Right-hemisphere brain damage  (RHBD); Traumatic brain injury (TBI)   |
| Baselines, 499 Base morpheme, 92 Base rating, 529 Basilar artery, 54 Basilar membrane, 437, 438 Basilar membrane, 437, 438 Bedside Evaluation Screening Test—Second Edition (BEST-2), 330 Behavioral theory Botox injections, 300 Bound morpheme, 92, 139 Brachycephaly, 575 Brain connecting fibers, 50–51 damage. See Right-hemisphere brain damage (RHBD); Traumatic brain injury (TBI) illustration, 38  |
| Base morpheme, 92 Base rating, 529 Basilar artery, 54 Basilar membrane, 437, 438 Basilar membrane, 437, 438 Bedside Evaluation Screening Test—Second Edition (BEST-2), 330 CRHBD); Traumatic brain injury (TBI) Behavioral theory Bound morpheme, 92, 139 Brachycephaly, 575 Brain connecting fibers, 50–51 damage. See Right-hemisphere brain damage (RHBD); Traumatic brain injury (TBI)   |
| Base rating, 529 Brachycephaly, 575 Basilar artery, 54 Brain Basilar membrane, 437, 438 Bedside Evaluation Screening Test—Second Edition (BEST-2), 330 CRHBD); Traumatic brain injury (TBI) Behavioral theory illustration, 38   |
| Basilar artery, 54 Basilar membrane, 437, 438 Basilar membrane, 437, 438  Brain  connecting fibers, 50–51  damage. See Right-hemisphere brain damage  (RHBD); Traumatic brain injury (TBI)  Behavioral theory  illustration, 38  |
| Basilar membrane, 437, 438 connecting fibers, 50–51  Bedside Evaluation Screening Test–Second Edition (BEST- 2), 330 c(RHBD); Traumatic brain injury (TBI)  Behavioral theory illustration, 38   |
| Bedside Evaluation Screening Test—Second Edition (BEST-<br>2), 330 damage. See Right-hemisphere brain damage<br>(RHBD); Traumatic brain injury (TBI)<br>Behavioral theory illustration, 38   |
| Bedside Evaluation Screening Test—Second Edition (BEST-<br>2), 330 damage. See Right-hemisphere brain damage<br>(RHBD); Traumatic brain injury (TBI)<br>Behavioral theory illustration, 38   |
| 2), 330 (RHBD); Traumatic brain injury (TBI)<br>Behavioral theory illustration, 38   |
| Behavioral theory illustration, 38   |
|  |
| articulatory skills development, 191 injury  |
| counseling, 555–556 as cause of cerebral palsy, 144  |
| language development, 113–115 stuttering prevalence and, 238   |
| Behavioral treatment, 166 traumatic brain injury, 143–144  |
| Behavioral variant of FTD, 353–355 protective layers, 51–52  |
| Behavior Assessment Battery for School-Age Children Who  Brainstem, 38–40  |
| Stutter, 251 functions, 38   |
|  |
| ·  |
| Behavior therapy, 309 midbrain, 38–39  |
| Bel, 79 pons, 39   |
| Bell-shaped curve, 544 structures, 38, 39  |
| Bells Test, 363  Breastbone (sternum), 3   |
| Bernoulli effect, 12  Breathing  |
| Bicultural immigrants, 393 abnormalities and stuttering, 240   |
| Bifid (cleft) uvula, 569 clavicular, 286   |
| Bilabials, 70, 190 diaphragmatic–abdominal, 286  |
| Bilateral paralysis of vocal folds, 299 thoracic, 286  |
| Bilingual populations with aphasia Breathy voice, 278  |
| assessment, 333–334 Brief Test of Head Injury (BTHI), 367  |
| Bilingual Aphasia Test (BAT), 334 Broca's aphasia, 323–324   |
| generally, 329 Broca's area, 13, 43, 45  |
| treatment, 337 Broken words, 235   |
| Birth defects as cause of hearing loss, 449 Bronchi, 3   |
| Birth order as factor in speech sound disorders, 199 Bronchioles, 3  |
| Black Dialect, 395 Brooks Publishing assessment instruments, 156   |
| Black English, 395 Buccal branches, 23   |
| Black English Vernacular, 395 Buccinator muscle, 23, 24, 25, 31  |
| Blade of the tongue, 21, 22 Bunched articulation, 72   |
| Blast (multisystem) head injury, 366  Burden of Stroke Scale (BOSS), 331   |
| Blends, 73   |
| Blessed Dementia Scale, 359  |
| Rliceymbols 173  |
| Blom-Singer tracheoesophageal puncture (TEP), 292,   |
| 294 Cancer of the larynx, 290–291  |
| Blood, cerebral blood supply, 52–54  Canonical babbling stage of sound development, 193  |
| Bloodstein, O., 248  Carcinoma and laryngectomy, 290–294   |
| Bolus, 371 alaryngeal speech, 292–294  |

| basic principles, 290–291                         | parietal lobe, 45   |
|---|---|
| medical treatment, 291                            | temporal lobe, 45–46                                      |
| rehabilitation issues, 291–292                    | connecting fibers in the brain, 50–51                     |
| Caregivers  | diencephalon, 40  |
| impact on language development, 96–97             | extrapyramidal system, 48                                 |
| infant-caregiver interaction assessment, 156      | nerve cells, 26   |
| parental impact on language development, 120      | protective layers of the brain, 51–52                     |
| Carhart's notch, 446                              | pyramidal system, 46–48                                   |
| Carotid arteries, 54                              | basic principles, 46                                      |
| Carrier symbols, 173                              | corticobulbar tract, 48, 49                               |
| CAS (childhood apraxia of speech), 202–204        | corticospinal tract, 46-48                                |
| Case history                                      | reticular activating system, 40                           |
| communication disorder description, 481           | Central sulcus (fissure of Rolando), 42                   |
| educational history, 482                          | Central tendency, 543–544                                 |
| family constellation and communication, 481       | Central vowels, 75  |
| function of, 481                                  | Cephalometric analysis, 571                               |
| medical history, 482                              | Cephalometric Assessment of Velopharyngeal Structures     |
| multicultural population communication disorders, | (CAVS), 571   |
| 414   | Cerebellopontine angle, 438                               |
| occupational history, 482                         | Cerebellum, 13, 41–42                                     |
| prenatal, birth, and developmental history, 482   | Cerebral aqueduct, 51                                     |
| prior assessment and treatment, 481               | Cerebral blood flow and stuttering, 246                   |
| prognosis, 483                                    | Cerebral blood supply, 52–54                              |
| research history, 537                             | aorta, 52   |
| speech sound disorder assessment, 205–206         | carotid arteries, 54                                      |
| voice disorders, 279–280                          | circle of Willis, 53, 54                                  |
| Cauda equina, 35, 36                              | vertebral arteries, 52, 54                                |
| Caudate nucleus, 40, 41                           | Cerebral dominance theory, 234, 246                       |
| Causal-comparative studies, 533                   | Cerebral palsy  |
| Cause–effect (functional) units, 114              | ataxic CP, 144  |
| Cause–effect relationships, 525                   | athetoid CP, 144  |
| Central auditory disorders, 450–452               | causes of, 144  |
| Central auditory function of stuttering, 246      | defined, 144  |
| Central auditory processing, 451                  | paralysis manifestations, 144                             |
| Central electroauditory prosthesis (CEP), 466     | spastic CP, 144   |
| Central nervous system (CNS), 37–54               | speech and language problems, 144                         |
| basal ganglia, 40–41                              | treatment, 144  |
| basic principles, 37–38                           | Cerebral ventricles, 51                                   |
| brainstem, 38–40                                  | Cerebrovascular accident (CVA), 322                       |
| functions, 38                                     | Cerebrum (cerebral cortex), 42–46                         |
| medulla, 39–40                                    | basic principles, 42–43                                   |
| midbrain, 38–39                                   | frontal lobe, 43–45                                       |
| pons, 39  | occipital lobe, 45  |
| structures, 39                                    | parietal lobe, 45   |
| cerebellum, 41–42                                 | temporal lobe, 45–46                                      |
| cerebral blood supply, 52–54                      | Certificate of Clinical Competence in Audiology (CCC-A),  |
| cerebral ventricles, 51                           | 601   |
| cerebrum, 42–46                                   | Certificate of Clinical Competence in Speech–Language Pa- |
| basic principles, 42–43                           | thology (CCC-SLP), 601                                    |
| frontal lobe, 43–45                               | Certification, 600–602, 618                               |

Cerumen, 436

occipital lobe, 45

| Cervical vertebrae, 3, 4                                 | Clinical science. See Scientific method               |
|--|---|
| CHADD (Children and Adults with Attention-Deficit/       | Closed-captioning on television, 467                  |
| Hyperactivity Disorder), 149                             | Closed-head (nonpenetrating) injury, 366              |
| Chemotherapy, 291  | Closed syllables, 66                                  |
| Chest, 3–4   | Cluttering, 231, 260–262. See also Fluency            |
| Chewing (mastication), 20                                | assessment, 261                                       |
| Child-directed speech (CDS), 96–97                       | defined, 260  |
| Childhood apraxia of speech (CAS), 202–204               | description of, 260–261                               |
| Children. See Adolescents; Elementary-age children; In-  | treatment, 261  |
| fants; Preschoolers; Toddlers                            | CO2 laser surgery for spasmodic dysphonia, 300        |
| Children and Adults with Attention-Deficit/Hyperactiv-   | Coarticulation, 77                                    |
| ity Disorder (CHADD), 149                                | Cocaine-exposed-children, effects of enriched environ |
| Chomsky, Noam, 115–116                                   | ment on, 149  |
| Chomsky-Halle distinctive features of English conso-     | Coccyx, 3, 4  |
| nants, 67, 189   | Cochlea, 437  |
| Chondroglossus muscle, 22                                | Cochlear implants, 465–466                            |
| Choroid plexus, 51                                       | Coda of syllables, 66                                 |
| Chronic otitis media, 445                                | Code of Ethics, 602                                   |
| Chronic otitis media with effusion (COME), 570           | Code-switching, 406                                   |
| Cilia, 437   | Cognate pairs, 70                                     |
| Cineradiographic studies of stuttering, 246              | Cognitive–behavioral theory of counseling, 556–557    |
| Circle of Willis (circulus arteriosus), 53, 54           | Cognitive connectionism, 119                          |
| Circulus arteriosus (circle of Willis), 53, 54           | Cognitive constructionism, 116                        |
| Citation form of sound, 76                               | Cognitive deficits, 134                               |
| Classes of evidence for evidence-based practice, 540–541 | Cognitive processing deficits, 138                    |
| Classically conditioned negative emotion hypothesis of   | Cognitive processing skills, 171                      |
| stuttering, 247–248                                      | Cognitive rehabilitation, 360, 368                    |
| Classification of speech sounds, 67–68                   | Cognitive stimulation, 360                            |
| distinctive feature analysis, 67                         | Cognitive theory of language development, 116–118     |
| place-voice-manner analysis, 67–68                       | Cognitive training, 360                               |
| Classification variable, 532                             | Collaboration in treatment, 165                       |
| Clause, independent (main), 93                           | Collection of independent features, 188               |
| Clavicular breathing, 286                                | Coloboma, 579   |
| Cleft lip, 567   | Coma Recovery Scale–Revised (CRS-R), 367              |
| Cleft palate, 567–574                                    | Commenting, 95  |
| assessment of children with clefts, 571–572              | Commissural fibers, 50–51                             |
| as cause of hypernasality, 288                           | Common Core State Standards                           |
| classification of, 569                                   | achievement by students with language impair-         |
| Cleft Palate Foundation, 571                             | ments, 165  |
| congenital palatopharyngeal incompetence, 569            | goals, 112–113  |
| embryonic growth of facial structures, 567–568           | teaching literacy skills, 170                         |
| etiology of, 568   | Communication, nonverbal, sign language, 470–471      |
| hearing loss and, 569–570                                | Communication development in medically fragile in-    |
| language disorders, 570                                  | fants, 583–584  |
| laryngeal and phonatory disorders, 570                   | Communication training for the hearing impaired,      |
| speech sound disorders, 570                              | 467–471   |
| treatment, 572–574                                       | auditory training, 468                                |
| Client-centered theory of counseling, 554–555            | aural/oral training method, 470                       |
| Client-specific assessment, 495–496                      | cued speech, 469                                      |
| Client-specific treatment strategy, 506                  | desktop auditory trainers, 468                        |
| Clinical certification, 601–602                          | FM auditory trainer, 468                              |

| generally, 467   | assessment, 348-349                                   |
|--|---|
| manual training approach, 470                          | ataxic dysarthria, 344–345                            |
| oral language training, 469                            | communicative disorders of, 344                       |
| sign language, 470–471                                 | defined, 343  |
| speech, rhythm, and voice training, 469–470            | flaccid dysarthria, 345                               |
| speech reading, 468                                    | hyperkinetic dysarthria, 345–346                      |
| total communication, 470                               | hypokinetic dysarthria, 346–347                       |
| Communicative Abilities in Daily Living-Second Edition | mixed dysarthrias, 347–348                            |
| (CADL-2), 330  | neuropathology of, 343–344                            |
| Communicative disorders, 321–376                       | spastic dysarthria, 347                               |
| agnosia, 338   | treatment, 350  |
| agraphia, 338  | unilateral upper motor neuron dysarthria, 348         |
| alexia, 338  | hearing impairment, 461–462                           |
| aphasia, 321–338                                       | in multicultural populations. See Multicultural       |
| assessment, 329–334                                    | population communication disorders                    |
| in bilingual populations, 329                          | reactions and emotions related to, 558                |
| definition and classification, 323                     | right-hemisphere brain damage, 361–365                |
| fluent aphasias, 325–328                               | assessment, 363–364                                   |
| foundational concepts, 322                             | foundational concepts, 361–362                        |
| nonfluent aphasias, 323–325                            | symptoms, 361, 362–363                                |
| subcortical aphasia, 328–329                           | treatment, 364  |
| treatment, 334–337                                     |   |
| *  | swallowing disorders, 370–376                         |
| apraxia of speech, 339–343                             | assessment, 372–373                                   |
| assessment, 341  | nature and etiology of, 370                           |
| communication deficits, 340–341                        | normal and disordered swallow, 370–372                |
| definition and distinctions, 339                       | treatment, 373–376                                    |
| neuropathology of, 339–340                             | traumatic brain injury, 365–370                       |
| symptoms, 340  | assessment, 367–368                                   |
| treatment, 342   | causes of, 366  |
| case history, 481                                      | definition and incidence, 365                         |
| clefts and, 569–570                                    | dementia, 358   |
| hearing loss, 569–570                                  | treatment, 368–369                                    |
| language disorders, 570                                | types and consequences of, 366–367                    |
| laryngeal and phonatory disorders, 570                 | treatment paradigm, 499                               |
| speech sound disorders, 570                            | Communicative Effectiveness Index (CETI), 331         |
| dementia, 351–361                                      | Communicative intent, 101–102                         |
| Alzheimer's disease, 352–353                           | Communicative potency, 211                            |
| assessment, 358–359                                    | Communicative temptations, 164                        |
| cerebrovascular accidents, 358                         | Comparative research, 534                             |
| clinical management, 359–360                           | Competence of language, 115                           |
| definition and classification, 351–352                 | Complex sentence, 93                                  |
| frontotemporal dementia, 353–355                       | Complex tone, 81, 439                                 |
| Huntington's disease, 357                              | Compound sentence, 93                                 |
| infectious dementia, 357–358                           | Comprehension of sentences, paragraphs, and discourse |
| Lewy body, 358   | assessment, 333                                       |
| Parkinson's disease, 356                               | Comprehension of single words assessment, 332         |
| Pick's disease, 353–355                                | Comprehensive assessment, 497                         |
| primary progressive aphasia, 353–355                   | Comprehensive Test of Phonological Processing Skills— |
| traumatic brain injury, 358                            | Second Edition (CTOPP-2), 415                         |
| vascular dementia, 358                                 | Compression, 78, 81                                   |
| dysarthrias, 343–351                                   | Compression of sound, 440                             |

| Computed tomography, 565                                  | Context   |
|---|---|
| Computerized axial tomography (CAT) scan, 565             | effect on speech production                           |
| Computers   | dynamics of speech production, 76-77                  |
| axial tomography, for hearing impairment assess-          | suprasegmentals, 77                                   |
| ment, 456   | of language, 95                                       |
| Computerized Profiling computer software, 153             | naturalistic, 414                                     |
| Computer Speech Laboratory, 283                           | Continuant sounds, 69                                 |
| hearing aid technology, 465                               | Continuous reinforcement, 503                         |
| language therapy software, 165                            | Contralateral motor control, 43                       |
| Lingquest 1, 153  | Contralateral pathways, 438                           |
| Praxis computer-generated questions, 621–622              | Contrastive analysis, 496                             |
| sampling program software, 153                            | Contrast treatment approaches, 215                    |
| sensorineural hearing loss simulation, 450                | Control group, 526                                    |
| Speech Intelligibility Test for Windows, 349              | Conus medullaris, 35                                  |
| swallowing disorder treatment applications, 376           | Conversational informal language fluency (CILF),      |
| Systemic Analysis of Language Transcripts (SALT), 153     | 408–410   |
| Conceptual scoring, 415                                   | Conversational speech samples for assessment, 207     |
| Concordance and concordance rate of stuttering in         | Conversion aphonia, 309                               |
| twins, 237–238  | Cooing or gooing stage of sound development, 193      |
| Concrete operations, cognitive development, 118           | Cooperative play, 157                                 |
| Concurrent validity, 490, 523                             | Coprolalia, 578                                       |
| Condensation, 78  | Core vocabulary (consistency) treatment approach, 216 |
| Conditioned generalized reinforcer, 504                   | Corniculate cartilage, 7, 274                         |
| Conditioned reinforcers, 505                              | Coronal sounds, 69                                    |
| Conduction aphasia, 327                                   | Corona radiata, 50                                    |
| Conductive hearing loss, 444–446                          | Corpus callosum, 50, 51                               |
| Confounding variables, 525–526                            | Corpus of the sternum, 3                              |
| Congenital hearing loss, 461                              | Corpus striatum, 40                                   |
| Congenital laryngeal stridor, 295                         | Corrective feedback, 500                              |
| Congenital palatopharyngeal incompetence (CPI), 569       | Correlational coefficient, 491, 524                   |
| Consensus Auditory–Perceptual Evaluation of Voice         | Correlational research, 535                           |
| (CAPE-V), 284   | Cortex, brain, 42                                     |
| Consequences of target responses, 500                     | Cortical areas, 13                                    |
|   |   |
| Consistency (core vocabulary) treatment approach, 216     | Corticobulbar tract, 48, 49                           |
| Consistency effect as stimulus control in stuttering, 243 | Corticospinal tract, 46–48                            |
| Consonantal sounds, 68                                    | Costal cartilages, 4                                  |
| Consonant-cluster simplification or reduction, 197        | Council for Clinical Certification, 600               |
| Consonants  | Council on Academic Accreditation in Audiology and    |
| basic principles, 68                                      | Speech–Language Pathology (CAA), 600                  |
| Chomsky-Halle distinctive features, 67                    | Counseling, 553–559                                   |
| clusters, 73  | behavioral theory, 555–556                            |
| distinctive feature analysis, 68–69, 189, 190             | client-centered theory, 554–555                       |
| harmony, 197  | cognitive–behavioral theory, 556–557                  |
| place-voice-manner analysis, 70–73                        | defense mechanisms, 559                               |
| place-voice-manner paradigm, 189–190                      | defined, 553  |
| syllable as a unit, 66                                    | eclectic approach, 557                                |
| voicing of, 188   | psychodynamic theory, 554                             |
| Constituent definitions, 500, 501                         | qualities of audiologists for, 553–554                |
| Construct validity, 490, 523                              | reactions and emotions in communication disor-        |
| Contact ulcers, 295, 299, 304–305                         | ders, 558   |
| Content validity, 491, 523                                | special issues in, 557–558                            |

| Country of birth and communication disorders, 393 Coupling the nasal and oral cavities, 14 Cover-body theory of phonation, 271 Cranial nerves, 28–34 abducens nerve (cranial nerve VI), 29, 30 acoustic nerve (cranial nerve VIII), 29, 31, 438 facial nerve (cranial nerve VII), 13, 19, 29, 30, 31, 32 functions, 29 glossopharyngeal nerve (cranial nerve IX), 29, 32 hypoglossal nerve (cranial nerve XII), 19, 29, 34, 35 illustration, 30 motor nerves, 29 nuclei, 38 oculomotor nerve (cranial nerve III), 29, 30 | Culture     acculturation, 393     assessment and treatment considerations, 510–511     assimilation, 393     bicultural immigrants, 393     counseling issues, 557     cultural competence, 392, 394     culturally and linguistically diverse (CLD) people.     See Multicultural population communication dis orders     cultural sensitivity, 392     defined, 392     pragmatics and, 95     stereotyping, 392 |
|--|---|
| olfactory nerve (cranial nerve I), 29, 30  | variables influencing individual behavior, 392–393  |
| optic nerve (cranial nerve II), 29, 30   | Cureiform cartilage, 7, 12, 274   |
| peripheral nervous system, 28–34 sensory nerves, 29  | Cycles of vibration, 81<br>Cytomegalovirus as cause of hearing loss, 450  |
| spinal accessory nerve (cranial nerve XI), 16–17, 29,  | Cytomegatovirus as cause of hearing loss, 430   |
| 33–34  |   |
| structure, 28–29   | <b>D</b>  |
| trigeminal nerve (cranial nerve V), 19, 29, 30, 31   | D   |
| trochlear nerve (cranial nerve IV), 29   | DAS (developmental apraxia of speech), 202  |
| vagus nerve (cranial nerve X)  | Data  |
| functions, 29, 32–33   | defined, 523  |
| neuroanatomy, 13   | organization and analysis, 542-544  |
| structure, 16, 32–33   | foundational concepts, 542  |
| vocal anatomy and physiology, 272  | measurement scales, 544   |
| vocal mechanism, 13  | statistical techniques, 543-544   |
| Craniofacial anomalies, 566–574  | qualitative, 523  |
| cleft lip, 567   | quantitative, 523   |
| cleft palate, 567–574  | reliability of, 523   |
| Craniosynostosis, 575  | validity of, 523  |
| Creutzfeldt-Jakob disease, 357, 358  | Deaf, defined, 444  |
| Cricoid cartilage, 7, 8, 9, 272  | Deaffrication, 197  |
| Cricopharyngeal myotomy, 376   | Deceleration, 81  |
| Cricothyroid artery, 272   | Decibel (dB), 79, 82, 441   |
| Cricothyroid muscle, 8, 9  | Deciduous teeth, 20   |
| Cri du chat syndrome, 575  | Declarative sentence, 93  |
| Criteria, defined, 500   | Deductive method of research, 522   |
| Criterion-referenced assessment, 152, 496  | Deep structure, 115   |
| Criterion-related validity, 491  | Deep Test of Articulation, 213–214  |
| Criterion validity, 523  | Defense mechanisms, 559   |
| Criterion variable, 532  | Deficiencies, language disorders, 134   |
| Cross-sectional research, 534–535  | Definitions   |
| Crouzon syndrome, 575  | acoustics, 78–80  |
| CSG system, 79   | phonetics, 61–62  |
| CT scan, 565   | reinforcement, 503–504  |
| Cubitus valgus, 580  | reinforcers, 504–505  |
| Cued speech, 469   | stuttering, 232–234   |
| Cul-de-sac resonance, 289  | treatment terms, 499–503  |

| Degree of treatment structure, 507                             | Diagnosogenic theory of stuttering, 248  |
|--|--|
| Delayed auditory feedback for stuttering treatment, 255        | Diagnostic and Statistical Manual of Mental Disorders-                         |
| Delayed hard palate closure surgery, 573                       | Fifth Edition (DSM-V)  |
| Deletions, 200   | ADHD characteristics, 149  |
| Demands and capacities model of stuttering, 248                | autism spectrum disorders, 140   |
| Dementia, 351–361  | language disorder, defined, 133  |
| assessment, 358–359  | Dialogic reading, 168  |
| classification of, 351–352                                     | Diaphragm, 2, 4  |
| clinical management of, 359–360                                | Diaphragmatic-abdominal breathing, 286   |
| defined, 321, 351  | Diary studies, 191   |
| Dementia of the Alzheimer Type, 352–353                        | Dichotic listening tasks, 452  |
| frontotemporal lobar degeneration, 353-355                     | Diencephalon, 40   |
| Huntington's disease, 357                                      | Dieticians, roles of, 561  |
| infectious dementia, 357–358                                   | Differential reinforcement, 503  |
| Lewy body dementia, 358  | Differential reinforcement of alternative behaviors                            |
| mild cognitive impairment, 351                                 | (DRA), 503   |
| multiple cerebrovascular accidents, 358                        | Differential reinforcement of incompatible behaviors                           |
| Parkinson's disease, 356                                       | (DRI), 503   |
| Pick's disease, 353–355  | Differential reinforcement of low rates of responding                          |
| primary progressive aphasia, 353–355                           | (DRL), 503   |
| traumatic brain injury, 358                                    | Differential reinforcement of other behaviors (DRO), 503                       |
| vascular dementia, 358   | Digastric muscle, 10, 20, 31   |
| Demographics in the United States, 391–392                     | Digastric posterior muscle, 23   |
| Denasality, 288  | Digital devices used for treatment, 337  |
| Dendrites, 26, 27  | Digital hearing aid, 464   |
| Denial, 558  | Diminutization, 197  |
| Density, 79  | Diphthongs, 76, 188  |
| Density of matter, 79  | Diplegia of CP, 144  |
| Dental deviations, 200–201                                     | Diplophonia, 279   |
| Dental malocclusion, 200                                       | Dipiophoma, 279 Direct laryngoscopy, 280                                       |
| Department in anocciusion, 200  Department in anocciusion, 200 | Direct naryingoscopy, 280  Direct methods of response reduction, 500, 501      |
| -  | Direct flethods of response reduction, 500, 501  Direct selection for AAC, 172 |
| Dependent clause, 93   |  |
| Dependent variable or effect, 525                              | Direct speech acts or requests, 95   |
| Depressor anguli oris (triangularis) muscle, 24, 25, 31        | Direct stuttering reduction treatment, 255–256                                 |
| Depressor labii inferioris muscle, 24, 25, 31                  | Disability Rating Scale (DRS), 367   |
| Depressors (infrahyoid muscles), 10, 19, 275                   | Disability vs. handicap, 606   |
| Descriptive phonetics, 62                                      | Disbelief reaction, 558  |
| Desktop auditory trainers, 468                                 | Disconnection syndromes, 50  |
| Determinism, 522   | Discontinuity theory, 191  |
| Developmental (normative research), 534–535                    | Discourse, 95  |
| Developmental apraxia of speech (DAS), 202                     | Discourse comprehension, 335   |
| Developmental inventories, 493–494                             | Discrete trial procedure, 166  |
| Developmental Sentence Scoring, 152                            | Discrete trials, 500   |
| Developmental stuttering, 247                                  | Disorder of fluency, 232   |
| Development of language. See Language development in           | Disorder of rhythm, 232  |
| children   | Disorders. See Autism spectrum disorder (ASD); Com-                            |
| Devoicing, 200   | municative disorders; Impairments; Language dis-                               |
| Diabetes, 420  | orders; Multicultural population communication                                 |
| Diacritical marks (diacritics), 65                             | disorders; Organically based disorders; Speech sound                           |
| Diadochokinetic rate, 201                                      | disorder (SSD); Swallowing disorders (dysphagia)                               |
| D:   | D:1  |

Displacement, 79

Diagnosis, defined, 479

| Displacement defense mechanism, 559                     | revisions, 235   |
|---|--|
| Displays for AAC, 171                                   | silent prolongations, 234                              |
| Distinctive feature analysis, 67                        | sound prolongations, 234                               |
| Distinctive features paradigm, 188–189                  | theoretical and clinical significance of, 235          |
| Distinctive features treatment approach, 214–215        | Dyskinesias, 41  |
| Distributions of test scores, 489                       | Dyslexia, 338  |
| Dodd, B., 216   | Dysphagia, 370. See also Swallowing disorders (dyspha- |
| Dominant hemisphere hypothesis for stuttering, 246      | gia)   |
| Dopamine, 28  |  |
| Dorsum of the tongue, 21, 22                            | E  |
| Down syndrome   | _  |
| cause of, 139, 576                                      | Eardrum (tympanic membrane), 436                       |
| characteristics, 576                                    | Ebonics, 395   |
| stuttering prevalence and, 238                          | Echoics, 114   |
| Drug abuse  | Echolalia, 139   |
| as cause of strokes, 420                                | Eclectic approach to counseling, 557                   |
| language problems related to, 147-149                   | Economics  |
| Drug treatment, for aphasia, 337                        | poverty, language problems related to, 145-146         |
| Dry spirometers, 284                                    | socioeconomics. See Socioeconomic status               |
| DSM-V. See Diagnostic and Statistical Manual of Mental  | Education  |
| Disorders–Fifth Edition (DSM-V)                         | case history, 482                                      |
| DTTC (Dynamic Temporal and Tactile Cueing), 203         | cultural variables, 393                                |
| Dual Iceberg Model of specific language impairment, 136 | educator of the deaf, 463                              |
| Dura mater, 51, 52                                      | language problems and, 146                             |
| Dynamic assessment, 152, 415, 416, 496-497              | records of multicultural students, 415                 |
| Dynamic Evaluation of Motor Speech Skill (DEMSS),       | special education, 606                                 |
| 203   | Efferent nerves, 29                                    |
| Dynamic Temporal and Tactile Cueing (DTTC), 203         | Effortful swallow, 375                                 |
| Dyne, 79  | EFL (English as a foreign language), 218–220           |
| Dysarthria, 343–351                                     | Elasticity, 79   |
| assessment, 348–349                                     | Electrocochleography, 456                              |
| ataxic dysarthria, 344–345                              | Electroencephalographic studies of stuttering, 246     |
| cerebral palsy and, 144                                 | Electroencephalography (EEG), 565                      |
| characteristics, 202                                    | Electroglottography (EGG), 283                         |
| communicative disorders of, 344                         | Electromyography (EMG), 283                            |
| defined, 41, 202, 321, 343                              | Electrophysiological audiometry, 456                   |
| flaccid dysarthria, 345                                 | Elementary-age children                                |
| hyperkinetic dysarthria, 345–346                        | articulation development, 194, 195                     |
| hypokinetic dysarthria, 346–347                         | assessment of, 157–160                                 |
| mixed dysarthrias, 347–348                              | guidelines and procedures, 158-159                     |
| neuropathology of, 343–344                              | language disorder description, 157–158                 |
| spastic dysarthria, 347                                 | response to intervention, 160                          |
| treatment, 202, 350                                     | standardized tests, 159-160                            |
| unilateral upper motor neuron dysarthria, 348           | cognitive development, 117–118                         |
| Dysfluency  | hearing loss assessment, 457                           |
| broken words, 235                                       | language assessment, 151                               |
| defined, 231  | language development and education, 112-113            |
| definition of stuttering, 233–234                       | language impairments, 417–418                          |
| incomplete sentences, 235                               | morphology   |
| interjections, 234–235                                  | 5–6 years, 109   |
| pauses, 235   | 6–7 years, 110   |
| repetitions, 234  | 7–8 years, 111   |

| pragmatics  | paradigm, 499                                 |
|---|---|
| 5–6 years, 109                                      | reinforcement, 503–505                        |
| 6–7 years, 110                                      | reinforcers, 504–505                          |
| 7–8 years, 111                                      | terms, 499–503                                |
| semantics   | treatment, defined, 498                       |
| 5–6 years, 108                                      | comprehensive and integrated assessment, 497  |
| 6–7 years, 110                                      | criterion-referenced assessment, 496          |
| 7–8 years, 110–111                                  | cultural-linguistic considerations, 510–511   |
| stuttering in, 241                                  | developmental inventories, 493–494            |
| stuttering treatment for, 256                       | dynamic assessment, 496–497                   |
| syntax  | functional assessment, 494–495                |
| 5–6 years, 108                                      | levels of evidence, 540-541                   |
| 6–7 years, 109                                      | overview, 479–480                             |
| 7–8 years, 110                                      | portfolio assessment, 497                     |
| voice changes, 276                                  | procedures, 480–486                           |
| Elevators (suprahyoid muscles), 10, 19, 275         | case history, 481–483                         |
| Elfin-face syndrome, 580                            | hearing screening, 483                        |
| Embolus, 322  | interview, 484                                |
| Emergent literacy skills, 112                       | obtaining related assessment data, 486        |
| Emotional control deficits, 138                     | orofacial examination, 483–484                |
| Emotions and stuttering, 240–241                    | screening, 480–481                            |
| Empiricism, 522                                     | speech and language sample, 484–486           |
| Employment legislation, 606–607                     | questionnaires, 493                           |
| End button, 27                                      | rating scales, 493                            |
| Endolymph, 437                                      | standardized assessment, 487–492              |
| Endoscopy, 282                                      | limitations of standardized tests, 487-488    |
| English as a foreign language (EFL), 218–220        | nature and advantages of standardized assess  |
| English language arts standards, 113                | ment, 487                                     |
| Environmental factors of clefts, 568                | prudent use of standardized tests, 488-489    |
| Ependymal cells, 26                                 | reliability of, 491–492                       |
| Epenthesis, 197                                     | types of scores, 489–490                      |
| Epiglottis, 7, 9, 12, 272                           | validity of, 490-491                          |
| Episodic paroxysmal laryngospasm, 298               | treatment process, 505–509                    |
| Epithelium, 11                                      | booster treatment, 509                        |
| Epithelium lamina propria, 12, 271                  | follow-up, 508–509                            |
| Escape behavior, 500                                | maintenance program, 508                      |
| Esophageal phase and its disorders, 372             | treatment sequence, 506–508                   |
| Esophageal speech, 292                              | treatment targets, 505-506                    |
| Esophagostomy, 376                                  | treatment program outline, 509-510            |
| Ethnocultural status and stuttering prevalence, 238 | Evoked response, 500                          |
| Ethnographic research, 536                          | Evoked speech samples for assessment, 207     |
| Etiology  | Evoked trial, 500, 501                        |
| clefts, 568   | Examining for Aphasia–Fourth Edition, 330     |
| hearing loss, 442–454                               | Exclamatory sentence, 93                      |
| of stuttering, 234, 258–259                         | Executive functioning                         |
| swallowing disorders, 370                           | attention-deficit/hyperactivity disorder, 149 |
| Eustachian tube, 437, 570                           | deficits of SLI, 138                          |
| Evaluation, 479. See also Assessment                | defined, 138                                  |
| Evidence-based practice, 479–511                    | targeting treatment, 171                      |
| authentic assessment, 496                           | Exemplars, 214, 500                           |
| client-specific assessment, 495-496                 | Exhalation, 1, 2                              |
| communication disorder treatment, 498-505           | Expanded utterances, 336                      |

| Expansion, 166–167                                       | Final-consonant deletion, 197                         |
|--|---|
| Expansion stage of sound development, 193                | Final-position errors, 200                            |
| Experimental group, 526                                  | Fingerspelling, 471                                   |
| Experimental phonetics, 62                               | Fissure of Rolando (central sulcus), 42               |
| Experimental research, 525–532                           | Fissures, 42  |
| experiment, defined, 525                                 | Fixed-interval (FI) schedule, 504                     |
| foundational concepts, 525–526                           | Fixed-ratio (FR) schedule, 504                        |
| group designs, 526–528                                   | Flaccid dysarthria, 345                               |
| single-subject designs, 528–531                          | Flexible Endoscopic Evaluation of Swallowing (FEES),  |
| Ex post facto (retrospective) research, 532–533          | 373   |
| Expressive One-Word Picture Vocabulary Text–Revised,     | Flexible fiber-optic laryngoscopy, 281–282            |
| 523  | Fluency. See also Dysfluency                          |
| Expressive Vocabulary Test-Second Edition (EVT-2), 523,  | aphasia. See Aphasia                                  |
| 524  | characteristics, 231–232                              |
| Extension, 167   | cluttering. See Cluttering                            |
| External intercostals, 4, 5                              | description of, 231–232                               |
| External otitis, 445                                     | disorders, 231  |
| External validity, 539–540                               | fluency reinforcement stuttering treatment, 254–255   |
| Extinction, 500  | fluency shaping stuttering treatment (speak-more-     |
| Extracerebral ruptures, 322                              | fluently), 253–254                                    |
| Extraneous variables, 525–526                            | fluent stuttering treatment method (stutter-more-     |
| Extrapyramidal system, 41, 48                            | fluently), 253  |
| Extrinsic laryngeal muscles, 9–10, 275                   | hearing impairment and, 462                           |
| Extrinsic tongue muscles, 22                             | neurogenic stuttering, 231. See also Neurogenic stut- |
| Eye-blink encoding, 172                                  | tering  |
| Eye contact used for language development, 97            | stuttering. See Stuttering                            |
| 2) c continue accurrent mingunge de verep ment, 2)       | Fluent aphasia, 325–328                               |
| _  | anomic aphasia, 328                                   |
| F  | conduction aphasia, 327                               |
| Face muscles, 23–25                                      | transcortical sensory aphasia, 326–327                |
| Facial nerve (cranial nerve VII), 13, 19, 29, 30, 31, 32 | Wernicke's aphasia, 326                               |
| Facial structure embryonic growth, 567–568               | FM auditory trainer, 468                              |
| Fading, 166, 500   | Focused stimulation, 167                              |
| FAE (fetal alcohol effects), 148–149                     | Focusing for hyponasality treatment, 290              |
| Falsetto, 309  | Follow-up, 500, 508–509                               |
| False vocal folds, 11, 272                               | Foramen magnum, 39                                    |
| Family   | Foramina, 29  |
| case history, 481  | Force, 79   |
| prevalence of stuttering, 237                            | Formal academic language fluency (FALF), 408–410      |
| stuttering and, 244                                      | Formal operations, cognitive development, 118         |
| stuttering treatment and, 257                            | Formant frequency, 79                                 |
| Fasciculus, 50   | Fourth ventricle, 51                                  |
| FASD (fetal alcohol spectrum disorder), 147–148          | Fragile X syndrome, 576                               |
| Fast mapping, 94   | Free morpheme, 92                                     |
| Feedback, 166, 501                                       | Frenchay Dysarthria Assessment (FDA), 349             |
| Feeding development of infants, 582–583                  | Frequency   |
| Fetal alcohol effects (FAE), 148–149                     | acoustics, 440–441                                    |
| Fetal alcohol spectrum disorder (FASD), 147–148          | defined, 79, 81, 439                                  |
| Fetal alcohol syndrome, 139                              | intensity, 440–441                                    |
| Fibers in the brain, 50–51                               | Frequency perturbation (jitter), 277                  |
| Filum terminale, 35, 36                                  | Freud, 554  |
| ·· ··  |   |

Down syndrome, 576 Fricatives, 71, 189, 200 Frontalis muscle, 31 fragile X syndrome, 576 Frontal lisp, 200 Hurler's syndrome, 576 Frontal lobe, 43, 44 Landau-Kleffner syndrome, 576-577 Fronting, 199 Marfan syndrome, 577 Frontonasal process, 567 Moebius syndrome, 577 Frontotemporal dementia, 353-355 Pierre-Robin syndrome, 577 Frontotemporal lobar degeneration, 353-355 Prader-Willi syndrome, 578 Front vowels, 73, 75 Russell-Silver syndrome, 578 Tourette syndrome, 578-579 Functional articulation disorder, 198 Treacher Collins syndrome, 579 Functional assessment, 494-495 Functional Assessment of Communication Skills for Adults Trisomy 13, 579 Turner syndrome, 579-580 (FACS), 331 Functional communication skills assessment, 332 Usher syndrome, 580 Functional communication treatment strategy, 506 velocardiofacial syndrome, 580 Functional Independence Measure (FIM), 331 Williams syndrome, 580-581 Functional Linguistic Communication Inventory, 359 Genioglossus muscle, 10, 22, 23 Functional MRI (fMRI), 565 Geniohyoid muscle, 10, 19, 20, 23 Functional outcomes, 500-501 Geriatric voice, 276 German measles as cause of hearing loss, 450 Functional units of verbal behavior, 114 Function words, 139 Gestural (unaided) AAC, 172 Fundamental frequency, 79, 83, 277 Gestural-assisted (aided) AAC, 173 Gestures and pantomime assessment, 333 Glasgow Coma Scale, 367 G Glial cells, 26 Galveston Orientation and Amnesia Test (GOAT), 367 Glides Games for language development, 97 defined, 72 Gargoylism, 576 manner of articulation, 189 Gastroesophageal reflux disease (GERD), 298-299 onglide, 72 Gastrostomy, 376 substitution processes, 196 Gastrostomy tube (G-tube), 577 Global aphasia, 325 Gates-MacGinitie Reading Test (GMRT), 331 Global Deterioration Scale, 359 Gender Global Disability Action Plan, 419 counseling issues, 557 Globus pallidus, 40 as factor in speech sound disorders, 198 Glossopharyngeal nerve (cranial nerve IX), 29, 32 stuttering prevalence and, 237 Glossoptosis, 577 transgender voice issues, 309-310 Glottal articulation Generality of treatment, 501 description of, 190 Generalizability, 539 place-voice-manner analysis, 70 Generalization of stuttering treatment, 257 replacement, 197 Generalized production, 501 Glottal fry, 278-279 Generative phonology theory of development, 192 Glottis, 271 Genetics Government binding theory, 116 clefts, 568 Graduate Record Examination (GRE), 491, 523 hypothesis for stuttering, 245 Grammar, deficient, 134 syndromes, 139, 574-581 Grammatical morpheme, 92 Angelman syndrome, 575 Granuloma, 294, 295 Apert syndrome, 575 Gray matter, 42. See also Brainstem Cri du chat syndrome, 575 Grief reaction, 558 Crouzon syndrome, 575 Group designs, 526-528 defined, 574 advantages and disadvantages of, 527-528

| control group, 526                                  | pure-tone audiometry, 455                        |
|---|--|
| experimental group, 526                             | screening, 483                                   |
| multigroup pretest-posttest design, 527, 528        | speech audiometry, 455                           |
| pretest-posttest control group design, 526-527      | assessment result interpretation, 457-460        |
| Group treatment for aphasia, 337                    | audiograms, 458                                  |
| Guilt reaction, 558                                 | bilateral losses, 458                            |
| Gyrus, 42   | conductive hearing loss, 458                     |
|   | levels of hearing loss, 457–458                  |
| Н   | mixed hearing loss, 458, 459                     |
|   | noise-induced hearing loss, 458, 460             |
| Handicap vs. disability, 606                        | sensorineural loss, 458, 459                     |
| Hard palate, 18–19, 20                              | unilateral losses, 458                           |
| Harmonics, 83                                       | auditory development, 442-443                    |
| Harshness vocal quality, 278                        | auditory nervous system impairments, 450-454     |
| Hawthorne effect, 539                               | clefts and, 569-570                              |
| Head and neck surgeons, roles of, 561-562           | conductive hearing loss, 444–446                 |
| Health care   | deaf, 444  |
| Affordable Health Care Act, 607                     | defined, 443                                     |
| future trends, 608–609                              | hard of hearing, 444                             |
| Health Insurance Marketplace, 607                   | management of, 460-471                           |
| legislation affecting health care settings, 607-608 | amplification, 463–467                           |
| limited access and language development, 145        | aural rehabilitation, 462-463                    |
| Health Insurance Marketplace, 607                   | communication disorders, 461-462                 |
| Health Insurance Portability and Accountability Act | communication training, 467–471                  |
| (HIPAA), 607–608                                    | language disorders, 462                          |
| Health literacy, 561                                | speech disorders, 461                            |
| Hearing   | voice, fluency, and resonance disorders, 462     |
| acoustics, 439–442                                  | mixed hearing loss, 450                          |
| frequency and intensity, 440-441                    | nature of, 443–444                               |
| sound pressure level and hearing level, 442         | normal hearing, 442–443                          |
| sound waves, 440, 441                               | range and categories of, 444                     |
| source of sound, 439-440                            | sensorineural hearing loss, 446–450              |
| anatomy and physiology, 436-439                     | Hearing level (HL), 82, 442                      |
| auditory nervous system, 438                        | Hearing loss and speech sound disorders, 201–202 |
| inner ear, 437–438                                  | Hearing screening, 206                           |
| middle ear, 436–437                                 | Hemangioma, 294                                  |
| outer ear, 436                                      | Hemilaryngectomy, 291                            |
| medically fragile infants and hearing conservation, | Hemiplegia of CP, 144                            |
| 583   | Hemorrhagic strokes, 322                         |
| Hearing aids, 463–465                               | Herpes simplex as cause of hearing loss, 450     |
| Hearing Health Foundation, 471                      | Hertz (Hz), 81, 440                              |
| Hearing impairment, 442–471. See also Audiology     | Heschl's gyri, 45                                |
| air and bone conduction of sound, 443               | Heuristic communicative intent, 101              |
| assessment, 454-460                                 | High-amplitude sucking paradigm, 193             |
| acoustic immitance, 455–456                         | High sounds, 69                                  |
| audiometry, 454                                     | High-technology devices for AAC, 171             |
| electrophysiological audiometry, 456                | High vowels, 73                                  |
| hearing screening, 456–457                          | Hispanics. See also Spanish-influenced English   |
| infants and children, 457                           | articulation differences, 401                    |
| interpretation of test results, 457–460             | background, 396–397, 400                         |

characteristics, 400-401

medical imaging, 456

| language differences, 402                             | evoked samples, 207                                    |
|---|--|
| medical conditions and communication disorders, 418   | Impairments. See Disorders; Hearing impairment; Lan-   |
| History, 537. See also Case history                   | guage disorders; Specific language impairment (SLI)    |
| Hoarseness vocal quality, 277–278                     | Impedance, 79  |
| Hodson and Paden's cycles treatment approach, 215–216 | Impedance bridge, 456                                  |
| Holophrastic speech, 99                               | Impedance meter, 456                                   |
| Holoprosencephaly, 579                                | Impedance to sound, 455–456                            |
| Human immunodeficiency virus (HIV)                    | Imperative sentence, 93                                |
| encephalopathy, 357–358                               | Incidence  |
| infectious dementia, 357–358                          | culturally and linguistically diverse clients, 418–419 |
| working with patients with, 563-565                   | defined, 418   |
| Huntington's disease, 357                             | stuttering   |
| Hurler's syndrome, 576                                | defined, 235   |
| Hygiene, 562–563                                      | in the general population, 236                         |
| Hyoglossus muscle, 10, 22, 23                         | traumatic brain injury, 365                            |
| Hyoid bone  | Incidental teaching, 167                               |
| structure, 7, 8, 9                                    | Incomplete sentences, 235                              |
| vocal anatomy and physiology, 272                     | Incus, 437   |
| Hyperkeratosis, 295                                   | Independent analysis of assessment data, 208           |
| Hyperkinetic dysarthria, 345–346                      | Independent clause, 93                                 |
| Hypernasality   | Independent variable, 525                              |
| causes of, 288  | Indirect laryngoscopy, 280, 281                        |
| defined, 287  | Indirect methods of response reduction, 500, 501       |
| resonance assessment, 286                             | Indirect speech acts or requests, 95                   |
| treatment, 289  | Individualized assessment, 495–496                     |
| Hypertension, 420                                     | Individualized Education Program (IEP), 501            |
| Hypoglossal nerve (cranial nerve XII), 19, 29, 34, 35 | Individualized Family Service Plan (IFSP), 501         |
| Hypokinetic dysarthria, 346–347                       | Individuals With Disabilities Education Act of 1990    |
| Hyponasality  | (IDEA), 606  |
| causes of, 288  | Individuals With Disabilities Education Improvement    |
| defined, 288  | Act of 2004, 410–411                                   |
| resonance assessment, 286                             | Inductive method of research, 522                      |
| treatment, 290  | Infants  |
| Hypothalamus, 40                                      | articulatory and phonological skills development,      |
| Hypothesis. See also Theory                           | 193–194  |
| alternative, 522–523                                  | perception, 193  |
| defined, 522  | production, 193–194                                    |
| null hypothesis, 522–523                              | assessment of, 154–157                                 |
| Hypotonia, 578  | guidelines and procedures, 155-156                     |
| Hysterical aphonia, 309                               | infant-caregiver interaction, 156                      |
|   | language comprehension, 156                            |
| 1   | language-related skills, 156                           |
| •   | late talkers, 155                                      |
| Iconic symbols for AAC, 171                           | play activities, 157                                   |
| IEP (Individualized Education Program), 501           | prelinguistic behavioral deficiencies, 155             |
| IFSP (Individualized Family Service Plan), 501        | risk factors for language disorders, 154–155           |
| Illocutionary behavior, 99                            | verbal communication, 156                              |
| Imaginative communicative intent, 101                 | bilinguality, 409                                      |
| Imaging techniques, 565–566                           | cognitive development, 117                             |
| Imitation   | hearing loss assessment, 457                           |
| defined, 501  | language developmental milestones, 99–102              |

medically fragile, 581-584 Intensity of sound, 77, 78, 440-441 feeding development, 582-583 Intensity threshold, 455 hearing conservation and aural habilitation, 583 Interactional communicative intent, 102 infant behavior, development, and communica-Interaction of factors, 539 tion, 583-584 Interactive effects of pretesting, 540 neonatal intensive care units for, 581-582 Intercostal muscles, 4, 5, 6 semantics, 99-101 Interdisciplinary teams, 486 syntax, 99 Interference and second-language acquisition, 406 voice changes, 275 Interhemispheric fibers, 50 Infectious dementia, 357-358 Interjections, 234–235 Infectious disease control, 562–563 Interjudge reliability, 491, 524 Infectious disease specialists, roles of, 561 Interjudge reliability coefficient, 491 Intermediate response, 501 Inference, 542 Inferior (lower) temporal gyrus, 45 Intermittent reinforcement, 503 Inferior cerebellar peduncles, 41 Intermixed probes, 501, 502 Inferior laryngeal artery, 272 Internal auditory meatus, 438 Inferior longitudinal muscle, 22 Internal capsule, 50 Inferior peduncles, 39, 41 Internal intercostals, 4, 5, 6 Inferior pharyngeal constrictor, cricopharyngeus Internal oblique abdominis, 6 muscle, 17 Internal thyroarytenoid, 8 Inferior pharyngeal constrictor, thyropharyngeus Internal validity of research, 537-539 muscle, 17 International Classification of Functioning, Disability, and Inferior temporal gyrus, 46 Health-Children and Youth (ICF-CY), 187 Information-processing theory of language development, International Cluttering Association, 261 Internationally adopted children, second-language ac-119 - 120quisition of, 407-408 Informative communicative intent, 102 Informative feedback, 501 International Phonetic Alphabet (IPA), 63-64 Infrahyoid laryngeal muscles, 275 Interneurons, 28 Infrahyoid muscle (depressors), 10, 19, 275 Interobserver reliability, 491, 524 Interpreters for assessment of CLD students, 416 Inhalation, 1, 2 Inhalation method of esophageal speech, 292 Interrogative sentence, 93 Initial-position errors, 200 Interrupted sounds, 69 Initial response, 501 Interval scale, 544 Injection method of esophageal speech, 292 Intervention for children in poverty to enrich language Inner ear, 437–438 skills, 146 Innermost intercostal, 6 Interview, 484, 533 Inspiration, 4-6 Intervocalic errors, 200 Instructions, behavioral technique, 166 Intracerebral ruptures, 322 Instrumental communicative intent, 102 Intrahemispheric fibers, 50 Intrajudge reliability, 492, 524 Instrumentation, 537 Intralexical pauses, 235 Intact repetition skill, 324 Integrated assessment, 497 Intraobserver reliability, 492, 524 Integrated treatment approach, 506 Intraverbals, 114 Intrinsic laryngeal muscles, 8–9, 274–275 Intellectual disability causes of, 139 Intrinsic tongue muscles, 22 characteristics, 139-140 Iowa Pressure Articulation Test, 572 defined, 139 iPad technology for AAC, 172 stuttering prevalence and, 238 Ipsilateral pathways, 438 Intelligence as factor in speech sound disorders, 199 Ischemic strokes, 322 Intelligibility, 194-196 Isolation and language skill development delays, 147

| J  | 5–6 years, 108–109                                     |
|--|--|
| T., (f , 1 , 1 , 277                                 | 6–7 years, 109–110                                     |
| Jitter (frequency perturbation), 277                 | 7–8 years, 110–111                                     |
| Johnson, W., 248                                     | caregiver roles, 96–97                                 |
| Joint book reading, 168                              | literacy milestones, 111                               |
| Joint reference, 99                                  | school-age education, 112–113                          |
| Joint routines or interactions, 168                  | as factor in speech sound disorders, 199               |
| Juncture (vocal punctuation), 77                     | morphology, 91–92                                      |
| Justice, L. M., 217                                  | pragmatics, 95–96                                      |
| Juvenile papillomas, 296                             | semantics, 94  |
|  | syntax, 92–93  |
| K  | theories, 113–121                                      |
| T/ 504   | behavioral theory, 113–115                             |
| Kangaroo care, 584                                   | cognitive theory, 116–118                              |
| Kanner, Leo, 140                                     | information-processing theory, 119–120                 |
|  | nativist theory, 115–116                               |
| L  | social interactionism theory, 120–121                  |
| Labeling, 95   | variables, 96  |
| Labialization, 200                                   | Language differences vs. language impairments, 404–    |
| Labial muscles, 31                                   | 406, 407, 414  |
| Labiodentals, 70, 190                                | Language disorders, 133–173                            |
| Labyrinths, 437                                      | assessment, 151–163                                    |
| Lamina propria, 11, 271                              | adolescents, 160–163                                   |
| 1 1  | alternative assessment, 152                            |
| Laminography, 565                                    | elementary-age children, 157–160                       |
| Landau-Kleffner syndrome (LKS), 576–577              | general procedures, 151                                |
| Language   | infants and toddlers, 154–157                          |
| context, 95  |  |
| conversational informal language fluency, 408–410    | language sampling, 152–154                             |
| defined, 61, 91, 133, 188, 405                       | preschool children, 157–160                            |
| development. See Language development in children    | screening, 151   |
| formal academic language fluency, 408–410            | standardized assessment, 152                           |
| functions, 91, 95                                    | attention-deficit/hyperactivity disorder, 149–150      |
| loss, 406  | characteristics  |
| sampling, 152–154                                    | cognitive processing/executive functioning defi-       |
| second-language acquisition, 406–408                 | cits, 138  |
| spoken within a culture, 393                         | subtle brain abnormalities, 136                        |
| Language acquisition device (LAD), 115               | clefts and, 570, 572, 574                              |
| Language and Academic Development Credential (LAD),  | culturally and linguistically diverse clients, 417–418 |
| 604  | description of, 134                                    |
| Language Assessment, Remediation, and Screening Pro- | DSM-V definition, 133                                  |
| cedure (LARSP), 152                                  | hearing impairment and, 462                            |
| Language comprehension assessment of elementary-age  | infants and toddlers, 154–155                          |
| children, 159  | kinds of deficiencies, 134                             |
| Language development in children, 91–121             | language differences vs., 404-406, 407, 414            |
| developmental milestones, 96-113                     | multicultural populations. See Multicultural popu-     |
| birth-1 year, 97-99                                  | lation communication disorders                         |
| 1–2 years, 99–102                                    | physical and sensory disabilities, 139-145             |
| 2–3 years, 102–103, 104                              | autism spectrum disorders, 140–142                     |
| 3–4 years, 103–106                                   | brain injury, 142–144                                  |
| 4–5 years, 106–107                                   | cerebral palsy, 144                                    |

intellectual disability, 139-140 structures and cartilages, 272-275 traumatic brain injury, 143-144 vocal folds, 271-272 risk factors, 134 defined, 271 service delivery models, 417-418 extrinsic muscles, 9-10 SLI characteristics, 135-138 functions, 271 generally, 135 illustration, 2 speech and language deficits, 135-137 intrinsic muscles, 8 structures and cartilages, 7-8 subtle brain abnormalities, 135 social-environmental factors, 145-149 Lateral (external) pterygoid muscle, 20 neglect and abuse, 146-147 Lateral articulation, 73 parental drug and alcohol abuse, 147-149 Lateral cerebral fissure (Sylvian fissure), 43 poverty, 145-146 Lateral cricoarytenoid, 8, 9 treatment, 164-173 Lateral lisp, 200 augmentative and alternative communication, Lateral sound, 68 171-173 Lateral sulcus, 30 behavioral techniques, 166 Lateral ventricles, 51 cognitive processing skills, 171 Late talkers, 155 discrete trial procedure, 166 Latissimus dorsi, 6 executive functioning skills, 171 L-dopa (levodopa) for Parkinson's treatment, 301 expansion, 166-167 Lee Silverman Voice Treatment (LSVT), 301 extension, 167 Left-Hand Manual Alphabet, 172 focused stimulation, 167 Legislation. See Regulations general principles, 164-165 Length of vowels and consonants, 77 Lenticular nucleus, 41 gestural (unaided) AAC, 172 gestural-assisted (aided) AAC, 173 Leukoplakia, 294–295 joint book reading (dialogic reading), 168 Levator anguli oris muscle, 24, 25 joint routines or interactions, 168 Levator costarum brevis muscles, 5 milieu teaching, 167-168 Levator costarum longis muscles, 5 narrative skills training, 168-169 Levator labii superioris alaeque nasi muscle, 24, 25 Levator labii superioris muscle, 24, 25 neuro-assisted (aided) AAC, 173 parallel talk, 169 Levator scapulae, 5, 6 recasting, 169-170 Levator veli palatini muscle, 17, 437 self-talk, 170 Level of measurement, 544 Levels of evidence for evidence-based practice, 480, story grammar, 169 teaching literacy skills, 170 540-541 working with interpreters, 416 Lewy bodies, 358 Language Sampling, Analysis, and Training procedure Lewy body dementia, 358 (LSAT), 152 Lexicon, 94 LARSP (Language Assessment, Remediation, and Screen-Limited manual sign systems, 172 Linear phonology theories of development, 192 ing Procedure), 152 Line of regard, 97 Laryngeal disorders and clefts, 570 Laryngeal dysfunction hypothesis for stuttering, 246 Lingquest 1 computer software, 153 Laryngeal dyskinesia, 298 Lingua-alveolars, 70, 190 Laryngeal trauma, 297 Linguadentals, 70, 190 Laryngeal web, 297 Lingual frenulum of the tongue, 21 Laryngectomy, 290-294 Lingual frenum, 200 Laryngitis, 305 Linguapalatals, 70, 190 Laryngomalacia, 295-296 Linguavelars, 70, 190 Laryngopharynx, 16 Linguistics, defined, 91 Larynx (voice box) Linguistic treatment approaches, 214–216 anatomy and physiology, 271-275 assessment and treatment considerations, 510-511

| contrast approaches, 215                               | Mainstream American English (MAE)              |
|--|--|
| distinctive features approach, 214–215                 | dialects, 394–395                              |
| Hodson and Paden's cycles approach, 215–216            | influence of dialects and languages, 394       |
| overview, 214  | Maintenance of target behaviors, 507–508       |
| phonological process approach, 215                     | Maintenance program, 508                       |
| service delivery barriers, 419–420                     | Maintenance strategy, 501                      |
| Lip position for vowels, 74                            | Malleus, 436–437                               |
| Lip surgery for clefts, 573                            | Malocclusions, 21, 200–201                     |
| Liquids, 72–73, 189                                    | Mandible, 19–20                                |
| Lisp, 200  | Mandibular branch, 30                          |
| Literacy milestones, 111                               | Mandibular marginal branch, 23                 |
| Literacy problem assessment of adolescents, 161        | Mandibular processes, 568                      |
| Literacy skills  | Mand-model technique, 167                      |
| •  | Mands, 114                                     |
| deficiency, 134<br>in education, 112                   | Manner of articulation, 67, 70–73, 189–190     |
|  | Manometric devices, 284                        |
| reading skills, 333, 336                               |  |
| speech and language treatment, 164                     | Manual guidance, 166, 501                      |
| teaching, 170  | Manual training approach, 470                  |
| writing skills, 333, 336                               | Manubrium, 3                                   |
| Localization audiometry, 457                           | Marfan syndrome, 577                           |
| Loci of stuttering, 241–242                            | Marked sounds, 188                             |
| Locutionary stage, 99                                  | Masking as stuttering treatment, 255, 455      |
| Logarithmic scale for measuring sound, 441             | Masseter muscle, 20                            |
| Logopenic PPA, 354, 355                                | Mastication (chewing), 20                      |
| Logorrhea, 326   | Matching of groups, 526                        |
| Lombard effect, 308                                    | Maturation, 538                                |
| Longitudinal fiber tracts, 38                          | Maxillary bones, 18                            |
| Longitudinal fissure, 30, 42                           | Maxillary branch, 30                           |
| Longitudinal research, 534                             | Maxillary processes, 567                       |
| Loudness (volume) of sound, 277                        | Maximal contrast therapy, 215                  |
| amplitude and, 77, 82                                  | Maximal opposition treatment approach, 215     |
| assessment, 286  | Maximum phonation time (MPT), 275–276, 286–287 |
| defined, 82  | McDonald's sensorimotor approach, 213–214      |
| disorders, 307   | Mean fundamental frequency (MFF), 275          |
| intensity, 440   | Mean length of utterance (MLU), 153            |
| Lou Gehrig's disease, 301                              | Mean of test scores, 489, 543                  |
| Lower motor neurons, 48                                | Measurement                                    |
| Low sound, 69  | levels of, 544                                 |
| Low-technology devices for AAC, 171                    | scientific, 522                                |
| Low vowels, 73   | validity of, 523                               |
| LSAT (Language Sampling, Analysis, and Training proce- | Measures of association, 543                   |
| dure), 152   | Measures of central tendency, 543–544          |
| Lumbar vertebrae, 3, 4                                 | Measures of correlation, 543                   |
| Lungs, 2   | Measures of variability, 543                   |
|  | Mechanical factors of clefts, 568              |
| M  | Medial (internal) pterygoid muscle, 20         |
| MAE C. M.; Answir E 1/1 (MAE)                          | Medial-position errors, 200                    |
| MAE. See Mainstream American English (MAE)             | Median of test scores, 489, 543                |
| Magnetic resonance imaging (MRI), 456, 565             | Medical history, 482                           |
| Magnitude, 81–82                                       | Medically fragile infants, 581–584             |
| Main clause, 93  | feeding development, 582–583                   |

hearing conservation and aural habilitation, 583 Mirror laryngoscopy, 280, 281 infant behavior, development, and communication, Mixed dementia, 358 583-584 Mixed dysarthrias, 347-348 neonatal intensive care units for, 581-584 Mixed hearing loss, 450 Medical speech-language pathology, 560-566 Mixed nerves, 29 HIV and AIDS patient care, 563-565 Mixed transcortical aphasia (MTA), 325 infectious disease control, 562-563 Modeled trial, 500, 501 medical imaging, 565-566 Modeling, 166, 501 medical team specialists and roles, 561-562 Mode of response, 501 pathologist duties, 560-561 Mode of test scores, 544 Mediums for sound waves, 439 Moebius syndrome, 577 Medulla, 39-40 Monoplegia of CP, 144 Medulla oblongata, 1 Morpheme Mendelsohn maneuver, 375 assessment of elementary-age children, 158 Meniere's disease, 450 base morphemes, 92 Meninges, 51, 52 bound morpheme, 92 Mentalis muscle, 24, 25 defined, 91 Mental retardation, 139 free morphemes, 92 Mesencephalon, 38 function of, 92 Meta-analysis, 536 grammatical morpheme, 92 Metalinguistic awareness, 217 intellectual disability difficulties, 139 Metathesis, 197 root morphemes, 92 Metencephalon, 39 rules for counting, 153 Mexican immigrant poverty and communication issues, Morphological awareness, 111 406 Morphologic skills, 501 Microdontia, 578 Morphology Microforms, 569 African American English, 396, 398 Microglia, 26 allomorphs, 92 Micrognathia, 580 assessment of elementary-age children, 158-159 Microtia, 445 defined, 91 Midbrain, 38-39 developmental milestones Middle cerebellar peduncles, 41 2-3 years, 102-103, 104 Middle ear, 436-437 3-4 years, 105 Middle ear effusion, 445, 446 4-5 years, 107 Middle peduncles, 39 5-6 years, 109 Middle pharyngeal constrictor muscle, 17 6-7 years, 110 Middle temporal gyrus, 45, 46 7-8 years, 111 Mild cognitive impairment (MCI), 351 intellectual disability and, 139 Mild traumatic brain injury, 366 morphemes, 91-92 Milestones. See Language development in children, despecific language impairment problems, 136–137 Mortality, 538 velopmental milestones Milieu teaching, 167-168 Motherese, 96-97 Mini Inventory of Right Brain Injury-Second Edition Motor-based treatment approaches, 212-214 (MIRBI-2), 363 McDonald's sensorimotor approach, 213-214 Minimal competency core, 496 Van Riper's traditional treatment approach, 212–213 Minimalist Program, 116 Motor cortex, 43, 44 Minimal pair contrast therapy, 215 Motor fibers, 30 Motor impulses, 28 Minimal pairs, 214 Minnesota Test for Differential Diagnosis of Aphasia Motor nerves, 29 (MTDDA), 330 Motor neurons, 28, 48

Motor programming disorder, 202 Mylohyoid muscle, 10, 20 Motor strip, 43, 45 Myoelastic-aerodynamic theory, 11-12 Mucosal wave action, 12, 272 Myoswitches, 173 Multicultural population communication disorders, Myringoplasty, 445 Myringotomy, 445 ASHA guidelines, 393-394 assessment, 410-417 Ν alternatives to standardized tests, 413-416 Naming, evoked samples, 207 legal considerations, 410-411 Naming skills sociocultural considerations, 421–422 assessment, 332 standardized tests, 411-413 treatment, 335 working with interpreters, 416 conversational interactive language fluency, 408-Narratives assessment of multicultural populations, 415 410 cultural considerations, 392-393 defined, 95, 168 narrative skills training, 168–169 demographics, 391–392 formal academic language fluency, 408-410 Narrow phonetic transcription, 65 Nasalance, 289, 571 language differences vs. language impairments, Nasal cavity, 14, 15, 16 403-406 Nasal-glide stimulation, 290 overview, 391 Nasalis muscle, 31 second-language acquisition, 406-408 Nasalization, 200 speech-language characteristics, 394-403 Nasals, 70-71, 190 African American English, 395–396, 397–400 Nasal sounds, 69 American English dialects, 394–395 Nasogastric feeding, 376 Asians, 402–403, 404, 405 Nasogastric tube, 577 Spanish-influenced English, 396-397, 400-402 Nasometer, 288, 289, 574 treatment, 417-422 adults with neurological based disorders, 420-Nasopharyngoscopy, 571 Nasopharynx, 16 National Foundation of Swallowing Disorders, 582 language impairments in children, 417-418 National Outcome Measurement System (NOMS), 609 linguistic barriers to, 419-420 National Student Speech-Language-Hearing Association medical conditions and communication disor-(NSSLHA), 597 ders, 418–419 Native American medical conditions and communicasociocultural barriers to, 419-420 tion disorders, 419 sociocultural considerations, 421–422 Nativist theory of language development, 115–116 Multidisciplinary teams, 486 Natural frequency, 79 Multigroup pretest-posttest design, 527, 528 Naturalistic contexts, 414 Multilingual Aphasia Examination-Revised Edition (MAE), 334 Naturalness, 188 Natural phonology theory of development, 191–192 Multiple-baseline-across-behaviors design, 531 Natural recovery from stuttering, 238-239 Multiple-baseline-across-settings design, 531 Negative reinforcement, 504 Multiple-baseline-across-subjects design, 530-531 Negative reinforcers, 505 Multiple cerebrovascular accidents, 358 Neglect, language problems related to, 146-147 Multiple sclerosis (MS), 301 Nelson-Denny Reading Test (NDRT), 331 Multiple-treatment interference, 539-540 Neonatal intensive care units (NICUs), 581-584 Muscles of respiration, 4-6 Mutational falsetto, 308 Nerve cells, anatomy and physiology of, 26, 27 Nerve fibers, 26 Myasthenia gravis, 301 Nerve-muscle pedicle reinnervation, 299 Myelencephalon, 39 Nervous system, 25-54 Myelin sheath, 26, 27

| auditory nervous system, 438                           | Neurosurgeons, roles of, 561                       |
|--|--|
| auditory nervous system impairments, 450-454           | Neurotransmitter, 26, 28                           |
| central auditory disorders, 450-452                    | Newton's Law of Motion, 79                         |
| retrocochlear disorders, 452-454                       | Node of Ranvier, 27                                |
| autonomic nervous system, 35–37                        | Noise as cause of hearing loss, 448–449            |
| central nervous system, 37–54                          | Nominal scale, 493, 544                            |
| basal ganglia, 40–41                                   | Nonfluent aphasia, 323–325                         |
| basic principles, 37–38                                | Broca's aphasia, 323–324                           |
| brainstem, 38–40                                       | global aphasia, 325                                |
| cerebellum, 41–42                                      | mixed transcortical aphasia, 325                   |
| cerebral blood supply, 52–54                           | transcortical motor aphasia, 324                   |
| cerebral ventricles, 51                                | Nonfluent variant PPA, 354–355                     |
| cerebrum, 42–46  | Noniconic symbols for AAC, 171                     |
| connecting fibers in the brain, 50–51                  | Non-invasive brain stimulation, 337                |
| diencephalon, 40                                       | Nonlinear phonology theories of development, 192   |
| extrapyramidal system, 48                              | Nonphonemic diphthongs, 76                         |
| protective layers of the brain, 51–52                  | Nonreduplicate babbling stage of sound development |
| pyramidal system, 46–48                                | 193  |
| reticular activating system, 40                        | Nontypological definitions of aphasia, 323         |
| defined, 26  | Nonverbal communication skill deficiency, 134      |
| neurons and neural transmission, 26–28                 | Noonan syndrome, 579                               |
| peripheral nervous system, 28–35                       | Normal distribution, 544                           |
|  | Normative (developmental) research, 534–535        |
| Neural transmission, 26                                | •  |
| Neuroanatomy   | Normative treatment strategy, 505–506              |
| defined, 25  | Norm-referenced test, 487                          |
| vocal mechanism, 13                                    | Nucleus, 26  |
| Neuro-assisted (aided) AAC, 173                        | Nucleus of syllables, 66                           |
| Neurogenic stuttering, 231, 258–260. See also Fluency  | Null hypothesis, 522–523                           |
| assessment, 259–260                                    | Nurses, roles of, 561                              |
| characteristics, 258                                   |  |
| defined, 258   | 0  |
| description of, 259                                    |  |
| etiology of, 258–259                                   | Oblique arytenoid muscle, 8, 9, 11                 |
| treatment, 260   | Observation, scientific, 522                       |
| Neuroglia, 26  | Obstruents, 69                                     |
| Neurological diseases                                  | Occipital lobe, 43, 45                             |
| communication disorders, 420–422                       | Occlusion, 21                                      |
| voice, 301–302   | Occult cleft palate, 569                           |
| Neurology, defined, 25                                 | Occult submucous cleft, 569                        |
| Neuromuscular rehabilitation for swallowing disorders, | Occupational history, 482                          |
| 375  | Occupational therapists, roles of, 561             |
| Neurons, 26, 27  | Octave, 79   |
| Neuropathologies, 202-204                              | Ocular hypertelorism, 575                          |
| apraxia of speech, 202-204, 339-340                    | Oculomotor nerve (cranial nerve III), 29, 30       |
| dysarthria, 202, 343-344                               | Offglide, 76                                       |
| Parkinson's disease, 356                               | Olfactory nerve (cranial nerve I), 29, 30          |
| Neurophysiological hypotheses for stuttering, 245–247  | Oligodendroglia, 26                                |
| Neurophysiology, defined, 25                           | Oller, D. K., 193                                  |
| Neurosensory Center Comprehensive Examination for      | Omissions, 200                                     |
| Aphasia (NCCEA), 330                                   | Omohyoid muscle, 10                                |
| Neurosis of stuttering, 233                            | Onglide, 72, 76                                    |

On Old Olympus' Towering Top, A Finn And German Oropharynx, 16 Viewed Some Hops, 29 Orthographic symbols, 63 Onset of syllables, 66 Oscillation, 79 Open-head (penetrating) injury, 366 Ossicular chain, 436-437 Ossicular discontinuity, 446, 448 Open syllables, 66 Operant audiometry, 457 Otitis media, 445, 446, 450 Operant behavior hypothesis of stuttering, 247 Otolaryngologists, roles of, 561–562 Operational definitions, 500, 501 Otologist, 463 Ophthalmic branch, 30 Otosclerosis, 445-446, 447 Optic nerve (cranial nerve II), 29, 30 Otoscope, 436 Oral cavity Otospongiosis, 446 functions, 15 Ototoxic drugs, 448 major structures, 18 Outer ear, 436 structure, 16 Outmarriage, 393 Oral language training, 469 Output constraints, 192 Oral-motor control exercises, 374-375 Oval window, 437 Oral-motor coordination skills, 201 Overall Assessment of the Speaker's Experience of Stutter-Oral myofunctional therapy, 201 ing (OASES), 251 Oral phase and its disorders, 371 Overbite, 201 Oral preparatory phase and its disorders, 371 Overextended words, 136 Oral resonance, 14 Overextension, 94 Oral structure variables in speech sound disorders, Overjet, 201 Overtones, 83 200-201 ankyloglossia (tongue-tie), 200 dental deviations, 200-201 P oral-motor coordination skills, 201 Palatal cleft, 567. See also Cleft palate orofacial myofunctional disorders (tongue thrust), 201 Palatal surgery for clefts, 573 Palatine bone, 19 Orbicularis oculi muscle, 31 Palatine process, 18 Orbicularis oris, 31 Palatoglossus muscle, 17, 22, 23 Orbicularis oris inferioris and superioris muscles, 24, 25 Palatopharyngeus muscle, 17 Orbicularis oris muscle, 23 Pantomime, 172 Order effect, 540 Papilloma, 296-297 Order of mention, 137 Paradoxical vocal fold motion disorder, 298 Ordinal scale, 493, 544 Parahippocampal gyrus, 30 Organically based disorders, 200-204 Parallel form reliability, 492 hearing loss, 201–202 Parallel-form reliability, 524 neuropathologies, 202-204 Parallel play, 157 apraxia, 202-204 Parallel talk, 169 dysarthria, 202 Paralysis of the vocal folds, 299–300 oral structure variables, 200-201 Parameters, 542 ankyloglossia (tongue-tie), 200 dental deviations, 200-201 Paraplegia of CP, 144 Parasympathetic branch, 36 oral-motor coordination skills, 201 Parental drug and alcohol abuse, 147-149 orofacial myofunctional disorders (tongue Parietal lobe, 43, 45 thrust), 201 Organizational deficits, 138 Parkinson's disease, 301, 343, 356 Part-word repetition, 234 Organ of Corti, 437, 438 Pascals (pa), 82 Orofacial examination for speech sound disorders, 206, Passive sentence, 93 483-484

Orofacial myofunctional disorders (tongue thrust), 201

Pathology. See Medical speech-language pathology

| Patterns of sound, 196                                 | defined, 1  |
|--|---|
| Pause-and-talk (time-out) stuttering treatment method, | extrinsic laryngeal muscles, 9                        |
| 255–256  | frequency and pitch, 81                               |
| Pauses, 235  | hearing level, 82                                     |
| Peabody Picture Vocabulary Test (PPVT), 490            | intrinsic laryngeal muscles, 8–9                      |
| Pectoralis major, 5, 6                                 | laryngeal structures and cartilages, 7                |
| Pectoralis minor, 5, 6                                 | larynx, 2, 7, 8                                       |
| Pediatric dysphagia, 582                               | neuroanatomy of vocal mechanism, 13                   |
| Pediatricians, roles of, 562                           | cerebellum, 13  |
| Pedunculated polyps, 303                               | cortical areas, 13                                    |
| Peer training, 502                                     | cranial nerves, 13                                    |
| Percentile ranks, 489                                  | physiology of, 11–12                                  |
| Perception of sounds, 61, 77                           | Bernoulli effect, 12                                  |
| Perceptual problems of SLI, 136                        | mucosal wave action, 12                               |
| Performance of language, 115                           | myoelastic-aerodynamic theory, 11-12                  |
| Perilymph, 437   | segmentals, 65–76                                     |
| Perinatal brain injury, 144                            | classification systems, 67–68                         |
| Periodic vibrations, 81, 440                           | consonants, 68–73                                     |
| Periodic waves, 78                                     | syllables, 66   |
| Period of sound, 81                                    | vowels, 73–76   |
| Peripheral hearing problems, 451                       | sound pressure level, 82                              |
| Peripheral nervous system, 28–35                       | sound wave generation and propagation, 80–81          |
| basic principles, 28                                   | speech science, 78–80                                 |
| cranial nerves, 28–34                                  | vocal folds, 11                                       |
| defined, 28  | Phonation stage of sound production development, 193  |
| spinal nerves, 34–35                                   | Phoneme, defined, 61, 188                             |
| Perlocutionary behavior, 99                            | Phoneme isolation, teaching, 170                      |
| Personal communicative intent, 102                     | Phonemic, defined, 62, 188                            |
| Personalization, 558                                   | Phonemic diphthongs, 76                               |
| Person-centered theory of counseling, 554–555          | Phonemic transcriptions, 64                           |
| PEW Research Center, 145                               | Phonetics, 61–83                                      |
| Pharmacists, roles of, 562                             | anatomy and physiology, 62–63                         |
| Pharmacological stuttering treatment, 257–258          | context, 76   |
| Pharyngeal flap surgery, 573                           | defined, 61, 62, 188                                  |
| Pharyngeal fricative, 200                              | definitions, 61–62                                    |
| Pharyngeal phase and its disorders, 371                | environment, 213                                      |
| Pharyngeal plexus, 17, 32                              | placement, 213  |
| Pharyngoplasty, 573                                    | transcription, 63–65                                  |
| Pharyngostomy, 376                                     | Phonological awareness, 111, 170                      |
| Pharynx (throat, pharyngeal cavity)                    | Phonological awareness treatment, 216–217             |
| functions, 16–17                                       | Phonological disorder, defined, 187                   |
| muscles, 19  | Phonological error patterns, 199                      |
| structure, 14, 15, 16–17                               | Phonological patterns, 196                            |
| Phonation, 7–13  | Phonological problems, 135                            |
| acoustic analysis of speech, 82-83                     | Phonological process approach (PPA) of treatment, 215 |
| amplitude and loudness, 81–82                          | Phonological processes, 119, 135, 196                 |
| anatomy and physiology, 62                             | Phonology   |
| assessment, 286–287                                    | African American English, 396, 399                    |
| clefts and disorders of, 570, 572                      | defined, 61, 188                                      |
| context and speech sound production, 76–77             | foundations of, 187–190                               |
| dynamics of speech production, 76–77                   | skills development                                    |
| suprasegmentals, 77                                    | assimilation processes, 197                           |

| categories of processes, 196                      | associative, 157                                      |
|---|---|
| in children, 194                                  | cooperative, 157                                      |
| foundational concepts, 196                        | parallel, 157   |
| in infants, 193–194                               | solitary, 157   |
| intelligibility, 194–196                          | Plethysmograph, 284                                   |
| substitution processes, 196–197                   | Polyps, 303–304                                       |
| syllable structure processes, 197                 | Pons, 39  |
| skills development theories                       | Porch Index of Communicative Ability-Revised (PICA-R) |
| behavioral theory, 191                            | 330   |
| generative phonology theory, 192                  | Portfolio assessment, 152, 415, 497                   |
| linear vs. nonlinear phonology theories, 192      | Positive reinforcement, 504                           |
| natural phonology theory, 191–192                 | Positive reinforcers, 505                             |
| structural theory, 191                            | Positron emission tomography (PET), 565               |
| Phonotrauma, 302                                  | Postcentral gyrus, 45                                 |
| Phrase interjections, 235                         | Posterior belly of digastric muscle, 20               |
| Phrase repetition, 234                            | Posterior cerebral arteries, 54                       |
| Physical exercises for aphasia treatment, 337     | Posterior cricoarytenoid muscle, 8, 9, 11             |
| Physical setting generalization, 502              | Posterior thoracic muscles, 6                         |
| Physical-stimulus generalization, 502             | Postlingual deafness, 461                             |
| Physical therapists, roles of, 562                | Postnatal brain injury, 144                           |
| Physiological phonetics, 61, 62                   | Post-reinforcement pause, 502                         |
| Piaget, 116, 117–118, 120                         | Posttest, 502, 526                                    |
| Pia mater, 51, 52                                 | Postvocalic errors, 200                               |
| Pick's disease (PiD), 353–355                     | Poverty, language problems related to, 145-146, 406   |
| Pic symbols, 173                                  | Prader-Willi syndrome (PWS), 578                      |
| Picsyms, 173                                      | Pragmatics  |
| Picture Exchange Communication System (PECS), 173 | assessment  |
| Pierre-Robin syndrome, 577                        | adolescents, 161, 162-163                             |
| Pinna of the outer ear, 436                       | elementary-age children, 158, 159                     |
| Pitch (perception)                                | autism spectrum disorders, 142                        |
| assessment, 286                                   | children with SLI, 137                                |
| defined, 77, 81, 440                              | cultural influences, 95                               |
| disorders, 308                                    | defined, 95   |
| frequency perturbation (jitter), 277              | developmental milestones                              |
| fundamental frequency, 277                        | birth–1 year, 99                                      |
| measurements, 284                                 | 1–2 years, 101–102                                    |
| monopitch, 286                                    | 2–3 years, 102–103                                    |
| Place of articulation                             | 3–4 years, 105–106                                    |
| categories, 190                                   | 4–5 years, 107  |
| defined, 67, 189                                  | 5–6 years, 109  |
| place-voice-manner analysis, 70                   | 6–7 years, 110  |
| Place-voice-manner analysis                       | 7–8 years, 111  |
| consonant clusters, 73                            | direct vs. indirect speech acts, 95                   |
| distinctive features paradigm, 188, 189-190       | discourse, 95   |
| manner of articulation, 67, 70-73                 | function of, 96                                       |
| place of articulation, 67, 68, 70                 | intellectual disability and, 139                      |
| voicing, 67, 70                                   | language context and function, 95                     |
| Planning and organization deficits, 138           | Praxis  |
| Plastic surgeons, roles of, 562                   | certification requirements, 618                       |
| Platysma muscle, 24, 25, 31                       | computer-generated questions, 621-622                 |
| Play  | content categories, 616                               |
| assessment of, 157                                | general tips for taking, 619–621                      |

| nonstandard testing arrangements, 618                     | gender ratio, 237                                       |
|---|---|
| overview, 616   | in the general population, 236                          |
| purpose of, 615   | in people with brain injuries, 238                      |
| study tips, 619   | in people with developmental or intellectual dis-       |
| test retakes, 616   | abilities, 238  |
| topics covered, 617–618                                   | socioeconomic variables, 238                            |
| website information, 615                                  | Prevocalic errors, 200                                  |
| Precentral gyrus, 43                                      | Primary auditory cortex, 45                             |
| Predictive validity, 491, 523                             | Primary language impairment, 135–138                    |
| Prefix, defined, 92                                       | Primary motor cortex, 13, 43                            |
| Prelingual deafness, 461                                  | Primary palate, 567                                     |
| Prelinguistic behavioral deficiencies in infants and tod- | Primary progressive aphasia (PPA), 323, 353–355         |
| dlers, 155  | Primary progressive apraxia of speech (PPAOS), 339, 340 |
| Preliteracy skills, 112                                   | Primary reinforcers, 505                                |
| Premack-type symbols, 173                                 | Primary stress of syllables, 77                         |
| Premaxilla, 18  | Primary visual cortex, 45                               |
| Prenatal brain injury, 144                                | Print knowledge, 111                                    |
| Prenatal causes of hearing loss, 447                      | Probability of statistics, 542                          |
| Preoperational cognitive development, 117–118             | Probes, 502   |
| Presbycusis, 450, 451                                     | Procedures of treatment, 502                            |
| Presbyphonia, 276   | Procerus muscle, 31                                     |
| Preschool Amendments to the Education of the Handi-       | Processes of sound, 196                                 |
| capped Act, 154   | Processing speed deficits, 138                          |
| Preschoolers. See also Infants; Toddlers                  | Production of sounds                                    |
| articulation development, 194, 195                        | defined, 61   |
| assessment of, 157–158                                    | in infants, 193–194                                     |
| cognitive development, 117–118                            | PRO-ED, Inc.  |
| hearing loss assessment, 457                              | Speech and Language Development Chart, 107              |
| language developmental milestones, 103–107                | standardized tests, 160                                 |
| morphology, 105, 107                                      | Professional issues, 595–609                            |
| pragmatics, 105–106, 107                                  | ASHA. See also American Speech-Language-Hearing         |
| semantics, 105, 106–107                                   | Association (ASHA)                                      |
| stuttering in, 242  | accreditation, 600                                      |
| stuttering treatment for, 256                             | functions, 595  |
| syntax, 103–104, 106                                      | goals, 596–597  |
| voice changes, 275–276                                    | history of, 595–596                                     |
| Press of speech, 326                                      | membership, 596   |
| Pressure, 79  | membership categories, 597                              |
| Pressure equalizing tubes, 445                            | special interest groups, 597–598                        |
| Presuppositions, 101                                      | audiology, 598–599                                      |
| Pretest   | speech-language pathology, 598–600                      |
| defined, 502, 526   | Proficiency in Oral English Communication: An Assess-   |
| pretest–posttest control group design, 526–527            | ment of Accented Speech, 219                            |
| reactive or interactive effects of, 540                   | Prognosis, 483  |
| Prevalence  | Progressive assimilation, 197                           |
| culturally and linguistically diverse clients, 418–419    | Projection defense mechanism, 559                       |
| defined, 418  | Projection fibers, 50                                   |
| stuttering  | Prolongations, 234                                      |
| concordance rates in twins, 237–238                       | Prompts, 166, 502                                       |
| defined, 236  | Prompts for Restructuring Oral Muscular Phonetic Tar-   |
| ethnocultural variables, 238                              | gets (PROMPT), 204                                      |
| familial prevalence, 237                                  | Prosody, 77   |

| Prosthodontists, roles of, 562                         | Rapport during interviews, 484                        |
|--|---|
| Protesting, 95   | Rarefaction, 78, 81, 440                              |
| Prue alexia, 338                                       | Rate of speech, 77                                    |
| Psychiatrists, roles of, 562                           | Rating scales, 493                                    |
| Psychoacoustics, 78                                    | Rationalization defense mechanism, 559                |
| Psychodynamic theory of counseling, 554                | Ratio scale, 544                                      |
| Psychogenic voice disorders, 308–309                   | Raw score, 489  |
| Psychological methods of stuttering treatment, 252–253 | Reaction formation, 559                               |
| Psychoneurosis theory of stuttering, 249               | Reactive effects of pretesting, 540                   |
| Psychopathology, neurosis of stuttering, 233           | Reading. See Literacy skills                          |
| Pterygoid muscle, 20                                   | Reading Comprehension Battery for Aphasia–Second Edi- |
| Puberphonia, 308                                       | tion (RCBA-2), 331                                    |
| Puberty, voice changes during, 276                     | Reading skills. See also Literacy skills              |
| Public Law 94-142, 605, 606                            | assessment, 333                                       |
| Public Law 99-457, 154, 605                            | treatment, 336  |
| Public Law 101-336, 606-607                            | Rebuses, 173  |
| Public Law 101-476, 606                                | Recasting, 169–170                                    |
| Public Law 105-17, 606                                 | Recruitment as hearing loss symptom, 447              |
| Public Law 108-446, 606                                | Rectus abdominis, 6                                   |
| Pulmonary specialists, roles of, 562                   | Recurrent laryngeal nerve (RLN)                       |
| Punishment, 502  | functions, 32   |
| Pure apraxia, 339                                      | neuroanatomy, 13                                      |
| Pure probes, 501, 502                                  | resection for spasmodic dysphonia, 300                |
| Pure tone, 439   | vocal anatomy and physiology, 272                     |
| Pure-tone audiometry, 455                              | Reduplicated babbling stage of sound development, 193 |
| Putamen, 40  | Reduplication, 197                                    |
| Pyramidal system, 46–48                                | Reflection, 80  |
| basic principles, 46                                   | Refraction, 80  |
| corticobulbar tract, 48                                | Regressive assimilation, 197                          |
| corticospinal tract, 46-48                             | Regulations   |
| defined, 46  | Affordable Health Care Act, 607                       |
| Pyramidal tracts, 40                                   | Americans With Disabilities Act (ADA), 606-607        |
|  | future trends, 608–609                                |
| Q  | health care settings, 607–608                         |
| · ·  | Health Insurance Portability and Accountability Act   |
| Quadratus lumborum, 6                                  | (HIPAA), 607–608                                      |
| Quadriplegia of CP, 144                                | Individuals With Disabilities Education Act of 1990   |
| Qualitative data, 523                                  | (IDEA), 606   |
| Quantitative data, 523                                 | Individuals With Disabilities Education Improve-      |
| Question (interrogative) sentence, 93                  | ment Act of 2004, 410-411                             |
| Questionnaires, 415, 493, 533                          | Preschool Amendments to the Education of the          |
| Quick Assessment for Aphasia, 330                      | Handicapped Act, 154                                  |
| Quick incidental learning, 94                          | Public Law 94-142, 605, 606                           |
|  | Public Law 99-457, 154, 605                           |
| R  | Public Law 101-336, 606-607                           |
|  | Public Law 101-476, 606                               |
| Radiation therapy, 291                                 | Public Law 105-17, 606                                |
| Radical neck dissection, 291                           | Public Law 108-446, 606                               |
| Radiologists, roles of, 562                            | Social Security Act (SSA), 607                        |
| Rancho Los Amigos Levels of Cognitive Function, 367    | state regulation, 604                                 |
| Randomization of groups, 526                           | Regulatory communicative intent, 101                  |
| Range, defined, 543                                    | Reinforcement, 503–504                                |
|  |   |

| Reinforcement withdrawal, 504                   | hearing impairment and disorders of, 462                            |
|---|---|
| Reinforcers, 504–505                            | Resonation  |
| Reinke's space, 12                              | anatomy and physiology, 63  |
| Reissner's membrane, 438                        | defined, 1, 14  |
| Relational analysis of assessment data, 208     | fundamentals of, 14–15  |
| Reliability                                     | Respiration, 1–7  |
| alternate-form (parallel-form), 524             | anatomy and physiology, 62  |
| correlational coefficient, 524                  | assessment, 286   |
| of data, 523                                    | defined, 1  |
| defined, 524                                    | framework, 2–4  |
| interobserver (interjudge), 491, 524            | bronchi, 3  |
| intraobserver (intrajudge), 492, 524            | lungs, 2  |
| of measurements, 524                            | rib cage, 3–4   |
| split-half, 492, 524                            | spinal column, 3, 4   |
| of standardized tests, 491–492                  | sternum, 3  |
| test–retest, 492, 524                           | trachea, 3  |
| Religion issues in counseling, 558              | muscles, 4–6  |
| Repetitions, 234                                | abdominal muscles of expiration, 6                                  |
| Repetition skills assessment, 331               | thoracic muscles of inspiration, 4–6                                |
| Repression defense mechanism, 559               | patterns during speech production, 1                                |
| Research. See also Scientific method            | Response complexity, 507  |
| defined, 522                                    | Response cost   |
| descriptive, 532–536                            | defined, 502  |
| comparative research, 534                       | stuttering treatment method, 256                                    |
| correlational research, 535                     | Response generalization, 502  |
| developmental (normative) research, 534–535     | Response-mode generalization, 502                                   |
| ex post facto (retrospective) research, 532–533 | Response modes, 507   |
| foundational concepts, 532–535                  | Response to intervention (RtI), 160, 415                            |
| survey research, 533–534                        | Reticular activating system (RAS), 40                               |
| ethnographic research, 536                      | Reticular formation, 38   |
| evaluation, 536–542                             | Retrocochlear disorders, 452–454                                    |
| evidence levels for evidence-based practice,    | Retroflex, 72   |
| 540–541   | Retrospective (ex post facto) research, 532–533                     |
| external validity, 539–540                      | Revisions, 235  |
| internal validity, 537–540                      |   |
| experimental, 525–532                           | RHBD. See Right-hemisphere brain damage (RHBD) Rhomboideus major, 6 |
| foundational concepts, 525–526                  | Rhomboideus minor, 6  |
| group designs, 526–528                          | Rhotic sounds, 69, 72, 73   |
| single-subject designs, 528–531                 | Rhyme, 66   |
| meta-analysis, 536                              | Rhyming skills, teaching, 170                                       |
| •   | Rhythm training, 469–470  |
| Resonance assessment, 286                       | Rib cage (thoracic cage), 3–4, 5                                    |
|   |   |
| defined, 80                                     | RIC Evaluation of Communication Problems in Right                   |
| disorders, 287–290                              | Hemisphere Dysfunction—Third Edition (RICE-3), 363                  |
| assimilative nasality, 288                      | Right-hemisphere brain damage (RHBD), 361–365                       |
| clefts, 572, 574                                | assessment, 363–364   |
| cul-de-sac resonance, 289                       | communication treatment of, 364                                     |
| hypernasality, 287–288                          | defined, 321  |
| hyponasality, 288, 290                          | foundational concepts, 361–362                                      |
| treatment, 289–290                              | symptoms, 361, 362–363  |

| affective deficits, 362                                | foundational concepts, 542                      |
|--|---|
| attentional and perceptual deficits, 362               | measurement scales, 544                         |
| communicative deficits, 363                            | statistical techniques, 543–544                 |
| Right Hemisphere Language Battery–Second Edition       | descriptive research, 532–536                   |
| (RHLB-2), 363  | comparative research, 534                       |
| Risorius muscle, 24, 25                                | correlational research, 535                     |
| Rochester method of communication, 471                 | developmental (normative) research, 534–535     |
| Root morpheme, 92                                      | ethnographic research, 536                      |
| Root of the tongue, 21, 22                             | ex post facto (retrospective) research, 532–533 |
| Rounded vowels, 73                                     | foundational concepts, 532–535                  |
| Round sounds, 69                                       | meta-analysis, 536                              |
| RtI (response to intervention), 160, 415               | survey research, 533-534                        |
| Rubella as cause of hearing loss, 450                  | experimental research, 525-532                  |
| Russell-Silver syndrome, 578                           | foundational concepts, 525-526                  |
|  | group designs, 526-528                          |
| S  | single-subject designs, 528-531                 |
| 3  | philosophy of science, 521–523                  |
| Sacrum, 3, 4   | reliability of measurements, 524                |
| Safety alerting devices, 467                           | research evaluation, 536–542                    |
| Salpingopharyngeus muscle, 17                          | evidence levels for evidence-based practice,    |
| Sampling   | 540-541   |
| conversational speech, 207                             | external validity, 539–540                      |
| evoked speech, 207                                     | internal validity, 537–539                      |
| multicultural population communication disorders,      | validity of measurements, 523                   |
| 415  | Scores in standardized assessment, 489–490      |
| procedures for obtaining, 485-486                      | Screening                                       |
| representative, 488                                    | defined, 480                                    |
| speech and language, 484–486                           | evidence-based practice, 480–481                |
| Satellite cells, 26                                    | hearing, 206, 456–457, 483                      |
| Satiation, 502   | of language skills, 151                         |
| Scales of Cognitive Ability for Traumatic Brain Injury | speech sound disorders, 205                     |
| (SCATBI), 367  | Secondary reinforcers, 505                      |
| Scanning used in AAC, 172                              | Secondary stress of syllables, 77               |
| SCERTS model of treatment, 142                         | Secondary stutterings, 239–240                  |
| Schedules of reinforcement, 504                        | Second-language acquisition, 406–408            |
| School. See Education                                  | Seeing Essential English (SEE 1), 471           |
| School-age children. See Elementary-age children       | Segmentals, 65–76                               |
| Schwann cells, 26                                      | classification systems, 67–68                   |
| Science  | consonants, 68–73                               |
| deductive method, 522                                  | syllables, 66                                   |
| defined, 521   | vowels, 73–76                                   |
| determinism, 522                                       | Selective Recovery Theory, 421                  |
| empiricism, 522  | Self-control, 502                               |
| hypotheses, 522–523                                    | Self-talk, 170                                  |
| inductive method, 522                                  | Semantics                                       |
| qualitative data, 523                                  |   |
| quantitative data, 523                                 | assessment                                      |
| -  | adolescents, 161, 162                           |
| of speech, 78–80<br>Scientific method, 521–545         | elementary-age children, 159                    |
|  | categories, 94                                  |
| data organization and analysis, 542–545                | categorizing words, 94                          |

| defined, 94  | Sibling status as factor in speech sound disorders, 199 |
|--|---|
| developmental milestones                                     | Sickle cell anemia, 420                                 |
| 1–2 years, 99–101  | Signing Exact English (SEE 2), 471                      |
| 2–3 years, 102–103   | Sign language, 172, 470–471                             |
| 3–4 years, 105   | Sig symbols, 173  |
| 4–5 years, 106–107   | Silent period, 406                                      |
| 5–6 years, 108   | Silent prolongations, 234                               |
| 6–7 years, 110   | Simple harmonic motion, 78, 81, 439                     |
| 7–8 years, 110–111   | Simultaneous bilingual acquisition, 409                 |
| overextension, 94  | Single-proton emission-computed tomography (SPECT),     |
| quick incidental learning, 94                                | 565–566   |
| semantic PPA, 354, 355                                       | Single-subject design (SSD), 528-531                    |
| semantic relations (utterances), 100, 101                    | ABAB design, 529–530                                    |
| underextension, 94   | ABA design, 529–530                                     |
| vocabulary, 94   | advantages and disadvantages of, 531                    |
| word knowledge, 94   | basic principles, 528                                   |
| world knowledge, 94  | defined, 528  |
| Semicircular canals, 437                                     | multiple-baseline designs, 530–531                      |
| Semilongitudinal procedure of research, 535                  | Sinusoidal motion or wave, 78, 439                      |
| Semivowels, 72   | Skeletal malocclusion, 200                              |
| Sensorimotor cognitive development, 117                      | Skinner, B. F., 113–114                                 |
| Sensorineural hearing loss, 446–450                          | Social approaches to treating aphasia, 337              |
| Sensory cortex, 45   | Social communication deficiency, 134                    |
| Sensory fibers, 30   | Social interactionism theory of language development,   |
| Sensory nerves, 29   | 120–121   |
| Sensory neurons, 28  | Social language, 164                                    |
| Sensory strip, 45  | Social Security Act (SSA), 607                          |
| Sensory substitution method for deaf individuals, 466        | Social workers, roles of, 562                           |
| Sentence Sentence  | Sociocultural barriers to service delivery, 419–420     |
| completion, evoked samples, 207                              | Sociocultural rehabilitation considerations, 421–422    |
| and discourse production assessment, 332                     | Socioeconomic status                                    |
| syntax, 93   | as factor in speech sound disorders, 199                |
| Sequence of treatment, 506–508                               | language development and, 145–146                       |
| degree of structure, 507                                     | Mexican immigrant poverty and communication             |
| multiple targets, 507  | issues, 406   |
| response complexity, 507                                     | stuttering prevalence and, 238                          |
| response modes, 507  | Soft palate. See Velum (soft palate)                    |
| shifts in treatment contingencies, 508                       | Solitary play, 157                                      |
| training and maintenance, 507–508                            | Soma (cell body), 26, 27                                |
| Sequential bilingual acquisition, 409                        | Somatosensory cortex, 13                                |
| Serous otitis media, 445                                     | Somesthetic sensations, 45                              |
| Serratus anterior, 5, 6                                      | Sona-Graph, 282–283                                     |
| Serratus posterior inferior muscles, 6                       | Sonorant sounds, 69, 72, 73                             |
| Serratus posterior superior muscles, 5                       | Sound   |
| Sessile polyps, 303  | acoustic analysis of speech, 82–83                      |
| Shaping, 166, 502  | acoustics, 439–442                                      |
|  |   |
| Sheehan, J. G., 248<br>Shimmer (amplitude perturbation), 277 | amplitude and loudness, 81–82<br>defined, 78            |
| Shock reaction, 558  |   |
|  | frequency and pitch, 81                                 |
| Shprintzen syndrome, 580<br>Sibilants, 69                    | interjections, 234–235                                  |
| Oibiiaiito, U  | patterns, 196   |

| processes, 196  | components, 207–208                            |
|---|--|
| prolongations, 234                                    | conversational speech samples, 207             |
| sound pressure level and hearing level, 82, 442       | evoked speech samples, 207                     |
| sound waves   | objectives, 205                                |
| cause of, 440   | procedures, 205–206                            |
| defined, 78   | scoring and analysis, 208–210                  |
| generation and propagation, 80-81                     | screening, 205, 206                            |
| single cycle, 441                                     | standardized tests, 208                        |
| spectograph, 82                                       | stimulability, 207–208                         |
| spectography, 282                                     | best practices, 204                            |
| study of, 80–83                                       | clefts and, 570, 572, 573-574                  |
| Sound blending, teaching of, 170                      | defined, 187, 198                              |
| Sound pressure level (dB SPL), 82, 442                | factors related to, 198-199                    |
| Sound Production Treatment (SPT), 342                 | auditory discrimination skills, 199            |
| Source-filter theory, 15                              | birth order and sibling status, 199            |
| Spanish-influenced English                            | gender, 198                                    |
| articulation differences, 401                         | intelligence, 199                              |
| background, 396–397, 400                              | language development and academic perfor-      |
| characteristics, 400–401                              | mance, 199                                     |
| language differences, 402                             | socioeconomic status, 199                      |
| Spasmodic dysphonia, 300                              | hearing impairment and, 461                    |
| Spastic CP, 144                                       | organically based disorders, 200–204           |
| Spastic dysarthria, 347                               | ankyloglossia (tongue-tie), 200                |
| Special education, 606                                | apraxia, 202–204                               |
| Special interest groups (SIGs), 597–598               | dental deviations, 200–201                     |
| Specific language impairment (SLI), 135–138           | dysarthria, 202                                |
| cognitive processing deficits, 138                    | hearing loss, 201–202                          |
| executive functioning deficits, 138                   | neuropathologies, 202–204                      |
| general characteristics, 135                          | oral-motor coordination skills, 201            |
| normal variation, 135                                 | oral structure variables, 200–201              |
| speech and language deficits, 135–137                 | orofacial myofunctional disorders (tongue      |
| subtle brain abnormalities, 135, 136                  | thrust), 201                                   |
| underlying deficits, 135                              | speech sound differences vs., 211              |
| Spectrogram, 82–83, 282                               | treatment, 210–218                             |
| Speech, defined, 1                                    | complexity approach (least knowledge approach) |
| Speech and Language Development Chart, 107            | 212  |
| Speech audiometry, 455                                | contrast approaches, 215                       |
| Speech fluency assessment, 332                        | core vocabulary (consistency) approach, 216    |
| Speech Intelligibility Test for Windows, 349          | developmental approach, 212                    |
| Speech–language clinician, 598                        | distinctive features approach, 214–215         |
| Speech–language pathologist, 463, 598                 | general considerations, 211–212                |
| Speech–language pathology, 479–480, 598–600           | Hodson and Paden's cycles approach, 215–216    |
| Speech–language pathology assistants (SLPAs), 602–603 | linguistic approaches, 214–216                 |
| Speech reading, 468                                   | McDonald's sensorimotor approach, 213–214      |
| Speech reception threshold, 455                       | motor-based, 212–214                           |
| Speech science, 61, 78–80                             | phonological awareness, 216–217                |
| Speech sound disorder (SSD)                           | phonological process approach, 215             |
| adults who speak English as a foreign language,       | Van Riper's traditional approach, 212–213      |
| 218–220   | Speech Sound Disorders Evidence Map, 198       |
| articulatory errors, 199–200                          | Speech sound problems, 135                     |
| assessment, 204–210                                   | Speech therapist, 598                          |
| 455C55HICH, 201 210                                   | opecen merapist, 570                           |

| Speech training, 469–470                                    | adaptation, 242–243                                       |
|---|---|
| Speed of processing information, 138                        | adjacency, 243  |
| Spinal accessory nerve (cranial nerve XI), 16–17, 29,       | audience size, 243–244                                    |
| 33–34   | consistency, 243  |
| Spinal column, 3, 4   | Stimulus generalization, 502                              |
| Spinal cord   | Stoma, 292  |
| illustration, 38  | Stomodeum, 567  |
| nerves, 35, 36  | Stops, 72, 189, 197                                       |
| Spinal nerves, 34–35  | STORCH acronym, 449–450                                   |
| Split-half reliability, 492, 524                            | Story grammar, 169  |
| Spontaneous recovery from stuttering, 238–239               | Strain-strangle voice, 278                                |
| SSD. See Speech sound disorder (SSD)                        | Stressed syllable, 77                                     |
| Stages of cognitive development, 116, 117–118               | Stridency deletion, 200, 214                              |
| Stampe, D., 191–192   | Strident sounds, 69                                       |
| Standard deviation  | Strident voice, 279                                       |
| defined, 543  | Strokes. See also Aphasia                                 |
| of test scores, 489   | bilingual patient recovery theories, 421                  |
| Standardized assessment                                     | causes of, 420  |
| adolescents, 163  | defined, 321  |
| elementary-age children, 159–160                            | hemorrhagic, 322  |
| multicultural population communication disorders,           | ischemic strokes, 322                                     |
| 411–413   | recovery in bilinguals, 420–421                           |
| nature and advantages of, 487                               | Strong cognition hypothesis, 116                          |
| overview, 152   | Structural theory of articulatory skills development, 191 |
| prudent use of, 488–489                                     | Structure, degree of, 507                                 |
| reliability of, 491–492                                     | Stuttering. See also Fluency                              |
| speech sound disorders, 208                                 | abnormal motor behaviors, 231                             |
| types of scores, 489–490                                    | assessment, 249–251                                       |
| validity of, 490–491  | avoidance behaviors, 241                                  |
| Standard precautions for infectious disease control, 563    | breathing abnormalities, 240                              |
| Stanford-Binet Intelligence Scales–Fifth Edition (SB5), 490 | causes of, 231  |
| Stapedectomy, 446   | characteristics, 232                                      |
| Stapedius muscle, 31, 437                                   | definitions, 232  |
| Stapes, 437   | based on all types of dysfluencies, 233–234               |
| State regulation of the profession, 604                     | based on etiology, 234                                    |
| Statistic. See also Scientific method                       | based on psychopathology (neurosis), 233                  |
| aphasia, 322  | cerebral dominance theory, 234                            |
| defined, 542  | event of stuttering, 233                                  |
| probability, 542  | limited to certain types of dysfluencies, 233             |
| techniques for organizing data, 543–544                     | moment of stuttering, 233                                 |
| measures of central tendency, 543–544                       | person's actions to avoid stuttering, 232                 |
| measures of variability, 543                                | social role conflict, 232                                 |
| Statistical regression, 538                                 | in terms of unspecified behaviors, 233                    |
| Stenosis, 445   | developmental, 247  |
| Stereotypes, 392  | as disorder of rhythm, 232                                |
| Sternocleidomastoid, 5                                      | family traits and, 244                                    |
| Sternohyoid muscle, 10                                      | incidence of  |
| Sternothyroid muscle, 10                                    | defined, 235  |
| Sternum (breastbone), 3                                     | in the general population, 236                            |
| Stimulability assessment, 207–208                           | loci of stuttering, 241–242                               |
| Stimulus control in stuttering, 242–244                     | motor behaviors (secondary stutterings), 239–240          |
| <i>S</i> ,  | ,                   |

natural recovery and persistence, 238-239 Stuttering Foundation of America, 258 negative emotions, 240-241 Styloglossus muscle, 22, 23 onset and development of, 236, 239 Stylohyoid muscle, 10, 23, 31 personality and, 244 Stylopharyngeus muscle, 17, 23 prevalence of Subcortical aphasia, 328-329 concordance rates in twins, 237-238 Subcostal muscle, 6 defined, 236 Subglottal stenosis, 296 ethnocultural variables, 238 Subject selection biases, 538-539 familial prevalence, 237 Submucous cleft, 288, 569 gender ratio, 237 Subordinate clause, 93 in the general population, 236 Substantia nigra, 38, 41 in people with brain injuries, 238 Substitution processes, 196–197 in people with developmental or intellectual dis-Substitutions, 200 abilities, 238 Successive approximation, 502 socioeconomic variables, 238 Successive Recovery Theory, 421 secondary behaviors or secondary stutterings, 231 Suffix, defined, 92 stimulus control, 242-244 Sulcus, 42 adaptation, 242-243 Superficial lamina propria, 12 adjacency, 243 Superior (upper) temporal gyrus, 45 audience size, 243-244 Superior cerebellar peduncles, 41 consistency, 243 Superior laryngeal artery, 272 theories, 245-249 Superior laryngeal nerve (SLN), 13, 272 anticipatory struggle hypothesis, 248 Superior longitudinal fibers, 50 approach-avoidance, 248 Superior longitudinal muscle, 22 avoidance behavior, 248 Superior peduncles, 38 demands and capacities model, 248 Superior pharyngeal constrictor muscle, 17, 23 diagnosogenic theory, 248 Superior temporal gyrus, 46 foundational concepts, 245 Super-supraglottic swallow, 375 genetic hypothesis, 245 Supplementary motor cortex, 13, 45 neurophysiological hypotheses, 245-247 Suppression defense mechanism, 559 operant behavior, 247 Supraglottic swallow, 375 psychoneurosis, 249 Suprahyoid laryngeal muscles, 275 reaction of tension and fragmentation, 248 Suprahyoid muscles (elevators), 10, 19, 275 speech disruption due to classically conditioned Supramarginal gyrus, 45 negative emotion, 247–248 Suprasegmentals, 77 treatment, 252-258 Surface structure, 115 age considerations, 256-257 Surgical management of the clefts, 573 direct stuttering reduction methods, 255-256 Surveys, 533-534 fluency reinforcement method, 254-255 Swallowing disorders (dysphagia), 370-376 fluency shaping method (speak-more-fluently), assessment, 372-373 253-254 defined, 321 fluent stuttering method (stutter-more-fluently), nature and etiology of, 370 normal and disordered swallow, 370-372 generalization, maintenance, family training, 257 achalasia, 372 goals of, 252 esophageal phase and its disorders, 372 masking and delayed auditory feedback techoral phase and its disorders, 371 niques, 255 oral preparatory phase and its disorders, 371 pause-and-talk (time-out), 255-256 pharyngeal phase and its disorders, 371 pharmacological, 257-258 treatment, 373-376 psychological methods, 252-253 computer applications, 376

direct treatment, 373-374

response cost method, 256

| effortful swallow, 375                                   | Teams, working with, 486                           |
|--|--|
| indirect treatment, 374–375                              | Tech tips  |
| medical treatment, 376                                   | aphasia, 322                                       |
| Mendelsohn maneuver, 375                                 | assessment of infants and toddlers, 156            |
| neuromuscular rehabilitation, 375                        | autism spectrum disorder, 142                      |
| oral-motor control exercises, 374-375                    | bilingual children, 410                            |
| super-supraglottic swallow, 375                          | books donated to children in poverty, 146          |
| supraglottic swallow, 375                                | CAPE-V, 284  |
| Syllabics, 66, 69  | Children and Adults with Attention-Deficit/Hyper   |
| Syllabification, 66                                      | activity Disorder (CHADD), 149                     |
| Syllable awareness, teaching, 170                        | children's language development, 97                |
| Syllable interjections, 234                              | Cleft Palate Foundation, 571                       |
| Syllables, 66  | cluttering, 261                                    |
| Syllable structure processes, 197                        | cultural competence, 394                           |
| Sylvian fissure (lateral cerebral fissure), 43           | dementia, 352                                      |
| Sympathetic branch, 35–36                                | DSM-V, 140   |
| Synapses, 26   | dynamic assessment, 416                            |
| Syndrome, defined, 574                                   | dysphagia, 374                                     |
| Synergistic and Differential Recovery Theory, 421        | English language arts standards, 113               |
| Syntactic problems of SLI, 136                           | evidence-based practice, 480, 541                  |
| Syntax   | Head and Neck Cancer Evidence Map, 291             |
| African American English, 396, 398                       | Hearing Health Foundation, 471                     |
| assessment   | International Phonetic Alphabet, 63                |
| adolescents, 160, 162                                    | language milestones, 107                           |
| elementary-age children, 158                             | LSVT, 301  |
| defined, 92  | pediatric dysphagia, 582                           |
| developmental milestones                                 | Praxis examination, 615, 619, 622                  |
| 1–2 years, 99  | PROMPT, 204  |
| 2–3 years, 102   | sensorineural hearing loss, 450                    |
| 3–4 years, 103–104                                       | Speech Accent Archive, 219                         |
| 4–5 years, 106   | speech-language pathology assistants, 603          |
| 5–6 years, 108   | speech science tutorials, 80                       |
| 6–7 years, 109   | Speech Sound Disorders Evidence Map, 198           |
| 7–8 years, 110   | standardized tests for language impairments, 160   |
| intellectual disability and, 139                         | standard precautions and hygiene, 563              |
| structures, 93   | stuttering, 239, 258                               |
| Syphilis as cause of hearing loss, 449                   | telepractice, 609                                  |
| Systematic Analysis of Language Transcripts (SALT) com-  | traumatic brain injury, 365                        |
| puter software, 153                                      | WHO Global Disability Action Plan, 419             |
| s/z ratio, 287   | Teeth, 20–21                                       |
|  | Teflon injection into vocal folds, 376             |
| Т  | Telecommunication devices for the deaf (TDDs), 467 |
| •  | Telegraphic speech, 137                            |
| Tactile agnosia, 338                                     | Telepractice, 609                                  |
| Tactile aids, 466–467                                    | Templin Darley Test of Articulation, 572           |
| Tacts, 114   | Temporal auditory processing, 119                  |
| Tadoma Method, 466–467                                   | Temporal bone, 437                                 |
| Targets of treatment, 502, 505-506, 507                  | Temporalis muscle, 20                              |
| Task shifting, 138                                       | Temporal lobe, 43, 45–46, 439                      |
| TBI. See Traumatic brain injury (TBI)                    | Temporomandibular joint, 19                        |
| Team-oriented approach to evaluation of voice disorders, | Tense/lax qualities, 74                            |
| 280  | Tense sounds 69                                    |

Tense vowels, 73 foundational concepts, 245 Tension and fragmentation as stuttering reaction, 248 genetic hypothesis, 245 Tensor tympani, 437 neurophysiological hypotheses, 245-247 Tensor veli palatini muscle, 17, 437 operant behavior, 247 Terminal buttons, 26, 27 psychoneurosis, 249 Terminal response, 503 reaction of tension and fragmentation, 248 Testing, defined, 538. See also Assessment; Standardized speech disruption due to classically conditioned assessment negative emotion, 247-248 Test of Visual Neglect, 363 transformational generative theory of grammar, 116 Test-retest reliability, 492, 524 Third ventricle, 40, 51 Texas Functional Living Scale (TELS), 359 Thoracic breathing, 286 Thalamus, 40 Thoracic cage (rib cage), 3-4, 5 Thoracic muscles of inspiration, 4-6 Theory. See also Hypothesis articulation skills development, 191-192 Thoracic vertebrae, 3, 4 behavioral theory, 191 Throat. See Pharynx (throat, pharyngeal cavity) generative phonology theory, 192 Thrombus, 322 linear vs. nonlinear phonology theories, 192 Thyroarytenoid, 8, 9 natural phonology theory, 191-192 Thyrohyoid muscle, 10 structural theory, 191 Thyroid cartilage, 7, 8, 9, 272, 273 bilingual patient recovery from strokes, 420-421 Thyroplasty type I, 299 Antagonistic Recovery Theory, 421 Time delay technique, 167, 168 Selective Recovery Theory, 421 Time issues in counseling, 558 Successive Recovery Theory, 421 Time-out (pause-and-talk) stuttering treatment method, Synergistic and Differential Recovery Theory, 421 255-256 cerebral dominance theory, 234 Time-out, defined, 503 counseling, 554-557 Tinnitus, 450 behavioral theory, 555-556 Tip of the tongue, 21, 22 client-centered theory, 554-555 T lymphocytes, 563 cognitive-behavioral theory, 556-557 **Toddlers** psychodynamic theory, 554 assessment of, 154-157 cover-body theory of phonation, 271 guidelines and procedures, 155-156 defined, 522 infant-caregiver interaction, 156 discontinuity, 191 language comprehension, 156 government binding theory, 116 language-related skills, 156 language development, 113-121 late talkers, 155 behavioral theory, 113-115 play activities, 157 cognitive theory, 116-118 prelinguistic behavioral deficiencies, 155 information-processing theory, 119-120 risk factors for language disorders, 154–155 nativist theory, 115-116 verbal communication, 156 social interactionism theory, 120-121 cognitive development, 117-118 language developmental milestones, 102-103, 104 phonology skills development behavioral theory, 191 morphology, 102-103, 104 generative phonology theory, 192 pragmatics, 101-102, 103 linear vs. nonlinear phonology theories, 192 semantics, 102-103 natural phonology theory, 191-192 syntax, 102 structural theory, 191 Tokens, 503 stuttering, 245-249 Token Test, 331 anticipatory struggle hypothesis, 248 Tomography, 565 approach-avoidance, 248 Tonar II, 574 avoidance behavior, 248 Tones, 439 demands and capacities model, 248 Tongue diagnosogenic theory, 248 anatomy, 21

| forwardness or retraction, 74                      | Treacher Collins syndrome, 579                       |
|--|--|
| functions, 21                                      | Treatment  |
| height, 74   | aphasia, 321, 334–337                                |
| muscles, 22–23                                     | apraxia of speech, 203–204, 342                      |
| Tongue thrust (orofacial myofunctional disorders), | Asperger's syndrome, 142                             |
| 201  | autism spectrum disorders, 141                       |
| Tongue-tie (ankyloglossia), 200                    | cerebral palsy, 144                                  |
| Tonsillectomy, 288                                 | childhood apraxia of speech, 203                     |
| TOSS acronym, 275                                  | clefts, 572–574                                      |
| Total communication training, 470                  | cluttering, 261                                      |
| Tourette syndrome, 578–579                         | contingencies, 508                                   |
| Toxoplasmosis as cause of hearing loss, 449        | defined, 498   |
| Trachea, 2, 3, 9                                   | dementia, 359–360                                    |
| Tracheal ring, 8                                   | dysarthria, 202, 350                                 |
| Training of target behaviors, 507–508              | evidence-based practice. See Evidence-based practice |
| Transcortical motor aphasia (TMA), 324             | of hearing impairment, 460–471                       |
| Transcortical sensory aphasia (TSA), 326–327       | intervention for children in poverty to enrich lan-  |
| Transcription, phonetic, 63–65                     | guage skills, 146                                    |
| Transdisciplinary teams, 486                       | for language disorders, 164–173                      |
| Transfer and second-language acquisition, 406      | multicultural population communication disorders,    |
| Transformation, 115                                | 417–422  |
| Transformational generative theory of grammar, 116 | neurogenic stuttering, 260                           |
| Transgender voice issues, 309–310                  | oral myofunctional therapy, 201                      |
| Transmitting medium, 80                            | program outline, 509–510                             |
| Transparent messages, 172                          | right hemisphere brain damage, 364                   |
| Transverse arytenoid muscle, 8, 9, 11              | sequence, 506–508                                    |
| Transverse fissure, 30                             | degree of structure, 507                             |
| Transverse muscles, 22                             | multiple targets, 507                                |
| Transversus abdominis, 6                           | response complexity, 507                             |
| Transversus thoracis, 6                            | response modes, 507                                  |
| Trapezius, 5                                       | shifts in treatment contingencies, 508               |
| Traumatic brain injury (TBI), 365–370              | training and maintenance, 507–508                    |
| assessment, 143–144, 367–368                       | speech sound disorders, 210–218                      |
| causes of, 143, 366                                | stimuli, 499   |
| cognitive and language problems, 143               | stuttering, 252–258                                  |
| consequences of, 366–367                           | swallowing disorders (dysphagia), 373–376            |
| defined, 143, 321, 365                             | targets, 505–506                                     |
| dementia associated with, 358                      | traumatic brain injury, 368–369                      |
| diffuse injury, 143                                | Trial, defined, 503                                  |
| focal injury, 143                                  | Trigeminal nerve (cranial nerve V), 19, 29, 30, 31   |
| immediate effects of, 143                          | Trigeminal neuralgia, 30                             |
| incidence of, 365                                  | Trisomy 13, 579                                      |
| treatment, 368–369                                 | Trochlear nerve (cranial nerve IV), 29               |
| types of, 366–367                                  | TTR (type-token ratio), 154                          |
| acceleration–deceleration injuries, 366            | Turner syndrome, 579–580                             |
| blast (multisystem) injuries, 366                  | Turn-taking skills, 97                               |
| closed-head (nonpenetrating) injury, 366           | Twins, stuttering prevalence and concordance rates,  |
| mild traumatic brain injury, 366                   | 237–238  |
| nonacceleration injuries, 366                      | Tympanic membrane (eardrum), 436                     |
| open-head (penetrating) injury, 366                | Tympanometry, 456                                    |
| Traumatic laryngitis, 305                          | Type-token ratio (TTR), 154                          |
| 11 441114116 141 / 1181110, 0 00                   | 1/10 10101111110 (1111), 101                         |

| Typical score, 543                                  | extraneous (confounding), 525–526                     |
|---|---|
| Typological definitions of aphasia, 323             | independent, 525                                      |
|   | Variegated babbling stage of sound development, 193   |
| U   | Vascular dementia, 358                                |
| TT 1 1 200  | Veau-Wardill-Kilner surgery, 573                      |
| Unaspirated sounds, 200                             | Velar fronting, 197                                   |
| Uncus, 30   | Velocardiofacial syndrome (VCFS), 580                 |
| Underextended words, 136                            | Velocity, 79, 81                                      |
| Underextension, 94                                  | Velopharyngeal closure, 17                            |
| Underlying deficits, 135                            | Velopharyngeal function assessment of children with   |
| Understandability, 194–196                          | clefts, 571–572                                       |
| Unilateral paralysis of focal folds, 299            | Velopharyngeal inadequacy or insufficiency (VPI), 288 |
| Unilateral upper motor neuron dysarthria, 348       | Velopharyngeal port, 14                               |
| University of Delaware speech science tutorials, 80 | Velum (soft palate)                                   |
| Unmarked sounds, 188                                | as cause of resonance disorders, 288                  |
| Unstressed-syllable deletion, 197                   | function of, 14                                       |
| Upper lip, 567                                      | muscles, 19   |
| Upper motor neurons, 48                             | structure, 17   |
| Usher syndrome, 580                                 | Ventricular folds, 11, 12, 272                        |
| Utterance functions, 95, 100, 101                   | Verbal communication assessment, 156                  |
| Uvula, 17   | Verbal expression                                     |
|   | expanded utterances, 336                              |
| V   | naming, 335   |
|   | Vertebrae, 3, 4                                       |
| Vagus nerve (cranial nerve X)                       | Vertebrae foramina, 48                                |
| functions, 29, 32–33                                | Vertebral arteries, 52, 54                            |
| neuroanatomy, 13                                    | Vertical muscles, 22                                  |
| structure, 16, 32–33                                | Vestibular branch, 438                                |
| vocal anatomy and physiology, 272                   | Vestibular system, 437                                |
| Validity  | Vestibulocochlear (acoustic) nerve, 31                |
| concurrent, 523                                     | Vibratory motion, 80–81                               |
| construct, 523                                      | Videoendoscopy, 282                                   |
| content, 523  | Videofluoroscopy, 566                                 |
| of data, 523  | Videokymography, 283–284                              |
| defined, 523  | Videostroboscopy, 283                                 |
| external, 539–540                                   | Visi-Pitch IV, 284                                    |
| internal validity of research, 537–539              | Visual agnosia, 338                                   |
| of measurements, 523                                | Visual aids for hyponasality treatment, 290           |
| predictive (criterion), 523                         | Visually reinforced head turn, 193                    |
| of standardized tests, 490–491                      | Vocabulary, semantics of, 94                          |
| Valleculae, 12                                      | Vocal folds   |
| Van Riper's traditional treatment approach, 212–213 | anatomy and physiology, 271–272                       |
| Variability   | function, 7   |
| defined, 543  | structure, 10, 11, 12                                 |
| measures of, 543                                    | Teflon injection into, 376                            |
| Variable-interval (VI) schedule, 504                | thickening, 305                                       |
| Variable-ratio (VR) schedule, 504                   | Vocal fry, 278–279                                    |
| Variables   | Vocalic sounds, 68, 73                                |
| classification, 532                                 | Vocalis muscle, 11                                    |
| criterion, 532                                      | Vocalization, substitution processes, 196             |
| dependent, 525                                      | Vocally abusive practices, 302                        |
|   |   |

| Vocal nodules, 302–303                       | papilloma, 296–297                                      |
|--|---|
| Vocal punctuation (juncture), 77             | paradoxical vocal fold motion disorder, 298             |
| Voice  | paralysis and ankylosis, 299–300                        |
| anatomy and physiology, 271–276              | spasmodic dysphonia, 300                                |
| larynx, 271–275                              | subglottal stenosis, 296                                |
| voice changes through the life span, 275–276 | treatment, 301–302                                      |
| evaluation of disorders, 279–287             | pitch, 277  |
| case history, 279–280                        | quality, 277–279  |
| instrumental evaluation, 280–284             | breathiness, 278  |
| perceptual evaluation, 284–287               | defined, 277  |
| team-oriented approach, 280                  | diplophonia, 279  |
| hearing impairment and voice disorders, 462  | glottal fry, 278–279                                    |
| instrumental evaluation, 280–284             | harshness, 278  |
| acoustic analysis, 282–283                   | hoarseness, 277–278                                     |
| aerodynamic measurements, 284                | strain-strangle, 278                                    |
| direct laryngoscopy, 280                     | stridency, 279  |
| electroglottography (EGG), 283               | resonance disorders, 287–290                            |
| electromyography (EMG), 283                  | assimilative nasality, 288                              |
| endoscopy, 282                               | cul-de-sac resonance, 289                               |
| flexible fiber-optic laryngoscopy, 281–282   | hypernasality, 287–288                                  |
| indirect laryngoscopy (mirror laryngoscopy), | hyponasality, 288                                       |
| 280, 281                                     | treatment, 289–290                                      |
| pitch measurements, 284                      | therapy for spasmodic dysphonia, 300                    |
| videokymography, 283–284                     | training, 469–470                                       |
| videostroboscopy, 283                        | volume, 277   |
| perceptual evaluation, 284–287               | Voice box. See Larynx (voice box)                       |
| basic principles, 284–285                    | Voiced sounds, 69                                       |
| loudness assessment, 286                     | Voiced vowels, 73                                       |
| phonation assessment, 286–287                | Voice onset time, 83                                    |
| pitch assessment, 286                        | Voice onset time delayed in stutterers, 246             |
| resonance assessment, 286                    | Voice termination time, 83                              |
| respiration assessment, 286                  | Voicing   |
| phonation disorders, 290–310                 | assimilation, 197                                       |
| abuse-based, 302–307                         | defined, 67   |
| carcinoma and laryngectomy, 290–294          | distinctive feature, 189                                |
| gender issues, 309–310                       | place-voice-manner analysis, 70                         |
| loudness disorders, 307                      | place-voice-manner paradigm, 189                        |
| physical and neurological, 294–302           | source, 15  |
| pitch disorders, 307, 308                    | Volume of sound, 77, 277. See also Loudness (volume) of |
| psychogenic, 308–309                         | sound   |
| physical and neurological disorders, 294–302 | von Langenbeck surgery, 573                             |
| gastroesophageal reflux disease, 298–299     | von Recklinghausen disease, 454                         |
| granuloma, 294, 295                          | Vowels  |
| hemangioma, 294                              | back vowels, 75   |
| hyperkeratosis, 295                          | basic principles, 73                                    |
| laryngeal trauma, 297                        | central vowels, 75                                      |
| laryngeal web, 297                           | dimensions, 74  |
| laryngomalacia, 295–296                      | diphthongs, 76  |
| leukoplakia, 294–295                         | distinctive feature analysis, 73                        |
| neurological diseases 301                    | front yowels 75   |

| position characteristics, 74–75                   | speech sound disorders, 204                              |
|---|--|
| syllable as a unit, 66                            | Speech Sound Disorders Evidence Map, 198                 |
| voicing of, 188                                   | standardized tests for language impairments, 160         |
| Vygotsky, Lev, 120–121                            | standard precautions and hygiene, 563                    |
| V-Y retroposition surgery, 573                    | Stuttering Foundation of America, 258                    |
|   | stuttering information, 239                              |
| W   | telepractice, 609  |
| VV  | traumatic brain injury, 365                              |
| Weak cognition hypothesis, 118                    | Wernicke's aphasia, 46, 326                              |
| Weak stress of syllables, 77                      | Wernicke's Area, 46, 326                                 |
| Weak-syllable deletion, 197                       | Western Aphasia Battery–Revised (WAB-R), 330             |
| Websites  | Wet spirometers, 284                                     |
| aphasia, 322                                      | Whole-word repetition, 234                               |
| assessment of infants and toddlers, 156           | Williams syndrome (WS), 580–581                          |
| autism spectrum disorder, 142                     | Word discrimination, 455                                 |
| bilingual children, 410                           | Word finding problems, 136                               |
| books donated to children in poverty, 146         | Word interjections, 235                                  |
| CAPE-V form, 284                                  | Word knowledge, 94                                       |
| Children and Adults with Attention-Deficit/Hyper- | Word recognition test, 455                               |
| activity Disorder (CHADD), 149                    | Word retrieval problems, 136                             |
| children's language development, 97               | Working memory deficits, 138                             |
| Cleft Palate Foundation, 571                      | World Health Organization (WHO)                          |
| cluttering, 261                                   | Global Disability Action Plan, 419                       |
| cultural competence, 394                          | health care for disabled people, 419                     |
| dementia, 352                                     | International Classification of Functioning, Disability, |
| DSM-V, 140  | and Health–Children and Youth (ICF-CY), 187              |
| dynamic assessment, 416                           | World knowledge, 94                                      |
| dysphagia, 374                                    | World Professional Association for Transgender Health    |
| English language arts standards, 113              | (WPATH), 309–310   |
| evidence-based practice, 480, 541                 | Writing skills. See also Literacy skills                 |
| Head and Neck Cancer Evidence Map, 291            | assessment, 333  |
| health care, 607                                  | treatment, 336   |
| Hearing Health Foundation, 471                    |  |
| International Phonetic Alphabet translation, 63   | V  |
| LSVT, 301   | X  |
| pediatric dysphagia, 582                          | Xiphoid process, 3                                       |
| Praxis examination, 615, 619, 622                 |  |
| PROMPT, 204                                       | Z  |
| Speech Accent Archive, 219                        | <b>-</b>   |
| Speech and Language Development Chart, 107        | Zygomatic major muscle, 24, 25                           |
| speech-language pathology assistants, 603         | Zygomatic minor muscle, 24, 25                           |

speech science tutorials, 80

Zygomatic muscle, 31