## References

- Adamovich, B.L.B. (2005). Traumatic brain injury. In L.L. LaPointe (Ed.), *Aphasia and related neurogenic language disorders* (3<sup>rd</sup> ed., pp 225-236). New York: Thieme.
- American Speech-Language-Hearing Association. (n.d.). *Treatment efficacy summary: Cognitive-communication disorders resulting from traumatic brain injury*. Retrieved from www.asha.org/uploadedFiles/public/TESCognitiveCommunicationDisordersFromTBI.pdf
- American Speech-Language-Hearing Association. (2003). *National outcomes measurement system (NOMS): Adult speech-language pathology user's quide*. Retrieved from www.asha.org
- American Speech-Language-Hearing Association. (2003). *Rehabilitation of children and adults with cognitive-communication disorders after brain injury* [Technical Report]. Retrieved from www.asha.org/policy
- American Speech-Language-Hearing Association. (2005). *Roles of speech-language pathologists in the identification, diagnosis, and treatment of individuals with cognitive-communication disorders* [Position Statement]. Retrieved from www.asha.org/policy.
- Cicerone K.D., Dahlberg, C., Kalmar K., Langenbahn, D.M., Malec, J.F., Bergquist, T.F., . . . Morse, P.A. (2000, December). Evidence-based cognitive rehabilitation: Recommendations for clinical practice. *Archives of Physical Medicine and Rehabilitation*, 81(12), 1596-1615.
- Cullen, N., Chundamala, J., Bayley, M., & Jutai, J. (2007, February). The efficacy of acquired brain injury rehabilitation. *Brain Injury,* 21(2), 113-132.
- De Riesthal, M. (2009). Treatment of cognitive-communication disorders following blast injury. *Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders, 19,* 36-46.
- Douglas, J.M. (2010). Relation of executive functioning to pragmatic outcome following severe traumatic brain injury. *Journal of Speech, Language, and Hearing Research, 53,* 365-382.
- Greenwald, B.D., & Rigg, J.L. (2009). Neurorehabilitation in traumatic brain injury: Does it make a difference? *Mount Sinai Journal of Medicine*, 76, 182-189.
- Isake, E., & Turkstra, L. (2000). Communication abilities and work re-entry following traumatic brain injury. Brain Injury, 14(5), 441-453.
- Kennedy, M.R., Coelho, C., Turkstra, L., Ylvisaker, M., Sohlberg, M.M., Yorkston, K., . . . Kan, P.F. (2008, June). Intervention for executive functions after traumatic brain injury: A systematic review, meta-analysis and clinical recommendations. *Neuropsychological Rehabilitation*, 18(1), 257-299.

## References, continued

- Lincoln, N., Majid, M., & Weyman, N. (2000). Cognitive rehabilitation for attention deficits following stroke. *Cochrane Database of Systematic Reviews 2000, 4*, Art. No.: CD002842.DOI: 10.1002/14651858.CD002842.
- Parente, R., & Herrmann, D. (2003). Retraining cognition: techniques and applications (2<sup>nd</sup> ed.). Austin, TX: Pro-Ed.
- Park, N.W., & Ingles, J.L. (2001, April). Effectiveness of attention rehabilitation after an acquired brain injury: A meta-analysis. *Neuropsychology*, 15(2), 199-210.
- Rees, L., Marshall, S., Hartridge, C., Mackie, D., & Weiser, M. (2007, February). Cognitive interventions post acquired brain injury. *Brain Injury, 21*(2), 161-200.
- Schneider, S.L., Haack, L., Owens, J., Herrington, D.P., & Zelek, A. (2009). An interdisciplinary treatment approach for soldiers with TBI/PTSD: Issues and outcomes. *Perspectives on Neurophysiology and Neurogenic Speech and Language Disorders*, 19, 36-46.
- Sohlberg, M.M., & Mateer, C.A. (2001). *Cognitive rehabilitation: An integrative neuropsychological approach.* New York: Guilford Press.
- Ylvisaker, M., & Feeney, T.J. (1998). Collaborative brain injury intervention: Positive everyday routines. Clifton Park, NY: Delmar Cengage.
- Ylvisaker, M., Szekeres, S.F., & Feeney, T. (2008). Communication disorders associated with traumatic brain injury. In R. Chapey (Ed.), Language intervention strategies in aphasia and related neurogenic communication disorders (5<sup>th</sup> ed., pp. 879-954). Baltimore: Lippincott Williams & Wilkins.