

# References

---

- Allen, K. D., Bernstein, B., & Chalt, D. H. (1991). EMG biofeedback treatment of pediatric hyperfunction dysphonia. *Journal of Behavioral Therapy & Experimental Psychiatry*, 22(2), 97-101.
- American Speech-Language-Hearing Association. (1998). Roles of otolaryngologists and speech-language pathologists in the performance and interpretation of strobovideolaryngoscopy. *Asha*, 40 (Suppl. 18), 32.
- American Speech-Language-Hearing Association. (2004). *Preferred practice patterns for the profession of speech-language pathology*. Available at [www.asha.org/members/deskref-journals/deskref/DRVol1.htm](http://www.asha.org/members/deskref-journals/deskref/DRVol1.htm)
- American Speech-Language-Hearing Association. (2004). Vocal tract visualization and imaging: Position statement. *Asha Supplement* 24, 64.
- Andrews, M. (1986). *Voice therapy for children*. New York: Longman.
- Andrews, M. L., & Summers, A. C. (2002). *Voice treatment for children & adolescents*. San Diego: Singular/Thomson Learning.
- Aronson, A. E. (1990). *Clinical voice disorders: An interdisciplinary approach*. (3rd ed.). NY: Thieme Medical Publishers.
- Blager, F., Gay, M., & Wood, R. (1988). Voice therapy techniques adapted to treatment of habit cough: a pilot study. *Journal of Communication Disorders*, 21, 393-400.
- Bless, D. M., & Swift, E. (1998). *Paradoxical vocal fold dysfunction: When is a paradox not a paradox?* Wisconsin Speech and Hearing Association, University of Wisconsin, Madison: WI.
- Bless, E. (1988). Voice disorders in the adult: Assessment. In D. E. Yoder & R. Kent (Eds.), *Decision Making in Speech-Language Pathology* (pp. 136-139). Philadelphia: B. C. Decker.
- Bohme, G., & Stuchlik, G. (1995). Voice profiles and standard voice profile of untrained children. *Journal of Voice*, 9, 304-307.
- Boone, D. R., McFarlane, S. C., & Von Berg, S. L. (2005). *The voice and voice therapy*. (7th ed.). Englewood Cliffs, NJ: Prentice Hall.
- Boone, D. R. (1993). *The Boone voice program for children*. Austin, TX: Pro-Ed.
- Boone, D. R. (1971). *The voice and voice therapy*. Englewood Cliffs, NJ: Prentice-Hall.
- Bouchayer, M., Cornut, G., Witzig, E., Loire, R., Roch, J. B., & Bastian, R.W. (1985). Epidermoid cysts, sucli and mucosal bridges of the true vocal cord: a report of 157 cases. *Laryngoscope*, 95, 1087-1094.
- Brodnitz, F. (1971). *Vocal Rehabilitation*. (4th ed.). Rochester NY: American Academy of Ophthalmology and Otolaryngology.

## References, *continued*

---

- Brugman, S. M., & Newman, K. (1993). Vocal cord dysfunction. *Medical/Scientific Update*, 11, 1-5.
- Caraon, P., & O'Toole, C. (1991). Vocal cord dysfunction presenting as asthma. *Irish Medical Journal*, 84, 98-99.
- Cheyne, H. A., Nuss, R. C., & Hillman, R. E. (1999). Electroglottography in the pediatric population. *Archives of Otolaryngology-Head & Neck Surgery*, 125, 1105-1108.
- Christopher, K. L., Wood, R. P. II, Echkert, R. C., Blager, F. B., Raney, R. A., & Soouhrada, J. F. (1983). Vocal-cord dysfunction presenting as asthma. *The New England Journal of Medicine*, 308, 1556-1570.
- Cooper, M. (1973). *Modern trends in voice rehabilitation*. Springfield, IL: Charles C. Thomas.
- Deal, R. E., McClain, B., & Sudderth, J. F. (1976). Identification, evaluation therapy, and follow-up for children with vocal nodules in a public school setting. *Journal of Speech and Hearing Disorders*, 41, 390-397.
- Eckel, F., & Boone, D. (1981). The s/z ratio as an indication of laryngeal pathology. *Journal of Speech and Hearing Disorders*, 46, 147-149.
- Fairbanks, G. (1960). *Voice and articulation drillbook*. New York: Harper & Row.
- Glaze, L. E., Bless, D. M., Milenkovic P., & Susser, R. D. (1988). Acoustic characteristics of children's voice. *Journal of Voice*, 2, 312-319.
- Glaze, L. E., Bless, D. M., & Susser, R. D. (1990). Acoustic analysis of vowel and loudness differences in children's voice. *Journal of Voice*, 4, 37-44.
- Harvey, G. L. (1996). Treatment of voice disorders in medically complex children. *Language, Speech, and Hearing Services in Schools*, 27, 282-291.
- Heatley, D. G., & Swift, E. (1996). Paradoxical vocal cord dysfunction in an infant with stridor and gastroesophageal reflux. *International Journal of Pediatric Otorhinolaryngology*, 34, 149-151.
- Hillman, R. E., Doyle, P., et al. (1998). *Efficacy of behavioral voice therapy methods for treating women with vocal nodules*. Voice Foundation 27th Annual Symposium: Care of the Professional Voice, Philadelphia, PA.
- Hillman, R. E., Gress, C. D., Hargrave, M. S., Walsh, M., & Bunting, G. (1990). Efficacy of speech-language pathology intervention: Voice disorders. *Seminars in Speech and Language*, 11(4), 297-308.
- Hillman, R. E., Holmberg, E. B., Perkell, J. S., Walsh, M., & Vaughan, C. (1989). Objective assessment of vocal hyperfunction: An experimental framework and initial results. *Journal of Speech and Hearing Research*, 32, 373-392.
- Hillman, R. E., & Verdolini, K. (1999). *Management of hyperfunctional voice disorders: Unifying concepts and strategies*. ASHA videotape.

## References, *continued*

---

- Holinger, P. H., & Brown, W. T. (1967). Congenital webs, cysts, laryngocles and other anomalies of the larynx. *Annals of Otology, Rhinology, and Laryngology*, 76, 744-752.
- Holmberg, E. B., Hillman, R. E., & Perkell, J. S. (1989). Glottal airflow and transglottal air pressure measurements for male and female speakers in low, normal and high pitch. *Journal of Voice*, 3, 294-305.
- Hull, F. M., Mielke, P. W., Willeford, J. A., & Timmons, R. J. (1976). National Speech & Hearing Survey: Final report (Project 50978). Washington, D. C.: Bureau of Education for the Handicapped, Office of Education, Department of Health, Education, and Welfare.
- Iwata, S. (1988). Aerodynamic aspects for phonation in normal and pathologic larynges. In O. Fujimura (Ed.), *Vocal Physiology* (pp. 423-432). NY: Raven Press.
- Johnson, T. S. (1985). *Vocal abuse reduction program*. San Diego, CA: College-Hill Press.
- Kotby, N. (1995). *The accent method of voice therapy*. San Diego, CA: Singular Publishing Group.
- Kotby, M., El-Sady, S., Basiouny, S., Abou-Rass, Y., & Hegazi, M. (1991). Efficacy of the accent method of voice therapy. *Journal of Voice*, 5, 316-320.
- Kreiman, J., & Gerratt, B. R. (1998). Validity of rating scale measures of voice quality. *The Journal of the Acoustical Society of America*, 104, 1598-1608.
- Kuppersmith, R., Rosen, D. S., & Wiatrak, B. J. (1993). Functional stridor in adolescents. *Journal of Adolescent Health*, 14, 166-171.
- Lacy, T. J., & McManis, S. E. (1994). Psychogenic stridor. *General Hospital Psychiatry*, 16, 213-223.
- Landwehr, L. P., Wood, R. P. II, Blager, F. B., & Milgrom, H. (1996). Vocal cord dysfunction mimicking exercise-induced bronchospasm in adolescents. *Pediatrics*, 98, 971-974.
- Launer, P. G. (1971). Maximum phonation time in children. Unpublished master's thesis, State University of New York at Buffalo.
- Lawrence, V. L. (1983). Vocal problems of the professional user of voice. *Seminars in Speech and Language*, 4, 233-244.
- Lee, L. (1993). Refocusing laryngeal tone. In J. Stemple (Ed.), *Voice Therapy: Clinical Studies* (pp. 49-53). St. Louis, MO: Mosby Year Book.
- Lessac, A. (1973). *The use and training of the human voice*, (3rd ed.). Columbus, OH: McGraw-Hill.
- Martin, F. (1988). Tutorial: Drugs and vocal function. *Journal of Voice*, 2, 338-344.
- Martin, R. J., Blager, F. B., Gay, M. L., & Wood R. P. II. (1987). Paradoxical vocal cord motion in presumed asthmatics. *Seminars in Respiratory Medicine*, 8, 332-337.

## References, *continued*

---

- Mathers-Schmidt, B. A. (2001). Paradoxical vocal fold motion: A tutorial on a complex disorder and the speech-language pathologist's role. *American Journal of Speech-Language Pathology, 10*, 111-125.
- McWilliams, B. J., Bluestone, C. D., & Musgrave, R. H. (1969). Diagnostic implications of vocal cord nodules in children with cleft palate. *Laryngoscope, 79*.
- Miller, L. K. (1980). *Principles of everyday behavior analysis*. Monterey, CA: Brooks/Cole Publishing.
- Montague, J. C., & Hollien, H. (1973). Perceived vocal quality disorders in Down's Syndrome Children. *Journal of Communication Disorders, 6*, 76-87.
- Mullinax, M. C., & Kuhn, W. F. (1996). Benign paradoxical vocal cord adduction presenting as acute stridor. *European Journal of Emergency Medicine, 3*, 102-105.
- Mysak, E. D. (1980). *Neurospeech therapy for the cerebral palsied: A neuroevolutional approach* (3rd ed.). New York: Teachers College Press.
- Nastasi, K. J., Howard, D. A., Raby, R. B., Lew, D. B., & Blaiss, M.S. (1997). Airway fluoroscopic diagnosis of vocal cord dysfunction syndrome. *Annals of Allergy, Asthma & Immunology, 78*, 586-588.
- Newman, K. B., Mason, U. G. III, & Schmaling, K. B. (1995). Clinical features of vocal cord dysfunction. *American Journal of Respiratory and Critical Care Medicine, 152*, 1382-1386.
- Nilson, H. & Schneiderman, C. R. (1983). Classroom program for the prevention of vocal abuse and hoarseness in elementary school children. *Language, Speech, & Hearing in the Schools, 14*(2), 121-127.
- Pannbacker, M. (1999). Treatment of vocal nodules: Options and outcomes. *American Journal of Speech-Language Pathology, 8*, 209-217.
- Pearl, N. B., & McCall, G. N. (1986). *Laryngeal function during two types of whisper: A fiberoptic study*. Detroit: ASHA Convention.
- Perkner, J. J., Fennelly, K. P., Balkissoon, R., Bartelson, B. B., Ruttenber, A. J., Wood, R. P. II, & Newman, L. S. (1998). Irritant-associated vocal cord dysfunction. *Journal of Occupational and Environmental Medicine, 40*, 136-143.
- Peterson, K. L., Verdolini-Marston, K., Barkmeier, J. M., & Hoffman, H. T. (1994). Comparison of aerodynamic and electroglottographic parameters in evaluating clinically relevant voicing patterns. *Annals of Otology, Rhinology, and Laryngology, 103*, 335-346.
- Powell, D. M., Karanfilov, B. I., Beechler, K. B., Treole, K., Trudeau, M. D., & Forrest, L. A. (2000). Paradoxical vocal cord dysfunction in juveniles. *Archives of Otology-Head & Neck Surgery, 126*, 29-34.
- Ramig, L., & Verdolini, K. (1998). Treatment efficacy: Voice disorders. *Journal of Speech, Language, and Hearing Research, 41*, 101-116.

## References, *continued*

---

- Rammage, L. (1996). *Vocalizing with ease: A self-improvement guide*. Vancouver, B. C.: Linda Rammage.
- Rammage, L., Morrison, M., & Nichol, H. (2001). *Management of the voice and its disorders* (2nd ed.). Vancouver, CA: Singular/Thomson Learning.
- Ringel, R., & Chodzko-Zajko, W. (1987). Vocal indices of biological age. *Journal of Voice*, 1, 31-37.
- Rosin, D. F., Handler, S. D., Potsic, W. P., Wetmore, R. F., & To, L. W. C. (1990). Vocal cord paralysis in children. *Laryngoscope*, 100, 1174-1179.
- Roy, N., Bless, D. M., Heisey, D., & Ford, D. N. (1997). Manual circumlaryngeal therapy for functional dysphonia: An evaluation of short and long term treatment outcomes. *Journal of Voice*, 11, 321-331.
- Sabol, J. W., Lee, L., & Stemple J. C. (1995). The value of vocal function exercises in the practice regimen of singers. *Journal of Voice*, 9, 27-36.
- Sapienza, C. M., Stathopoulous, E. T., & Brown, W. S. (1997). Speech breathing during reading in women with vocal nodules. *Journal of Voice*, 11, 195-201.
- Silverman, E. M., & Zimmer, C. H. (1975). Incidence of chronic hoarseness among school-aged children. *Journal of Speech and Hearing Disorders*, 40, 211-215.
- Stemple, J., Lee, L., D'Amico, B., & Pickup, B. (1994). Efficacy of vocal function exercises as a method of improving voice production. *Journal of Voice*, 8, 271-278.
- Stemple, J., Weiler, E., Whitehead, W., & Komray, R. (1980). Electromyographic biofeedback training with patients exhibiting a hyperfunctional voice disorder. *Laryngoscope*, 90, 471-475.
- Stemple, J. C. (2000). Vocal hyperfunction in children: Therapy with limited parental interaction. *Voice therapy: Clinical case studies* (pp. 98-102). San Diego, CA: Singular/Thomson Learning.
- Stemple, J. C., Glaze, L., & Klaben, B. G. (2000). *Clinical voice pathology theory and management*. San Diego, CA: Singular/Thomson Learning.
- Storms, W. W. (1999). Exercise-induced asthma: Diagnosis and treatment for the recreational or elite athlete. *Medicine & Science in Sports & Exercise*, 31 (Suppl. 1), 33-38.
- Tajchman, U. W., & Gitterman, B. (1996). Vocal cord dysfunction associated with sexual abuse. *Clinical Pediatrics*, 35, 105-108.
- Tan, K. L., Eng, P., & Ong, Y. Y. (1997). Vocal cord dysfunction: Two case reports. *Annals of the Academy of Medicine, Singapore*, 26, 494-494.
- Titze, I. R. (1988). The physics of small-amplitude oscillation of the vocal folds. *Journal of the Acoustical Society of America*, 83, 1536-1552.
- Van den Berg J. (1958). Myoelastic-aerodynamic theory of voice production. *Journal of Speech and Hearing Research*, 1, 227-244.

## References, *continued*

---

- van der Merwe, A., (2004). The voice use reduction program. *American Journal of Speech-Language Pathology, 13*, 208-218.
- Verdolini, K. (1998). Resonant voice therapy. In K. Verdolini (Ed.), *National Center for Voice and Speech's Guide to Vocology* (pp. 34-35). Iowa City, IA: National Center for Voice and Speech.
- Verdolini, K., Titze, I., & Fennell, A. (1994). Dependence of phonatory effort on hydration level. *Journal of Speech and Hearing Research, 37*, 1001-1007.
- Verdolini-Marston, K. (1991). *The most common vocal injuries: Nodes and polyps and their causes*. Voice and Speech Trainers Association, Inc., 5(1), 7.
- Verdolini-Marston, K., Burke, M. K., Lessac, A., Glaze, L., & Caldwell, E. (1995). Preliminary study of two methods of treatment for laryngeal nodules. *Journal of Voice, 9*, 74-85.
- Verdolini-Marston, K., Sandage, M., & Titze, I. R. (1994). Effect of hydration treatments on laryngeal nodules and polyps and related measures. *Journal of Voice, 8*, 30-47.
- Warburton, C. J., Niven, R. M., Higgins, B. G., & Pickering, C. A. C. (1996). Functional upper airways obstruction: Two patients with persistent symptoms. *Thorax, 51*, 965-966.
- Watkin, K., & Ewanowski, S. (1979). Effects of trimcinolone acetonide on the voice. *Journal of Speech and Hearing Disorders, 22*, 446-455.
- Wilson, D. K. (1987). *Voice problems of children*. (3rd ed.). Baltimore, MD: Williams and Wilkins.
- Wilson, D. K. (1979). *Voice problems of children*. (2nd ed.). Baltimore, MD: Williams and Wilkins.
- Wilson, F. B. (1970). The voice-disordered child: A descriptive approach. *Language, Speech, and Hearing Services in Schools, 4*, 14-22.
- Yanagihara, N. (1967). Significance of harmonic changes and noise components in hoarseness. *Journal of Speech and Hearing Research, 10*, 531-41.
- Zwitman, D., & Calcaterra, T. (1973). The "silent cough" method for vocal hyperfunction. *Journal of Speech and Hearing Disorders, 38*, 119-125.