

# REFERENCES

---

- American Speech-Language-Hearing Association. (2005). *The use of voice therapy in the treatment of dysphonia* [Technical Report]. Available from [www.asha.org/policy](http://www.asha.org/policy)
- American Speech-Language-Hearing Association. (2004). *Knowledge and skills for speech-language pathologists with respect to vocal tract visualization and imaging* [Knowledge and Skills]. Available from [www.asha.org/policy](http://www.asha.org/policy)
- American Speech-Language-Hearing Association. (2004). *Vocal tract visualization and imaging* [Position Statement]. Available from [www.asha.org/policy](http://www.asha.org/policy)
- American Speech-Language-Hearing Association. (2004). *Vocal tract visualization and imaging* [Technical Report]. Available from [www.asha.org/policy](http://www.asha.org/policy)
- American Speech-Language-Hearing Association. (1998). The roles of otolaryngologists and speech-language pathologists in the performance and interpretation of stroboscoped laryngoscopy. *ASHA*, 4 (Suppl. 18), 32.
- Aminoff, M. J., Dedo, H. H., & Izdebski, K. (1978). Clinical aspects of spasmodic dysphonia. *Journal of Neurosurgery and Psychiatry*, 29, 219-233.
- Andrews, G. & Ingham, R. (1971). Stuttering: Considerations in the evaluation and treatment. *British Journal of Communication Disorders*, 6, 129-138.
- Aronson, M. (1990). *Clinical voice disorders*. New York: Thieme-Stratton.
- Baken, R. (1987). *Clinical management of speech and voice*. San Diego: College Hill Press.
- Baken, R. & Orlokoff, R. (1999). *Clinical measurement of speech and voice* (2nd ed.). San Diego: Singular Publishing.
- Bassich, C. & Ludlow, C. (1986). The use of perceptual methods by new clinicians for assessing vocal quality. *Journal of Speech and Hearing Disorder*, 51, 125-133.
- Blalock, D. (1997). Speech rehabilitation after treatment of laryngeal carcinoma. *Otolaryngologic Clinics of North America*, 30, 2.
- Bless, D., Hirano, M., & Feder, R. (1987). Videostroboscopic evaluation of the larynx. *Ear, Nose and Throat Journal*, 66, 289-296.
- Blitzer, A. & Brin, M. F. (1992). The dystonic larynx. *Journal of Voice*, 6, 294-297.
- Blom E. & Hamaker R. (1996). Chapter 42: Tracheoesophageal voice restoration following total laryngectomy. In E. N. Myers & J. Suen (Eds.), *Cancer of the head and neck*. Philadelphia: W. B. Saunders.
- Boone, D. & McFarlane, S. (2000). *The voice and voice therapy* (6th ed.). Needham Heights, MA: Allyn and Bacon.
- Brown, W., Vinson, B., & Crary, M. (1996). *Organic voice disorders: Assessment and treatment*. San Diego, CA: Singular Publishing.
- Casper, J. & Colton, R. (1993). *Clinical manual for laryngectomy and head and neck cancer rehabilitation*. San Diego, CA: Singular Publishing.
- Casper, J. & Murry, T. (2000). Voice therapy methods in dysphonia. *Otolaryngologic Clinics of North America*, 33, 5.
- Colton, R. H. & Casper, J. K. (1996). *Understanding voice problems: A physiologic perspective for diagnosis and treatment* (2nd ed.). Baltimore: Lippincott, Williams & Wilkins.

- Dedo, H. (1976). Recurrent laryngeal nerve section for spastic dysphonia. *Annals of Otolaryngology*, 85, 451.
- Dedo, H. H., Townsend, J. L., & Izdebski, K. (1978). Current evidence for the organic etiology of spastic dysphonia. *Otology, Rhinology & Laryngology*, 86, 875-880.
- Dirckx, J. H. (Ed.). (2001). *Stedman's concise medical dictionary for the health professional* (4th ed.). Baltimore: Lippincott, Williams & Wilkins.
- Duffy, J. (1995). *Motor speech disorders: Substrates, differential diagnosis, and management*. St. Louis: Mosby.
- Dworkin, J. & Meleca, R. (1997). *Vocal pathologies: Diagnosis, treatment, and case studies*. San Diego, CA: Singular Publishing.
- Eckel, F. & Boone, D. (1981). The s/z ratio as an indicator of laryngeal pathology. *Journal of Speech and Hearing Disorders*, 46, 147-149.
- Emerich, K. & Sapir, S. (1999, November). *Voice problems in young singers: Epidemiology, causes, diagnosis and treatment*. Presented at the ASHA Convention, San Francisco, CA.
- Haynes, W., Pindzola, R., & Lon L. (1992). *Diagnosis and evaluation in speech pathology* (4th ed.). Englewood Cliffs, NJ: Prentice Hall.
- Higgins, M., Netsell, R., & Schulte, L. (1994). Aerodynamic and electroglottographic measures of normal voice production: Intrasubject variability within and across sessions. *Journal of Speech and Hearing Research*, 37, 38-45.
- Hirano, M. (1981). Structure of the vocal fold in normal and disease states: anatomical and physiological studies. In C. Ludlow & M. Hart (Eds.), *Proceedings of the conference on assessment of vocal pathology*, (pp. 11-30). Rockville, MD: American Speech-Language-Hearing Association.
- Hirano, M. & Bless, D. (1993). *Videostroboscopic examination of the larynx*. San Diego: Singular Publishing.
- Hollien, H. & Shipp, T. (1972). Speaking fundamental frequency and chronological age in males. *Journal of Speech and Hearing Research*, 15, 155-159.
- Holmberg, E., Hillman, R., Perkell, J., & Gress, C. (1994). Relationships between intraspeaker variation in aerodynamic measures of voice production and variation in SPL across repeated recordings. *Journal of Speech and Hearing Research*, 37, 484-495.
- Karnell, M., Melton, S., Childes, J., Coleman, T., Dailey, S., & Hoffman, H. (2007). Reliability of clinician-based (GRBAS and CAPE-V) and patient-based (VRQOL and IPVI) documentation of voice disorders. *Journal of Voice*, 21(5), 576-590.
- Keith, R. & Darley, F. (1994). *Laryngectomy rehabilitation* (3rd ed.). Austin, TX: Pro-Ed.
- Kent, R. & Ball, M. (2000). *Voice quality measurement*. San Diego, CA: Singular Publishing.
- Koufman, J. (1991). The otolaryngologic manifestations of gastroesophageal reflux disease (GERD): A clinical investigation of 225 patients using ambulatory 24-hour pH monitoring and an experimental investigation of the role of acid and pepsin in the development of laryngeal injury. *Laryngoscope*, 101, 1-78.
- Koufman, J. & Blalock, D. (1991). Functional voice disorders. *Otolaryngologic Clinics of North America*, 24, 5.
- Koufman, J. & Block, C. (2008). Differential diagnosis of paradoxical vocal fold movement. *American Journal Speech Language Pathology*, 17(4), 327-334.

- Koufman, J. A. & Cummins, M. M. (1995, April). *The prevalence and spectrum of reflux in laryngology: A prospective study of 132 consecutive patients with laryngeal and voice disorders*. Paper presented at the annual meeting of the Triological Society, Palm Springs, CA.
- Koufman, J., Sataloff, R., & Toohill, R. (1996). Laryngopharyngeal reflux: Consensus conference report. *Journal of Voice, 10*, 215-216.
- Kreiman, J., Gerratt, B., & Pecoda, K. (1990). Listener experience and perception of vocal quality. *Journal of Speech and Hearing Research, 33*, 103-115.
- Kreiman, J., Gerratt, B., Pecoda, K., & Berke, G. (1992). Individual differences in voice quality perception. *Journal of Speech and Hearing Research, 35*, 512-520.
- Lessac, A. (1997). *The use and training of the human voice: A biodynamic approach to vocal life*. Mountain View, CA: Mayfield Publishing.
- Levine, P., Brasnu, D., Ruparella, A., & Laccourreye, O. (1997). Management of advanced stage laryngeal cancer. *The Otolaryngologic Clinics of North America, 30*, 1.
- Logemann, J. (1998). *Evaluation and treatment of swallowing disorders* (2nd ed.). Austin, TX: Pro-Ed.
- Lowell, S., Barkmeier-Kraemer, J., Hoit, J., & Story, B. (2008). Respiratory and laryngeal function during spontaneous speaking in teachers with voice disorders. *Journal of Speech, Language, and Hearing Research, 51*, 333-349.
- Mathers-Schmidt, B. (2001). Paradoxical vocal fold motion: A tutorial on a complex disorder and the speech-language pathologist's role. *American Journal of Speech-Language Pathology, 10*, 111-125.
- Murry, T. & Woodson, G. (1995). Combined modality treatment of spasmodic dysphonia with botulinum toxin and voice therapy. *Journal of Voice, 9*, 460-465.
- National Center for Voice and Speech. (1994). The summary statement workshop on acoustic voice analysis.
- Netsell, R. & Hixon, T. (1978). A noninvasive method for clinically estimating subglottal air pressure. *Journal of Speech and Hearing Disorders, 43*, 326-330.
- Pannbacker, M. (1998). Voice treatment techniques: A review and recommendations for outcome studies. *American Journal of Speech Language Pathology, 7*, 49-64.
- Peters, T. & Guitar, B. (1991). *Stuttering: An integrated approach to its nature and treatment*. Baltimore, MD: Williams & Wilkin.
- Prater, R. & Swift, R. (1984). *Manual of voice treatment*. Boston: Little, Brown and Company.
- Ramig, L. (1995). Speech therapy for patients with Parkinson's disease. In W. C. Koller & G. Paulson (Eds.). *Therapy for Parkinson's disease* (pp. 539-550). New York: Marcel Dekker.
- Ramig, L., Bonitati, C., Lemke, J., & Horii, Y. (1994). Voice treatment for patients with Parkinson's disease: Development of an approach and preliminary efficacy data. *Journal of Medical Speech Language Pathology, 2*, 191-209.
- Ramig, L. & Verdolini, K. (1998). Treatment efficacy: Voice disorders. *Journal of Speech and Hearing Research, 41*, 101-116.

- Rosen, C. & Murry, T. (2000). Nomenclature of voice disorders and vocal pathology. *Otolaryngologic Clinics of North America*, 33, 5, 1035-1045.
- Rosen, C., Lee, A., Osborne, J., Zullo, T. & Murry, T. (2004). Development and validation of the voice handicap index-10. *Laryngoscope*, 114(9), 1549-56.
- Roy, N., Merrill, R., Thibeault, S., Parsa, R., Gray, S., & Smith, M. (2004). Prevalence of voice disorders in teachers and the general population. *Journal of Speech, Language, and Hearing Research*, 47, 281-293.
- Sandage, M. & Zelazny, S. (2004). Paradoxical vocal fold motion in children and adolescents. *Language, Speech, and Hearing Services in Schools*, 35, 353-362.
- Sataloff, R., Mandel, S., & Rosen, D. (1997). Neurologic disorders affecting the voice in performance. In R. Sataloff (Ed.), *Professional voice: The science and art of clinical care* (2nd ed.), 42, 479-498.
- Sataloff, R., Spiegel, R., Carroll, L., Schiebel, B., Darby, K., & Rulnick, R. (1988). Stroboscovideolaryngoscopy in professional voice users: Results and clinical value. *Journal of Voice*, 1, 359-364.
- Shaw, G. & Searl, J. (1997). Laryngeal manifestations of gastroesophageal reflux before and after treatment with omeprazole. *Southern Medical Journal*, 90, 11115-1122.
- Shaw, G., Searl, J., Young, J., & Miner, P. (1996). Subjective, laryngoscopic, and acoustic measurements of laryngeal reflux before and after treatment with omeprazole. *Journal of Voice*, 10, 410-418.
- Smitheran, J. & Hixon, T. (1981). A clinical method for estimating laryngeal airway resistance during vowel production. *Journal of Speech and Hearing Disorders*, 46, 138-146.
- Stemple, J. (1993). *Voice therapy: Clinical studies*. St. Louis, MO: Mosby Year Books.
- Suntharalingam, M., Haas, M. L., Van Echo, D. A., Haddad, R., Jacobs, M. C., Levy, S., Gray, W. C., Ord, R. A., & Conley, B. A. (2001). Predictors of response and survival after concurrent chemotherapy and radiation for locally advanced squamous cell carcinomas of the head and neck. *Cancer*, 91, 548-554.
- Titze, I. (1994). *Principles of voice production*. Englewood Cliffs, NJ: Prentice-Hall.
- Titze, I. (1995). *Workshop on acoustic voice analysis* (Summary statement). Iowa City, IA: National Center for Voice and Speech.
- Toohill, R. & Kuhn, J. (1997). Role of refluxed acid in the pathogenesis of laryngeal disorders. *American Journal of Medicine*, 100, 100S-106S.
- Van den Berg, J. (1958). Myoelastic-aerodynamic theory of voice production. *Journal of Speech and Hearing Research*, 1, 227-244.
- Wilson, D. (1987). *Voice problems of children* (3rd ed.). Baltimore: Williams and Wilkins.
- Woo, P., Colton, R., Casper, J., & Brewer, D. (1991). Diagnostic value of stroboscopic examination in hoarse patients. *Journal of Voice*, 5(3), 231-238.
- Zemlin, W. R. (1988). *Speech and hearing science: Anatomy and physiology* (3rd ed.). Englewood Cliffs, NJ: Prentice-Hall.