

In this index, the following abbreviations are used: *b* for text box, *f* for figure, and *t* for table.

A

- AAC. *See* alternative and augmentative communication (AAC)
- AAED. *See* African American English dialect (AAED)
- Abdomen, 26
- Abducens, 53, 53t
- Abductors, 32
- Accent, 77, 104, 222, 225, 507
- Accessory nerve, 54
- Acoustic aspects of speech production, 105–106
- Acoustic phonetics, 75
- Acoustic reflex, 41
- Acoustic theory of speech production, 59–60
- ACT. *See* adapted cuing technique (ACT)
- Adapted cuing technique (ACT), 397
- Adduct, 32
- Adenoids, 246, 405
- ADS. *See* adult-directed speech (ADS)
- Adult-directed speech (ADS), 221
- Advanced target patterns, 447
- Advocacy role, 399b
- Aerodynamic aspects of speech production, 104–105
- Affricates, 30, 83t, 88t, 89, 99, 105–106, 200, 384
 - age of mastery, 194, 198
 - in Asian languages, 547, 550
 - depalatalization, 118
 - markedness constraints and, 465
 - stopping and, 17, 89, 93, 116–117
- African American English dialect (AAED), 512–525
 - assessment of children with SSD in, 520–523
 - children's mastery of speech sounds of, 516–520
 - language patterns of, 517t
 - lessons in Huck Finn's English, 513b
 - phonological characteristics of, 516
 - sound patterns of, 514t, 515t
 - treatment of children with SSD in, 523–525
- Age-appropriate linguistics, 9b
- Age-appropriate neurology, 9b
- Age-appropriate phonology, 9b
- Age of mastery
 - of consonant clusters, 189t
 - of word-initial consonant clusters for males and females, 190t
- AIE. *See* Asian-influenced English (AIE)
 - language
- Airflow and air pressure, 30, 89, 402, 407, 490
- Alliteration, 209, 210, 212, 262, 485
- Allographs, 77
- Allophones, 75–77
- Allophonic variations, 76
- Alpha motor neuron, 58f
- Alternate response mode (ARM), 521
- Alternating motion rates (AMRs), 246
- Alternating pinch test, 315
- Alternative and augmentative communication (AAC), 310, 399b
- Alveolar and palatal fricatives and affricates, 200
- Alveolar assimilation, 121, 204t
- Alveolar process, 38
- Alveolar ridge, 37
- Alveolars (lingua-alveolars), 91, 92
- American English dialect. *See also* African American English dialect (AAED); Mainstream American English Dialect (MAED), 81, 145, 507
- American English language, 94t, 95t, 98t
 - Arabic versus, 548–550
 - Chinese versus, 542–544
 - East Asian languages versus, 547
 - South Asian languages versus, 544–545
 - Southeast Asian languages versus, 545–547
- American Speech-Language-Hearing Association, 83, 299–300
- Amplitude, 105

AMRs. *See* alternating motion rates (AMRs)
Amygdala, 49f
Anatomy of speech and hearing. *See specific mechanisms or structures*
Angular gyrus, 48
Antecedent stimuli, 362, 375, 412
Anterior arch, 31
Anterior sounds, 97
Anticipatory assimilation, 122
Aperiodic, 105
Apert syndrome, 311
Applied phonetics, 75
Approximants, 90, 99, 201
Arabic versus English, 548–550
Arawakan language, 526
Arcuate fasciculus, 52, 55
Arizona Articulation Proficiency Scale—Fourth Edition (Arizona-4), 175, 181, 188, 243, 521
ARM. *See* alternate response mode (ARM)
Arresting sound, 86
Articular facets, 31
Articulation
 disorders, 10–12, 16–17, 288
 manner of, 87
 place of, 87
 tests, 248
Articulators, 36f, 37–38
Articulatory gestures, 60
Articulatory mechanism, 36f, 38f
 immovable articulators, 37–38
 movable articulators, 37
Articulatory phonetics, 75
Articulatory phonology theory, 60–61
Arytenoid cartilages, 31, 31f, 32, 32f, 33f
Arytenoid muscles, 32–33, 34f
Arytenoids, 30, 34f
Asian and Pacific Islanders languages, 541–553
 assessment of SSD for children speaking, 551–552
 phonological characteristics of, 542–550
 speech sound learning, 550–551
 speech sound patterns, 543t
 treatment of SSD for children speaking, 553
Asian-influenced English (AIE) language, 552t
ASL. *See* sign language, such as American sign language (ASL)
Assessment of Phonological Processes—Spanish, 539

Assimilation patterns, 108, 120–123
Association fibers, 52
Ataxic dysarthria, 49, 306
Athetosis, 305
Audiological (hearing) screening, 247
Auditory association, 47
Auditory discrimination training, 432
Auditory division, 42
Auditory mechanism, 38–42, 39f, 40f, 41f
Auditory nerve, 39f
Auditory verbal therapy (AVT), 409
Aural-oral communication, 409
Auricle, 39
Autosegmental theory, 142
AVT. *See* auditory verbal therapy (AVT)
Axons and axon terminals, 44f, 45

B

Babbling, 167–168
 consonants, 169
 prosody, 170
 syllable shapes, 170
 transition to meaningful speech, 171–177
 volubility, 170
 vowels, 168–169
Backing, 97
Backward chaining, 367
Basal ganglia, 48–49, 49f
Baselines, 348–352
 baseline trials administration, 351–352
 recording sheet preparation, 350–351
 stimulus items preparation, 349–350
 treatment targets in measurable terms, 349
Base rating, 351
Basilar membrane, 41
Behavioral treatment approaches. *See also*
 corrective feedback; modeling; positive reinforcement; sound shaping, 20, 150, 334–335, 402, 406, 427, 428, 454, 460
Bernoulli effect, 33–35, 42
Bi-Bi. *See* bilingual-bicultural (Bi-Bi)
Bilabials, 37, 91–92
Bilingual-bicultural (Bi-Bi), 410
Bilingual English–Spanish Assessment, 539
Binary system, 96
Bipolar neurons, 44f
Blackfoot language, 526
Blade, 36f, 37

Blends, 93
 Booster treatment, 391
 Bound morphemes, 77
 Bradykinesia, 58
 Brain, components of. *See also* central nervous system (CNS); *specific brain structure*, 45–52
 Brain stem, 49–51, 50f, 50f, 51f
 Breath indicators, 363
 Broad phonetic transcription, 79, 254
 Broca's area, 47, 48f
 Bronchial tubes, 26
 Bunched, 91

C

Canonical babbling. *See also* babbling, 166–171, 177, 264–266
 Cantonese dialects, 542–544, 550
 Caregivers, 389, 523
 Carrier phrases, 376
 Carryover, 437
 Cartilage, 26
 Cartilaginous framework, 30
 CAS. *See* childhood apraxia of speech (CAS)
 Case histories, 245
 Caudate nucleus, 48, 49f
 Cavities of speech, 36f
 Cell body (soma), 43
 Centering diphthongs, 103
 Central nervous system (CNS), 45–52, 46f–51f
 basal ganglia, 48–49
 brain, components of, 45–52
 brain stem, 49–51
 cerebellum, 49, 50f
 cerebral hemisphere, lobes of, 46–47
 cerebrum, 45–48
 connecting fibers, 51–52
 medulla, 51
 midbrain, 50
 pons, 50–51
 Central sulcus, 46f, 48f
 Central sulcus, 48f
 Cerebellum, 49, 50f
 Cerebral control, 55–56
 Cerebral cortex, 45, 46f, 46f
 Cerebral hemispheres, 46–47
 Cerebral palsy (CP), 304
 Cerebral palsy, dysarthria in, 304–310

 articulation and speech intelligibility, 309
 assessment of, 308–310
 augmentative and alternative communication, 310
 etiology nature of, 304–308
 prosodic problems, 310
 resonance problems, 310
 voice and respiratory problems, 309–310
 Cerebrum, 45–48
 Cervical nerves, 29t
 Chaining, 367–368
 Cheyenne language, 526–527
 Childhood apraxia of speech (CAS), 12, 17, 242, 298–304, 332, 393–398, 399
 assessment of, 301–304
 consistency and variability of errors
 assessment, 303
 diadochokinetic syllable rates, 303
 etiology nature of, 299–301
 imitative speech production skills, 302
 intelligibility of speech, 303–304
 nonimitative speech production skills, 302
 prosodic problems, 304
 Children with disordered phonology, 9b
 Chinese versus English, 542–544
 Chorea, 305
 Cilia, 41
 Cineradiography, 255
 Citation form, 108
 Cleft lip and palate, 310–315, 332, 403–409
 assessing children with, 313–315
 etiology nature of, 311–313
 Client case history, 245
*Clinical Evaluation of Language Fundamentals
 Preschool–Third Edition*, 261
 Clinical phonetics, 75
 Clinical significance, 110
 Closed syllables, 86
 Closed-syllable words, 114
 Closing interview, 295
 Cluster deletion, 115–116
 Cluster reduction (CR), 115, 116, 202, 203, 522
 Clusters, 85
 Cluster simplification, 115
 Cluster substitution, 116
 CNS. *See* central nervous system (CNS)
 Coarticulation, 104, 108
 Cochlea, 39f, 41, 41f

- Coda, 86
- Code switching, 512
- Cognate pairs, 91
- Cognitive theories, 560
- Commissural fibers, 52
- Compensatory errors of speech, 312
- Complementary distribution, 76
- *COMPLEX, 125
- Complex consonant sequences, 447
- Complexity approach, 464–470
- Complex tones, 105
- Concurrent treatment approach, 353, 440–445
- Conditioning, 159
- Conduction aphasia, 52
- Conductive hearing loss, 317
- Congenital, 304
- Connected speech, 108
- Connecting fibers, 51–52
- Consistent phonological disorder, 17
- Consonantal, 96
- Consonant clusters, 93–95, 200–201
 - distinctive features, 95–99
 - vowel production, 99–101
- Consonant harmony, 122
- Consonant production, 87–95
 - articulation, manner of, 89–91
 - articulation, place of, 91–93
 - consonant clusters, 93–95
 - voicing, 91
- Consonants, 84
 - acquisition and mastery, by age group, 195t
 - common error types, 198–201
 - sequence reduction, 115
- Constraints, 124, 137
- Contextual Probes of Articulation*
 - Competence–Spanish*, 539
- Contextual testing, 258–259
- Contiguous, 123
- Contiguous assimilation, 123
- Contingency priming, 389
- Contingent social feedback, 224
- Continuant, 97
- Continued learning
 - consonant clusters, 188–191
 - single consonants, 180–188
 - speech sound norms, clinical use of, 193
 - vowels and diphthongs, 191–193
- Continuous reinforcement schedule, 372
- Contralateral motor control, 46
- Contrast approaches, 453
- Contrastive stress, 107
- Contrastive stress drills, 397
- Conversation, 436
- Conversational probe, 385
- Conversational speech, 188–189, 327, 358b, 440
 - phonological error patterns in, 273
 - speech sounds in, 379–
 - unintelligible productions and, 250
- Core vocabulary intervention approach, 475–479
- Corniculates, 30
- Coronal place node, 126
- Coronals, 97, 126
- Corpora quadrigemina, 50
- Corpus callosum, 46, 52
- Corrective feedback, 373–374
- Corrective set, 436
- Corticobulbar tracts, 52, 57f
- Corticorubral tract, 58f
- Corticospinal tracts, 57f, 58f
- Costal cartilage, 27
- Covert contrast, 144
- CP. *See* cerebral palsy (CP)
- CR. *See* cluster reduction (CR)
- Cranial nerves, 52–53, 53t
- Creole dialect, 512
- Cricoarytenoid joint, 31, 32f
- Cricoid cartilage, 30, 31, 31f, 32f, 33f, 34f, 35f
- Cricothyroid muscle, 33, 35f
- Criterion-referenced, 243
- Cross-sectional method, 181
- Crouzon syndrome, 311
- Cultures and language variations, 506–554
 - African American English dialect (AAED), 512–525
 - Asian and Pacific Islanders language, 541–553
 - children speaking varied English dialects, 553–554
 - language variability, describing, 508–512
 - Native American languages, 525–530
 - Spanish-influenced English dialects, 530–541
- Cuneiforms, 30
- Cycles approach, 347, 445, 446, 452–453
 - child profiling, 451–452
 - modified, 450–451
 - production training, 445

Cycles approach (*continued*)
 semantic awareness contracts, 445–446
 stimulation, 445
 Cytoplasm, 44

D

Deaffrication, 117
 Deafness, 316
 DEAP. *See Diagnostic Evaluation of Articulation and Phonology: Phonology Assessment (DEAP)*
Deep Test of Articulation, 259, 370
 Delayed reinforcement, 388
 Delayed release, 97
 Deletion of final consonants, 204t
 Deletions, 126
 Delinking, 126
 DELV-Screening Test. *See Diagnostic Evaluation of Language Variation–Screening Test (DELV-Screening Test)*
 DEMSS. *See Dynamic Evaluation of Motor Speech Skills (DEMSS)*
 Dendrites, 44, 44f
 Dental (interdental or linguadental), 91
 Dentals, 92
 Dental sounds, 92
 DEP, 127, 138, 140
 Depalatalization, 118
 Dependent variables, 219
 Developmental apraxia of speech, 298
 Developmental dysarthria, 399
 Developmental verbal dyspraxia, 298
 Development of phonology, 9b
 Diacritic marks, 78, 82t
 Diadochokinetic syllable rates, 246
 Diagnoses of SSD. *See also specific conditions*, 242, 286–296, 287
 Diagnostic audiological evaluation, 247
Diagnostic Evaluation of Articulation and Phonology: Phonology Assessment (DEAP), 187, 248, 279, 476
Diagnostic Evaluation of Language Variation–Screening Test (DELV-Screening Test), 522
 Diagnostic report, 295–296
 Dialects. *See also cultures and language variations*
 dialect variations, clinical research needs in, 562
 learning second language, 558–561
 phonological system, 556–557
 primary language, effects on secondary language learning, 557–558
 Dialect Sensitive Language Test, 519
 Dialects of American English. *See American English dialect*
 Diaphragm, 26, 27f, 29t
 Differential diagnosis, 242, 287–291
 Digraph, 103
 Diminutization (Dim), 113
 Diphthong development, 192t
 Diphthongs, 85, 102
 Diplegia, 305
 Discrete trial probes, 385
 Discrete trials, 351, 374
 Disordered biology, 9b
 Disordered cardiology, 9b
 Disordered genetics, 9b
 Disordered linguistics, 9b
 Disordered phonology, 9b
 Disorders of articulation, 110
 Distinctive feature, 7, 96
 Distributional learning, 220
 DIVA (Directions Into Velocities of Articulators) model, 64–65
 *DORSAL, 127
 Dorsal place node, 126
 Dorsals, 126
 Dorsum, 37
 Doubling, 112
 Down syndrome, 476, 479
 Dravidian languages, 542, 544–545
 DTTC. *See Dynamic Temporal and Tactile Cueing for Speech Motor Learning (DTTC)*
 Dual phonological system, 556–557
 Duration, 106
Dynamic Evaluation of Motor Speech Skills (DEMSS), 304
 Dynamic sphincteroplasty, 404
 Dynamic Temporal and Tactile Cueing for Speech Motor Learning (DTTC), 396
 Dysarthria, 306, 332
 Dysarthria in cerebral palsy, 398–403

E

Early, middle, late (EML) sounds, 197
 Ear training, 432

East Asian languages versus English, 547
Echo speech, 436
Eight-Step Continuum, 396
EML. *See* early, middle, late (EML) sounds
Empty set, 462, 464
EMT/PE. *See* enhanced milieu teaching with phonological emphasis (EMT/PE)
End buttons, 45
Endolymph, 41
English language. *See* American English dialect; American English language; Mainstream American English Dialect (MAED)
English–Spanish speech sound differences, 533t, 534t
Enhanced milieu teaching with phonological emphasis (EMT/PE), 485
Epenthesis, 113
Epiglottis, 30, 31f, 36f
Error patterns, 8, 10, 133, 201–202, 271, 289, 290, 335, 444, 445, 535
 behavioral, 19
 consonant clusters, 200, 272
 fronting, 126
 phonological, 17, 20, 111, 132, 134, 201, 248–249, 250, 270, 272–276, 288, 524
 and phonological disorders, 12
 stopping, 127
 and treatment progress, 135
 vowel, 123
Error rates, 541
Esophagus, 36f
Ethnocultural variables. *See* cultures and language variations
Eustachian tube, 39f
EVAL, 141, 141f
Evidence-based practice. *See* treatment
Evoked trials, 351, 380
Exemplars, 226, 271
Exemplar theory of speech production, 62
Experiential-play activities, 449, 450
Experimental phonetics, 75
Explanation, 59
External auditory meatus (ear canal), 39, 39f
External intercostals, 27
Extra pyramidal systems, 56–58, 58f
Extrinsic muscles, 32, 37
Eye contact, 371, 410, 529b

F

Facial nerves, 53t, 54
Facilitative phonetic context, 258
FACTS. *See* Feedback-Aware Control of Tasks in Speech (FACTS)
FACTS (Feedback-Aware Control of Tasks in Speech) model, 65–66
FAITH, 125, 126, 127
Faithful constrains, 140
Faithfulness constraints, 124, 138
False ribs, 27, 28f
Family histories, 6, 20
FCD. *See* final consonant deletion (FCD)
FDS. *See* fetus-directed speech (FDS)
Feedback-Aware Control of Tasks in Speech (FACTS), 66
Fetus-directed speech (FDS), 222, 223
Fijian language, 125, 140
Final consonant deletion (FCD), 114
Final consonant deletion rule, 126
Final devoicing, 204
Final sound, 86
First words expansion, 177–180
 consonants, 179
 vowels, 178–179
 word and syllable shapes, 180
Fishing for Sounds, 378
Fissure of Rolando (central sulcus), 46f
Fissure of Sylvius (lateral sulcus), 46f, 48f
Fissures, 45
Fistula, 404
Fixed ratio 2 (FR2), 372
Flaccid dysarthria, 290
Floating ribs, 27, 28f
Fluharty Preschool Speech and Language Screening Test—Second Edition, 244
Follow-up assessment, 390
Footplate of the stapes, 40f
Foramina, 52
Forward chaining, 367
FOXP2, 216
FR2. *See* fixed ratio 2 (FR2)
Fragile X syndrome, 298
Free morpheme, 77
Free variation, 76
French language, 6, 210, 546
Frequency, 105
Frequency of occurrence, 272

Fricative gliding, 119
 Fricatives, 39, 82t, 89, 92, 96, 140, 198, 340, 534, 547–548
 alveolar and palatal, 200
 depalatalization, 118
 labial and dental, 200
 stopping and, 17, 93, 116–117, 291, 384, 496
 strident, 105, 106
 voiceless, 139, 411
 *FRICATIVES, 127
 Frontal lobe, 46, 46f
 Fronting. *See also* velar fronting, 126–127
 Functional or idiopathic speech sound disorders, 246
 Functional phonological disorder, measurement of, 491b
 Functional speech sound disorder, 290, 471, 474, 475, 478, 489

G

GEN, 141, 141f
 Gender differences, in consonants mastery, 186t
 Generalized production, 341
 Generalized responses, 382–387
 assessment of, 384–385
 motor learning and speech sound production, 385–387
 Genioglossus, 37
 Gibberish, 171
 Glides. *See also* liquid gliding, 90, 199
 Globus pallidus, 49f
 Glossopharyngeal nerve, 53t, 54
 Glottal replacement, 204t
 Glottals, 91, 93
 Glottis, 32, 33f
Goldman-Fristoe Test of Articulation–Third Edition, Spanish, 182, 188, 248, 291, 319, 527, 538
 Goos, 165
 Gyri, 45

H

HAPP-3. *See Hodson Assessment of Phonological Patterns–Third Edition* (HAPP-3)
 Hard of hearing, 316
 Hard palate, 36f, 37, 38f
 Head of the malleus, 40f
 Head turn method, 159–160, 225

Hearing loss, 316–321, 332, 409–412
 etiology nature of, 317–318
 speech perception skills, 319
 speech problems associated with, 318–321
 speech sound production in connected speech, 320
 speech sound production in single words, 319–320
 structure and function of the speech mechanism, 319
 voice and resonance, 320
 Hearing screening, 247–248
 Hemiplegia, 305
 High-amplitude sucking method, 160
 High sounds, 97
 Hispanics. *See* Spanish-influenced English language/dialects
 Historical phonetics, 74
 Hmong language, 542, 545, 546
Hodson Assessment of Phonological Patterns–Third Edition (HAPP-3), 248, 319
 Homonyms, 455
 Homonymy, 340, 459
 Horizontal approach, 347
 Huck Finn's English, 513b
 Humped, 91
 Hyoglossus, 37
 Hyoid bone, 31f
 Hyperkinetic dysarthria, 306–307
 Hypernasality, 404
 Hypernasal speech, 245
 Hypoglossal nerve, 53t, 54
 Hypokinesia, 58
 Hypokinetic dysarthria, 306

I

ICD. *See* initial consonant deletion (ICD)
 IDENT, 138
 IDENT-FEATURE, 140
 Idiopathic speech sound disorders, 246
 Idiosyncratic error pattern, 340
 IDS. *See* infant-directed speech (IDS)
 IEP. *See* Individualized Education Program (IEP)
 Imitation, 365
 Immovable articulators, 37–38
 Implicit and explicit learning, 561
 Inconsistent phonological disorder, 17
 Incus, 40, 40f

Independent analysis of a child's speech sound production, 268
Independent variables, 219
Indirect (extrapyramidal) motor system, 58f
Individualized Education Program (IEP), 249, 391, 491b
Individualized Family Service Plan, 391
Individuals with Disabilities Education Act, 249, 390
Infant-directed speech (IDS), 221–227
Infants and toddlers, assessment procedure for babbling and beyond, 265–266
 infant vocalizations, early, 264–265
 meaningful words, 266–268
Infant speech perception, 158–164
Infant speech production
 babbling, 167–169
 infant speech learning stages, 164–165
 infraphonological stages, 165–167
Inferior colliculi, 50
Inferior horns, 31
Inferior muscles of tongue, 37
Inferior peduncles, 50
Information-getting interview, 245
Infraphonological stages
 canonical babbling (from 5 to 10 months), 166–167
 expansion (from 3 to 8 months), 166
 phonation (from birth to 2 months), 165
 primitive articulation (from 1 to 4 months), 165
Inhibitory, 57
Initial and subsequent treatment sequence, moving through, 379–381
Initial consonant deletion (ICD), 114
Initial level selection and training sequence, 352–354
Initial sound, 86
Innate knowledge of the sound systems of languages, 7
Inner ear, semicircular canal, 39f
Innervate, 52
Instructions, 365
Integral stimulation (IS), 396
Integrated phonological awareness intervention, 488
Intelligible utterances, 281
Intelligible words, 281
Intensity, 105

Interaction theory, 560
Interdentally, 76
Interdental sounds, 92
Internal capsule, 56
Internal intercostals, 27
International Phonetic Alphabet (IPA), 77
Interrupted sounds, 97
Intervocalic consonants, 86
Intonation, 106
Intrinsic muscles, 32, 37
Inventory of sounds, 81–83
Iowa-Nebraska Articulation Norms Project, 190
IPA. *See* International Phonetic Alphabet (IPA)
IS. *See* integral stimulation (IS)
Isolation, 433–434

J

Japanese language, 548
Jargon, 171
Jaw, 36f, 37, 47f, 57f
Judgment of success, 293
Juncture, 107

K

Kaufman Speech Praxis Test (KSPT), 304
Key words, 258, 286, 368
Khan–Lewis Phonological Analysis–Third Edition (KLPA-3), 248
KLPA-3. *See* *Khan–Lewis Phonological Analysis–Third Edition* (KLPA-3)
Korean language, 542, 547–248, 551
KSPT. *See* *Kaufman Speech Praxis Test* (KSPT)

L

Labial and dental fricatives, 200
Labial assimilation, 120, 204t
Labial place node, 126
Labial-velars, 92
Labiodentals, 37, 91, 92
Labyrinth, 41
Language-based treatment approaches, 483–488
Languages. *See* *specific languages*
Language variations. *See* *cultures and language variations*
Laryngeal structures, 31f
Laryngopharynx, 36f
Larynx, 27f, 30, 36f
Lateral (lateral approximant in IPA terms), 90

Lateral cricoarytenoid muscles, 32, 34f
 Lateral process, 32, 97
 Latino children. *See* Spanish-influenced English language/dialects
 Lax, 101
 Levator veli palatini, 37
 Limited speech, 307
 Linear phonological theories (LPTs), 13, 132
 Ling system, 411
 Linguadental sounds, 92
 Linking, 126
 Lip rounding, 73, 96, 99, 101
 Liquid gliding, 119, 204t
 Liquids, 90–91, 199
 Longitudinal fissure, 46
 Longitudinal method, 168
 Longitudinal muscles of tongue, 37
 Long-term goals (LTGs), 338
 Lower lip, 36f
 Lower medulla, 58f
 Low sounds, 97
 LPTs. *See* linear phonological theories (LPTs)
 LTGs. *See* long-term goals (LTGs)
 Lungs, 26, 27f

M

MAED. *See* Mainstream American English Dialect (MAED)
 Mainstream American English Dialect (MAED), 250, 257, 363, 507
 Maintenance program, 387–390
 Malleus, 40
 Mandible, 37
 Manner of articulation, 87, 89
 Manual guidance, 363
 Manubrium of the malleus, 40f
 Marked member, 115
 Markedness constraints, 124, 138, 139
 Marked phonological features, 139
 Mark Twain's American English dialects, 513b
 Maxilla, 37
 Maximal classification, 460
 Maximal contrasts, 458, 464
 Maximal distinction, 460
 Maximal oppositions intervention approach, 458–459, 464
 Mechanical models, 62–63
 Medial sound, 86
 Medulla, 51, 51f
 Medulla oblongata, 51
 Medullary, 51
 Mesencephalon, 50
 MET. *See* multidisciplinary evaluation team (MET)
 Metalinguistics, 208
 Metathetic errors, 509
 Metrical theory, 142
 Midbrain, 50, 51f, 58f
 Middle ear, 39
 Middle peduncles, 50
 Minimal contrasting pairs, 450
 Minimal contrast method, 454, 464
 Minimal pair intervention, 77, 453, 454–456, 464
 Mirror test, 315
 Mixed dysarthria, 307
 Mixed hearing loss, 317
 Modeled trials, 351
 Modeling, 365
 Models, 59
 Monophthongs, 85, 103
 Monoplegia, 305
 Morpheme, 77
 Morphology, 9b
 Morphophonemics, 83, 84
 Motherese, 221
 Motor cortex, 47f
 Motoric production of speech sounds, 8
 Motor learning and speech sound production, 385–387
 feedback considerations, augmented, 386–387
 practice considerations, 386
 prepractice considerations, 386
 Motor speech disorders—apraxia of speech (MSD-AOS), 16
 Motor speech disorders—dysarthria (MSD-DYS), 16
 Motor speech disorders—not specified (MSD-NOS), 16
 MSD-AOS. *See* motor speech disorders—apraxia of speech (MSD-AOS)
 MSD-DYS. *See* motor speech disorders—dysarthria (MSD-DYS)
 MSD-NOS. *See* motor speech disorders—not specified (MSD-NOS)
 Multidisciplinary evaluation team (MET), 295
 Multiple contrast method, 459, 464

Multiple oppositions intervention approach, 459–462, 464
Multiple social interaction, essentiality of, 223–226
Multisyllabic words, 447
Muscular process, 32
Myelin, 45
Myelin sheath, 45
Myoelastic-aerodynamic theory, 35

N

Narrow phonetic transcription, 76, 79, 254
Nasal, 89–90, 97, 104–105, 199
 assimilation, 121
 cavity, 35–36
 emission, 404
 markedness constraints and, 140
 in Native American languages, 526
 versus oral airflow, 490
 two-tube resonant phenomenon, 60
Nasal cavity, 30, 35–36, 36f, 105, 404
Nasopharynx, 36f
Native American languages, 525–530
 assessment of SSD for children speaking, 527–529
 phonological characteristics of, 526–527
 speech sound learning, 527
 treatment of SSD for children speaking, 530
Native American people, communication style of, 529b
Naturalistic recast intervention approach, 479–483
Natural phonology/natural phonological theory, 111, 132–136
 assimilation patterns, 120–123
 nonlinear phonological theories, 123–129
 substitution patterns, 116–120
 syllable structure patterns, 112–116
 vowel patterns, 123
Natural recasts, 461, 482
NDP-3. *See* *Nuffield Dyspraxia Programme—Third Edition* (NDP-3)
Negative rules, 127
Nerve fiber, 45
Nervous system
 central nervous system (CNS), 45–52
 neural impulses transmission, 45
 neuron, 43–45

 peripheral nervous system, 52–55
Neural impulses transmission, 45
Neurocomputational speech control models, 63–66
Neurology impairment, 9b
Neurons, 43–45, 44f
Neurophysiological methods, 160
Neurotransmitter, 45
NO COMPLEX, 125
No detectable speech disorder, 307
No functional speech, 307
Noncontiguous, 123
Noncontiguous assimilation, 123
Noncontinuant, 97
Nonlinear phonological theories (NPTs), 13, 123–129, 136
Nonphonemic, 103
Nonreflexive vocalizations, 164
Nonsense syllables, 220, 352, 397, 434
Nonsense Syllable Test, 472
Non-speech oral-motor exercises, 488–493
Nonstandardized screenings, 243
Nonverbal, or physical, prompts, 366
Normative information in clinical decision making, 194b
Norm-referenced standardized tests, 243, 248–251
NPTs. *See* nonlinear phonological theories (NPTs)
Nucleus, 44
Nucleus of syllables, 86
Nuffield Dyspraxia Programme—Third Edition (NDP-3), 396

O

Obligatory errors of speech, 312
Oblique arytenoid muscles, 32, 34f
Obstruents, 99
Obvious disorder with intelligible speech, 307
Occipital lobe, 46f, 48
Oculomotor nerves, 52, 53t
Offglides, 103
Olfactory nerves, 52, 53t
OME. *See* otitis media with effusion (OME)
Onglides, 103
Onset clusters, 86, 94
Open-ended questions, 379
Open syllables, 86, 114

Optic nerves, 52, 53t
 Optimality theory (OT), 124, 137, 140
 Optimal output forms, 140
 Oral cavity, 35, 36f
 Orbicularis oris muscle, 37
 Organic or functional nature of speech sound disorder, 245
 Organic speech sound disorder, 246
 Organ of Corti, 41
 Orofacial examination, 245–247
 Oropharynx, 36f
 Ossicular chain of the middle ear, 40, 40f
 OT. *See* optimality theory (OT)
 Otitis media with effusion (OME), 6–7
 Outer ear, 39, 39f
 Oval window of the inner ear, 40, 41, 41f

P

PA. *See* phonological awareness (PA)
 Paired stimuli and facilitative contexts, 368–370
Paired Stimuli Kit, 368
 Paired-stimuli training sheet sample, 369f
 Palatals (linguapalatals), 91, 92–93
 Palatine bone, 38f
 Palatine process, 37, 38, 38f
 Palatoglossus, 37
 Palatopharyngeus, 37
 Paraplegia, 305
 Parentese, 222
 Parietal lobe, 46f, 48
 Pars oblique, 33, 35f
 Pars recta, 33, 35f
 Partial assimilation, 122
 PCC. *See* percentage of consonants correct (PCC)
 Peak sounds, 87
 PECS. *See* Picture Exchange Communication System (PECS)
 Pectoralis major, 28, 29t
 Pectoralis minor, 28, 29t
 Percentage of consonants correct (PCC), 282
 Percentage of occurrence, 272
 Perceptual phonetics, 75
 Perceptual training, 456
 Perilymph, 41
 Perinatal factors, 304
 Periodic, 105
 Peripheral nervous system, 52–54
 cranial nerves for speech, 52–53
 spinal nerves, 55
 Pharyngeal cavity, 35, 36f
 Pharyngeal flap surgery, 404
 Pharyngeal nerve, 54
 Phonation, 33
 Phone, 75
 Phoneme blending, 209, 212
 Phoneme classification, 83–87
 consonant production, 87–95
 distinctive features, 95–99
 vowel production, 99–102
 Phoneme collapse, 459, 460
 Phoneme isolation, 209, 262, 485
 Phoneme manipulation, 209, 212, 262–263, 485, 487–488
 Phonemes, 75–77, 83t
 Phoneme segmentation, 209, 211, 212, 486
 Phonemic awareness, 207–208, 209, 212–213
 Phonemic inventory, 269
 Phonemics, 77, 103
 Phonemic transcription, 78
 Phonetic contexts, 108
 Phonetic difficulty, 147
 Phonetic inventories, 176, 268, 270
 Phonetic placement, 362–363, 397
 Phonetic placement, shaping, and sound approximation, 351
 Phonetics, 74–75, 131
 inventory of sounds, 81–83
 morphophonemics, 83
 phonemes and allophones, 75–77
 phonetic transcription, 77–81
 and phonology, 108–110
 phonotactics, 83
 Phonetic stress, 106
 Phonetic symbols, 79t, 80t, 82t
 Phonetic transcriptions, 77–81, 254–255
 Phonological awareness (PA), 207–214, 261–264
 observable skills of, 208–209
 phoneme recognition skills, 212–213
 phonological awareness skill (PAS) learning, 209–210
 rhyme recognition skills learning, 210–211
 speech sound disorders and, 213–214
 syllable recognition skill learning, 211
 Phonological contrast approaches, 464
 maximal oppositions intervention approach, 458–459

- Phonological contrast approaches (*continued*)
 minimal pairs intervention approach, 454–456, 462–464
 multiple oppositions intervention approach, 459–462
 word pairs, other ways of forming, 462
- Phonological delay, 17
- Phonological disorders, 12–14, 17, 110, 111, 288
- Phonological error pattern, 111, 272
- Phonological Knowledge Protocol (PKP), 275
- Phonological mean length of utterance (PMLU), 277, 278
- Phonological patterns, 11, 14, 111–112, 123, 143, 179b, 179f, 201–206, 205t, 272–274
- Phonological processes, 111, 132, 204t
- Phonological theories, 131–143
 evaluation of, 145–150
 knowledge and rule following, 148–150
 missing empirical variables, 150
 natural phonology, 132–136
 optimality theory, 136–143
 versus phonetic theories, 143–145
 phonological concepts, explanatory status of, 146–148
- Phonology, 9b, 9b, 131, 463t
- Phonology disorder, 9b
- Phonology impairment, 9b
- Phonotactic constraints, 268
- Phonotactic rules, 84
- Phonotactics, 83
- Phrases, 435
- Physical stimulus generalization, 382
- Physiological, phonetics, 75
- Picture Exchange Communication System (PECS), 398
- Pidgin, 512
- Pinch test, 315
- Pinna, 39, 39f
- Pitch, 105, 106
- PKP. *See* Phonological Knowledge Protocol (PKP)
- Play activities, 374, 378, 449, 450, 473
- Plosives, 89
- PMLU. *See* phonological mean length of utterance (PMLU)
- Polysyllabic words, 201
- Polysyllabic word testing, 257
- Pons, 50–51, 51f
- Positional constraint, 269
- Positive reinforcement, 370–372
- Positive rules, 127
- Postalveolars, 93
- Posterior cricoarytenoid muscles, 32, 34f
- Posterior quadrate laminae, 31
- Postlingual hearing loss, 319
- Postnatal factors, 304
- Postvocalic (after-vowel), 85, 86
- Postvocalic devoicing, 120, 122
- Potential optimal secondary target patterns, 447
- Power of word, 286b
- Prelingual hearing loss, 319
- Prelinguistic development. *See* infant speech perception; infant speech production
- Premaxilla, 38, 38f
- Premotor cortex (supplementary motorcortex), 47
- Prenatal factors, 304
- Preschool Language Scales—Fifth Edition, Spanish*, 539
- Pressure consonants, 93, 312
- Prevocalic voicing, 85, 86, 121
- Primary auditory area, 47, 48f
- Primary learning, 510
- Primary motor cortex, 46, 47f, 48f
- Primary potential target patterns, 452
- Primary target patterns or phonemes, 447
- Probe, 384
- Production practice words, selection of, 450
- Production training, 445, 452
 minimal pairs production training, 456–458
 sound establishment, 432
 sound stabilization, 433–436
- Prognosis, 293
- Prognostic variables, 293
- Progressive assimilation, 122, 397
- Progressive idioms, or advanced forms, 178
- Projection fibers, 52
- PROMPT. *See* prompts for Restructuring Oral Muscular Phonetic Targets (PROMPT)
- Prompts, 366
- Prompts for Restructuring Oral Muscular Phonetic Targets (PROMPT), 396
- Proportion of whole-word correctness (PWC), 277–278
- Proportion of whole-word proximity (PWP), 277, 279

Proportion of whole-word variability (PWV), 277, 279
 Proprioceptive awareness exercises, 437–438
 Proprioceptives, 397
 Protophones, 164
 Protowords, 171–173
 Psychogenic hearing loss, 317
 Psycholinguistics, 220
 Psychology disorder or apraxia, 9b
 Pure tone, 105
 Purkinji cell, 44f
 Putamen, 48, 49f, 49f
 PWC. *See* proportion of whole-word correctness (PWC)
 PWP. *See* proportion of whole-word proximity (PWP)
 PWV. *See* proportion of whole-word variability (PWV)
 Pyramidal systems, 56–58, 57f

Q

Quadratus lumborum, 29t
 Quadratus lumborum muscles, 28
 Quadriplegia, 305
 Quasivowels, 165, 264

R

Rate of speech, 107
 Receptive sites, 45
 Recurrent laryngeal nerve, 54
 Red nucleus, 49f
 Reduced speech intelligibility, 307
 Reduction, 127
 Reduplicated babbling, 166
 Reduplication (redup), 112–113
 Reflexive vocalizations, 164
 Regressive assimilation, 122
 Regressive idioms, 178, 179b
 Reinforcer, 363
 Reissner's membrane, 42
 Relational analysis, 269
 Releasing, 86
 Remediation
 activities, 450
 cycles, structure of, 448
 session, 452
 sessions, instructional sequence for, 448–450

Research issues and theories, 219–227, statistical learning 220–221
 infant-directed speech, 221–227
 statistical learning, ecological validity of, 221
 Respiratory mechanism, 27f
 muscles of, 28–30
 and speech production, 30
 structures of, 26–27
 Response cost, 373
 Response topography, 349
 ReST Rapid Syllable Transition Treatment, 395
 Reticulospinal tract, 58f
 Retroflex, 91
 Rhotic, 90, 99, 103
 Rhyme recognition, 209, 210–211, 486–487
 Rhyming, 86, 208, 209, 210–211, 262, 485–487
 Rib cage, 26
 Ribs, 26
 Rime, 87
 Role playing, 436
 Root, 36f, 37
 Rounded vowels, 101
 Round sounds, 97
 Round window, 41, 41f
 Rubrospinal tract, 58f
 Rule extraction, 149
 Rule following, 149
 Rule governed, 149

S

Scalene muscles, 28
 Scalenes, 29t
 Schwar, 100
SCIP: Sound Contrasts in Phonology, 467
 Screening, 243–244, 247–248
 SDCS. *See* Speech Disorder Classification System (SDCS)
 SD-DPI. *See* speech delay—developmental psychosocial involvement (SD-DPI)
 SD-GEN. *See* speech delay—genetic (SD-GEN)
 SD-OME. *See* speech delay—otitis media with effusion (SD-OME)
 Secondary potential target patterns, 452
 Second language learning, 557–561
 See-Scape Kit, 315
 Segmentals, 106
 Self- and peer monitoring, 437

- SELPA. *See* Special Education Local Plan Areas (SELPAs)
- Semantic awareness, 452
- Semantic awareness contracts, 445–446
- Semicircular canals, 41f
- Semivowels, 90
- Sensitive organs of the inner ear, 41
- Sensorineural hearing loss, 317
- Sensory–motor approach, 259
- Sensory–perceptual training, 432
- Sensory-perceptual training (ear training), 432
- Sentences, 435–436
- Sequential motion rates (SMRs), 246
- SE-R. *See* speech errors—rhotics (SE-R)
- Service delivery, 360
- Service delivery considerations, 360–362
- dosage of services, 360–361
 - format of services, 361
 - providers, 361
 - setting, 360
- SE-S. *See* speech errors—sibilants (SE-S)
- Severity levels, 15
- SFC. *See* state feedback control (SFC) module
- Shadowing, 436
- Short-term objectives (STOs), 338
- Shprintzen syndrome, 311
- Sign language, such as American sign language (ASL), 410
- Single phonological system, 556–557
- SL. *See* statistical learning (SL)
- Slow-motion speech, 436
- S.M.A.R.T. goals, 355, 358, 358b
- SMRs. *See* sequential motion rates (SMRs)
- Sociolinguistic, exemplar, and usage-based theories, 560–561
- Sociophonetic theory, 61
- Soft palate, 36f, 37
- Soma, 44f
- Sonorant, 97
- Sound classes, 18, 91–92, 116, 198, 383
- Sound-in-isolation level, 375
- Sound-in-syllable level, 376
- Sound-in-word, -phrase and -sentence levels, 376–379
- Sound patterns, 7
- Sound shaping, 362, 364–365
- Source-filter theory of speech production, 59
- South Asian languages versus English, 544–545
- Southeast Asian languages versus English, 545–547
- Spanish Articulation Measures–Revised Edition*, 539
- Spanish-influenced English language/dialects, 530–541
- assessment of children with SSD in, 538–540
 - patterns of, 537t
 - speech sound learning, 532–537
 - speech sound patterns, 536t
 - speech sound patterns of, 532
 - treatment of children with SSD in, 540–541
- Spanish Language Assessment Procedure–Third Edition*, 539
- Spanish Preschool Articulation Test*, 538
- Spastic dysarthria, 306
- Spasticity, 56
- Special Education Local Plan Areas (SELPAs), 359
- Spectrum, 105
- Speech and sound patterns, 197
- common consonants error types, 198–201
 - sound classes, mastery of, 198
 - speech sound learners, phonological patterns in, 201–206
- Speech assignments, 437
- Speech bulb, 405
- Speech delay—developmental psychosocial involvement (SD-DPI), 15–16
- Speech delay—genetic (SD-GEN), 15
- Speech delay—otitis media with effusion (SD-OME), 15
- Speech Disorder Classification System (SDCS), 15–17
- Speech errors—rhotics (SE-R), 16
- Speech errors—sibilants (SE-S), 16
- Speech intelligibility, 206–207
- Speech-language pathologists, 399b
- Speech perception, 259–261
- Speech production, 25–26
- articulatory mechanism, 37–38
 - auditory mechanism, 38–42
 - neuroanatomical bases of, 43–58
 - phonatory mechanism, 30–35
 - resonatory mechanism, 35–36
 - respiratory mechanism, 26–30
 - speech control, neuromotor control of, 55–58
- Speech production, theories of, 58–66

- acoustic theory, 59–60
- articulatory phonology theory, 60–61
- evaluation of, 66–68
- exemplar theory, 62
- mechanical models, 62–63
- neurocomputational speech control models, 63–66
- sociophonetic theory, 61
- usage-based theory, 62
- Speech production dynamics
 - acoustics aspects, 105–106
 - aerodynamic aspects, 104–105
 - coarticulation of speech sounds, 108
 - suprasegmental aspects, 106–107
- Speech recast, 482
- Speech samples, connected, 251–257, 252b
 - phonetic transcription, limitations of, 255–256
 - sample recording, 253–254
 - sample transcribing, 254–255
 - speech samples, strategies for obtaining, 251–253
 - strengths and limitations of, 256–257
- Speech sound disorders (SSDs). *See also specific conditions*, 10
 - classification of, 10–17
 - classified subtypes, clinical implications of, 19–21
 - evaluation of classifications, 17–19
 - importance of, 5–6
 - nomenclature changes, 7–10
 - prevalence and risk factors for, 6–7
- Speech sound learning
 - affecting factors, 214t
 - age ranges for, 193–197
 - causation versus correlation, 215–217
 - variables that may interfere with, 214–217
- Speech sound production, 268–270
 - contextual testing analysis, 286
 - error frequency and distribution analysis, 275–276
 - intelligibility analysis, 280–282
 - manner, voicing and place analysis, 271–272
 - normative analysis, 276–277
 - phonetic inventory analysis, 270
 - phonological error pattern analysis, 272–274
 - problem, 7
 - severity analysis, 282–284
 - skills, 387
 - sound by sound traditional analysis, 271
 - stimulability analysis, 284–286
 - whole-word measure analysis, 277–280
- Speech sound screening, 243–244
- Speech sounds in conversation, 379
- Speech systems approach, 403
- Speech targets, 338–347
 - criteria, 339
 - and generalization, 341–342
 - and intelligibility, 339–340
 - and normative data, 342–344
 - number of, 347–348
 - readily taught, 344–345
 - selection, 345–347
- Spinal accessory nerve, 53t, 54
- Spinal cord, 51f, 58f
- Spinal motor, 44f
- Spinal nerves, 55
- Spoken phonology, 9b
- Spontaneous productions, 380
- Spreading, 126
- SSDs. *See* speech sound disorders (SSDs)
- Standard scores, percentile rankings, and age equivalents, 249
- Stapedius, 41
- Stapes, 40, 40f
- State feedback control (SFC) module, 65
- Statistical learning (SL), 220
- Sternum, 26, 28f
- Stickler syndrome, 311
- Stimulability approach, 470–475, 471
- Stimulability testing, 257–258
- Stimulation, 445, 452
- Stimulus items, 349–350
- Stops/stopping, 82t, 89, 97, 111, 116–117, 127, 169, 199–200, 202, 204t
 - across languages, 139
 - and affricates, 17, 89, 93, 116–117
 - bilabial and palatal, 17, 198, 254
 - and deaffrication, 117
 - duration, 106
 - fricatives and, 17, 93, 116–117, 291, 384, 496
 - glottal, 93
 - markedness constraints and, 139
 - substitution patterns, 272
 - tongue position, 92
 - voiced, 176
 - voiceless, 104, 139, 176, 269

STOs. *See* short-term objectives (STOs)
Straw test, 315
Stress, 106
Stress-timed languages, 107
Strident, 97
Styloglossus, 37
Subcortical structures of gray matter, 48
Subcostals, 27
Subglottic air pressure, 33
Substantia nigra, 48, 49f
Substitution patterns, 116–120
Successive approximation (sound shaping), 364–365, 397
Sulci, 45
Superior colliculi, 50
Superior laryngeal nerve, 54
Superior muscles, 37
Superior peduncles, 50
Supraglottic pressure, 33
Supramarginal gyrus, 48
Suprasegmentals, 106
Syllabic consonants, 85
Syllabics, 85, 99
Syllabification, 86
Syllable-initiating clusters, 94
Syllables, 86
Syllable structure patterns, 112–116
Syllable-terminating clusters, 94
Syllable-timed languages, 107
Synapse, 45
Synaptic cleft, 45
Syntactic Structures, 7

T

Tactile cues, 258, 395, 396
Tactile-kinesthetic cuing, 363
Tactile test, 315
Tagalog language, 547
Talking face, 223
Target behavior, 338, 380
Target response, 380
TC. *See* total communication (TC)
TCM. *See* touch-cue method (TCM)
Teeth, 37
Telepractice, 361
Temporal lobe, 46f, 47
Tense, 97, 101
Tensor tympani, 41

Tensor veli palatini, 37
Terminal knobs, 45
Terminating clusters, 94
Test of Phonological Awareness in Spanish–TPAS, 539
Thai language, 547
Thalamus, 49f
Thoracic cavity, 26
Thoracic vertebrae, 26
Thyroarytenoid muscle, 32
Thyroid cartilage, 30, 31, 31f, 33f, 34f, 35f
Thyroid notch, 31
Thyroid prominence (Adam's apple), 31
Thyromuscularis, 32
Thyrovocalis, 32
Tip, 36f, 37
Tokens and stickers, 371
Token withdrawal, 373
Tongue, 36f
 depressors, 99, 252b, 258
 thrust, 289
Tonsils, 246, 405
Total assimilation, 122
Total communication (TC), 410
Touch-cue method (TCM), 397
Trachea, 26, 27f, 31f
Traditional treatment, 431–432, 439–440
 child profiling, 438–439
 maintenance, 438
 production training, 432–436
 sensory-perceptual training (ear training), 432
 transfer and carryover, 437–438
Transfer, 437
Transverse, 29t
Transverse arytenoid muscles, 32, 34f
Transverse muscles of tongue, 37
Transverse thoracic, 28
Treacher Collins syndrome, 311
Treatment, 425–493
 for all speech disorders, 334–335
 approaches, 426–429
 behavioral treatment, 20, 150, 334–335, 402, 406, 427, 428, 454, 460
 childhood apraxia of speech (CAS), 393–398
 cleft lip and palate, 403–409
 complexity approach, 464–469
 comprehensive and modifiable, 335–336

- comprehensive program, evidence base for, 336–337
 - concurrent treatment approach, 440–445
 - considerations, 334–337
 - considering dismissal, follow-up and booster therapy, 390–391
 - core vocabulary intervention approach, 475–479
 - cycles approach, 445–453
 - data collection, 381–382
 - dysarthria in cerebral palsy, 398–403
 - evaluation, 430b
 - generalized responses, 382–387
 - hearing loss, 409–412
 - language-based treatment approaches, 483–488
 - maintenance program, planning for and maintaining, 387–390
 - naturalistic recast intervention approach, 479–483
 - non-speech oral-motor exercises, 488–493
 - organic and neurogenic, 392–412
 - phonological contrast approaches, 453–464
 - programmes, 429–430
 - speech targets production, 362–382
 - stimulability approach, 470–475
 - target patterns and phonemes, 446–447
 - targets selection and pretreatment data collection, 338–362
 - traditional approach, 431–440
 - treatment principles and procedures for, 332–391
 - Treatment objectives, 354–356
 - for individual sounds (phonetic approach), 356
 - mixed approaches, 357–358
 - for phonological constraints, maximal contrasts, and complex targets (nonlinear approach), 357
 - for phonological error patterns and minimal contrasts (linear approach), 356–357
 - Treatment plan, 359–360
 - Treatment recommendations, 291–295
 - Treatment sessions structuring, 374–375
 - Trigeminal nerves, 53t, 54
 - Trochlear nerves, 53, 53t
 - True ribs, 28f
 - True words, 173
 - Tubrospinal tract, 58f
 - Tympanic membrane, 39, 39f, 39f, 40f
- U**
- Underlying representation, 8, 109, 144, 148
 - Underspecification, 126
 - Unintelligible utterances, 281
 - Unintelligible words, 281
 - Unipolar neurons, 44f
 - Unison speech, 436
 - Universal grammar, 8, 61, 137, 143
 - Unmarked member, 115
 - Unmarked phonological features, 139
 - Unrounded vowels, 101
 - Unstressed schwa, 100
 - Unstressed syllable deletion (USD), 112
 - Unvoiced or voiceless sounds, 91
 - Upper lip, 36f
 - Upper medulla, 58f
 - Usage-based theory, 62
 - USD. *See* unstressed syllable deletion (USD)
 - Utterances, 172b
 - Uvulae, 37
- V**
- Vagus nerve, 53t, 54
 - Van der Woude syndrome, 311
 - Variable ratio 4 (VR4), 372
 - Variable ratio schedule, 372
 - Variegated (nonreduplicated) babbles, 167
 - Velar assimilation, 121
 - Velar fronting, 116, 117–118
 - Velars (linguavelars), 91, 92, 93
 - Velopharyngeal closure, 37
 - Velopharyngeal insufficiency, 404
 - Velum, 37
 - Verbal antecedents, 387–388
 - Verbal instructions and prompts, 365–366
 - Verbally interlocked, 224
 - Vertical approach, 347
 - Vertical) muscles of tongue, 37
 - Vestibular division, 42
 - Vestibuloacoustic nerve (cranial nerve VIII), 42
 - Vestibulocochlear nerve, 53t, 54
 - Virgules, 78
 - Visually reinforced head turn method, 160
 - Vocal emphasis, 365, 366
 - Vocal folds, 33f
 - Vocalics, 96, 99
 - Vocalization, 119–120, 204t
 - Vocal process, 32

Voice, 97
Voiced sounds, 91
Voicing, 87, 91
 consonant production and, 91
 markedness constraints and, 138
 phonetic difficulty and, 147
 prevocalic, 85, 86, 121
 speech sound production and, 271–272
Volubility, 170
VOWEL development, 192t
Vowel diagram, 376
Vowel patterns, 123
Vowel production
 diphthongs, 102–104
 distinctive features of vowels, 102
 lip rounding, 101
 tenseness, 101–102
 tongue position and shape of pharynx, 99–101
Vowel quadrant or quadrilateral, 100
Vowels, 85, 199
VR4. *See* variable ratio 4 (VR4)

W

Waardenburg syndrome, 311
Weak-syllable deletion, 204t

Wepman's Auditory Discrimination Test—Second Edition, 319
Wernicke's area (speech comprehension), 47, 48f
Whole-word accuracy (WWA), 277, 279, 479
Whole-word measure analysis
 phonological mean length of utterance (PMLU), 278
 proportion of whole-word proximity (PWP), 279
 proportion of whole-word variability (PWV), 279
 proportion of word correctness (PWC), 277–278
Whole-word phonetic transcription, 249
Whole-word proximity, 277, 279
Whole-word transcriptions, 302
Whole-word variability, 277, 279, 475
Word pairs, ways of forming, 462
Words, 173–174, 434–435
 consonants, 175–177
 syllable shapes, 177
 vowels, 174–175
WWA. *See* whole-word accuracy (WWA)