

Index

A

- AA. *See* Alcoholics Anonymous (AA)
- A.A. Guidelines for Members Employed in the Alcoholism Field*, 29
- ABMT (alcohol behavioral marital treatment), 221
- Abortion issue, and therapist/client relationship, 12
- Absolutism, and self-defeating thoughts, 100
- Abstinence
 - abstinence violation effect (AVE), 285
 - family therapy and, 211
 - paradox related to, 283
- Abuse, use of term, 119
- Acamprosate (Campral), 270
- Acceptance, and group therapy, 151
- Accommodating, in structural family therapy, 191
- ACOA (Adult Children of Alcoholics), 180–181
- Action stage of chemical dependency, 113
- Active listening, 95, 157, 160
- Acute intervention, 276
- Adaptive consequences, 211, 215–216
- Addict, defined, 19–20
- Addiction
 - American Society of Addiction Medicine, 60, 353
 - brain function and behavior, effect on, 308–309
 - cluster of problems related to, 34–35
 - counselor understanding of, 74–75
 - cravings and, 257
 - defined, 119
 - drugs used to treat, 61, 270–271
 - and other mental illnesses, 262
 - sexual dysfunction and, 257
- Addiction Counseling Competencies: The Knowledge, Skills, and Attitudes of Professional Practice*, 74, 79
- Addiction Technology Transfer Centers' National Curriculum Committee, 74
- Addiction Training Centers (ATC)
 - chemical dependency counselor skills, 74
 - Curriculum Review Committee, 172–173
- Addictive personality, 246
- Administrative law, meaning of, 44
- Adolescents
 - Adolescent Group Therapy, 193
 - early vs. late development, 231–232, 234
 - male, maturational issues, 234–235
 - treatment goals for, 235
- Adult children of alcoholics. *See* Children of alcoholics
- Adult Children of Alcoholics (ACOA), 180–181
- Affordable Care Act, impact on counseling profession, 70–71
- Aftercare
 - Bryan Independence Center model, 278–279, 280
 - Centerpointe (Lincoln Lancaster Drug Projects), 279–280
 - defined, 276
 - evidence-based therapy, 358
 - groups, elements of, 146
 - and Minnesota Model, 277
 - participation rates, 281
 - research on, 281–282
 - and treatment outcome, 281
 - Valley Hope model, 277–278, 280
- Age and developmental stage, 231–235
 - adolescents, 231–232, 234–235
 - early childhood, 235–236
 - elderly, 232
 - Freud's theory, 233
 - and therapeutic change, 233–234
- AIDS. *See* HIV/AIDS
- Al-Anon Family Groups, 59
- Alcohol behavioral marital treatment (ABMT), 221
- Alcohol education, 335
- Alcohol Skills Training Program (ASTP), 331–339
 - alcohol education, 335
 - basic principles in, 334–338
 - behavioral change, stages of, 332
 - minimal intervention, 323
 - Motivational Interviewing, 333–334
 - purpose of, 331
 - uniting harm reduction and traditional treatment, 338–339
- Alcoholic, defined, 19–20

416 Essentials of Chemical Dependency Counseling

- Alcoholic family system, 209–213
- Alcoholics Anonymous (AA)
 - Al-Anon Family Groups, 59
 - counseling profession and, 59
 - counselor as member of, 52–53
 - court-mandated attendance, 53
 - drunk-a-log, 232–233
 - and ethnic minorities, 161–162
 - recovering counselors as members, 52–53
- Alcoholism
 - agency views of, 370
 - Association of Halfway House Alcoholism Programs of North America, 60
 - categories of, 121
 - The Comprehensive Alcohol Abuse and Alcoholism Prevention Treatment and Rehabilitation Act, 61
 - denial of, 118–119
 - diagnostic criteria, 120–121
 - disease model. *See* Disease model
 - The Disease Concept of Alcoholism* (Jellinek), 60
 - drugs used to treat addiction, 270
 - familial. *See* Familial alcoholism
 - insurance reimbursement for treatment, 60
 - MAST, 120, 216
 - McAndrews Alcoholism Scale, 120
 - NAADAC. *See* National Association of Alcoholism and Drug Abuse Counselors (NAADAC)
 - National Council on Alcoholism, 120
 - National Council on Alcoholism and Drug Dependence, 59
 - NIAAA, 61
 - primary, 121
 - reactive, 121
 - secondary, 121
 - Alcoholism and Substance Abuse in Diverse Populations* (Lawson & Lawson), 230
 - Alcoholism and the Family: A Guide to Treatment and Prevention* (Lawson & Lawson), 240
 - Alliances, in family, 185–187, 194
 - Altruism, and group therapy, 148
 - Ambiguity of tasks in chemical dependency agency, 368
 - American Society of Addiction Medicine (ASAM), 60, 353
 - American With Disabilities Act, 78
 - Anal stage, 233
 - Anesthesia, 343–344
 - Anger of persons with substance abuse issues, 254
 - Antabuse (disulfiram), 59, 135, 221, 222, 270
 - Anti-anxiety drugs (anxiolytics), 267–268
 - Antidepressants, 265–267
 - Antihistamines, 268
 - Anti-psychotics, 269–270
 - Anxiety, of chemical dependency counselor, 14
 - Anxiolytics (anti-anxiety drugs), 267–268
 - Applying to be a certified/licensed chemical dependency counselor, 68–69
 - Apprenticeship model, of supervision, 105–106
 - Artisans, in chemical dependency agency, 404
 - ASAM (American Society of Addiction Medicine), 60, 353
 - ASAM Patient Placement Criteria for the Treatment of Substance-Related Disorders*, 353
 - Assessment. *See also* Diagnosis
 - alcohol/drug abuse history, 81–82
 - behavioral indicators, 82–83
 - career issues, 82
 - of client data, 32–33
 - clinical evaluation, 81–83
 - community resources, use of, 82
 - continuing assessment, 86–87
 - defined, 81
 - educational evaluation, 82
 - family, 82
 - mental health status, 82
 - physical examination, 82
 - psychological testing, 82
 - readiness to change, 112–114
 - socioeconomic factors, 82
 - treatment and services plan, 315
 - work history, 82
 - Association of Halfway House Alcoholism Programs of North America, 60
 - ASTP. *See* Alcohol Skills Training Program (ASTP)
 - ATC. *See* Addiction Training Centers (ATC)
 - Attentiveness
 - of counselor, 90–91
 - signs of, 90
 - Atypical antidepressants, 266

AVE (abstinence violation effect), 285
 Awareness inventory, 296

B

Basic and Clinical Pharmacology (Katzung), 265
 Bateson, Gregory, 194, 207
 BCT (Behavioral Couple Therapy), 350–351
 Beck Depression Scale, 216
 Behavioral Couple Therapy (BCT), 350–351
 Behavioral group therapy, 146–147
 effectiveness of, 146–147
 member behaviors required, 147
 types of groups, 147
 Behavioral indicators, in assessment process, 82–83
 Behavioral marital therapy (BMT), 222
 Behavioral therapies, 313–314
 Benzodiazepines, 267–268
 Berenson, D., 211
 Bertalanffy, Ludwig von, 176
 Beta-Blockers, 268
 Bibliotherapy, 110
 Binary diagnosis, 115
 Biopsychosocial model
 Centerpointe (Lincoln Lancaster Drug Projects), 279–280
 relapse prevention, 283–287, 289–292
 Birth order, effects in family, 179
 Blamer role, 208
 Blood alcohol levels, effects related to limits, 335
 BMT (behavioral marital therapy), 222
 Boszormenyi-Nagy, Ivan, 200
 Boundaries
 in alcoholic family, 182–184, 190
 in structural family therapy, 191–192
 Bowen, Murray, 177, 200–204
 Bowen Therapy. *See* Intergenerational family therapy
 Brief interventions, 327, 347
 Brief Strategic Family Therapy (BSFT), 351, 353
 Bryan Independence Center program, 278–279, 280
 BSFT (Brief Strategic Family Therapy), 351, 353
 Buprenorphine (Subutex, Suboxone), 271
 Bupropion (Zyban), 271
 Bureaucracy in chemical dependency agencies, 383–385

Burnout

causes of, 18
 chemical dependency agency counselor, 391–400
 counselor vulnerability factors, 392–394
 defined, 392
 impact on counselors, 392–393
 indicators of, 396
 personal responses to, 393, 394
 prevention of, 18–19, 394–400
 ambiguous agency goals and objectives, 397
 balanced life, 395–396
 contact with other professionals, 398
 excessive work demands, dealing with, 396–397
 maintaining a life outside the agency, 395
 performance feedback, 399–400
 reasonable caseload, 397
 reasonable job perspective, 398
 rotating workloads, 399
 staff support groups, 398–399
 reality shock, 392
 as viewed by others, 393–394
 work goals, modification of, 391–392

BusinessDictionary.com, 61–62

C

Campral (Acamprosate), 270
 Car crashes caused by alcohol, 60
 Career issues, assessment of, 82. *See also* Profession, substance abuse counseling
 Careerists, in chemical dependency agency, 403
 CARF (Council for Accreditation of Rehabilitation Facilities), 359
 Caring, and group therapy, 150–151
 Case examples, 125–132
 Case law, meaning of, 44
 Case management, 85–87
 consultation in, 86
 continuation of assessment, 86–87
 defined, 85
 implementation of plan, 85–86
 maintaining of reasonable caseload, 397
 Catharsis, and group therapy, 149, 151
 CBT. *See* Cognitive behavioral therapy (CBT)
 CENAPS Model of Relapse Prevention, 283, 289–292

418 Essentials of Chemical Dependency Counseling

- Center for Substance Abuse Treatment (CSAT), on counselor skills, 74, 172–173
- CenterPointe (Lincoln Lancaster Drug Projects), 279–280
- Certification
 - credentialing organizations, 64
 - levels of credentialing, 65–66
 - licensure vs., 63–64
 - purpose of, 24
- Certified counselor, 66
- Challenge Model, resilient children of alcoholics, 216
- Challenge Model Therapy, 218–219
- Change. *See also* Reluctant-to-change persons
 - aspects of personal change, 231
 - inventory, 295
 - resistance to, 307–308
- Chantix (varenicline), 271
- Chemical dependency
 - continuum of, 109–110
 - defined, 117
 - diagnostic criteria, 122–123
 - diversity of persons with, 109
 - DSM diagnostic categories, 124–125
 - inpatient vs. outpatient treatment, 10, 111, 354
- Chemical dependency agency
 - academic vs. craft training, 370–371
 - addendum, 407–412
 - adjustment to job, 374–377
 - alcoholism, differing views of, 370
 - ambiguity of tasks in, 368
 - bureaucracy, cutting through, 383–385
 - burnout of counselor, 391–400
 - burnout prevention, 394–400
 - caregiver role, self-doubts, 376–377
 - client demands, 367
 - cliques in, 369–370
 - communication issues, 367, 377–385
 - crisis of competence of counselor, 376
 - educational differential, 369
 - emotional involvement with clients, 367–368
 - ethical issues, 388–391
 - interagency conflict, 373–374
 - interagency contact, 385–388
 - job applicants, information needed by, 401–402
 - job interview for, 405–407
 - mental health professionals, 372
 - modeling by counselors, 371
 - motivation of staff, 368–369
 - new counselor problems, 372
 - with outside agencies, 385–388
 - performance feedback, 399–400
 - personality types in, 403–405
 - reality shock of job, 392
 - recovering/nonrecovering staff conflict, 368–372
 - rotation of caseloads, 399
 - routine tasks in, 375
 - staff support groups, 398–399
 - supervisors, 382–383
 - support personnel, 383
 - work attitudes and philosophies, 376
 - work goals, modification of, 391–392
- Child Abuse and Treatment Act, 49
- Child abuse reporting, 49–50
- Children of alcoholics
 - Challenge Model Therapy, 218–219
 - Damage vs. Challenge Model, 216
 - distance and family of origin, 214
 - family rules of, 181–182
 - feelings in later life, 181
 - nonalcoholic, factors related to, 214, 215–216
 - parental drinking style, effects of, 216
 - resilient types, 216–219
 - role behaviors of, 179–181
 - variables among group, 181
- Circular causality, in family therapy, 176
- Circular thinking, 118
- Civil law, meaning of, 44
- Civil liability, 51
- Clarification, by counselor, 102
- Clients
 - client welfare in the counseling relationship, 26–27
 - confidentiality of records, 44–47
 - daily demands of, 367
 - difficult or abrasive, 13
 - disclosure of records, conditions for, 45–46
 - emotional involvement with, 367–368
 - interagency conflict and client care, 373–374
 - protection of client welfare, 26–27
 - self-determination in the counseling relationship, 27
- Clinical evaluation, 80–83
 - assessment, 81–83
 - screening, 80–81
- Clinical process, diagnosis as, 114–115

- Cliques in chemical dependency agencies, 369–370
- CM (Contingency Management), 135, 350
- Coalitions, in family, 185–187
- Code of Federal Regulations, 44–45, 47
- Co-dependents, and educational groups, 144
- Coffee Cup*, 278
- Cognition, and group therapy, 151
- Cognitive behavioral therapy (CBT)
 - self-control training, 348
 - social skills training, 348
 - stress management training, 348
- Cognitive distortions, of client, 100
- Cognitive reframing, 286
- Cognitive-behavioral model, for relapse prevention, 287–289
- Cohesiveness, and group therapy, 149, 152
- Collaboration in treatment planning, 83
- Commitment, and group therapy, 150
- Common law, meaning of, 43–44
- Communication
 - breakdown and mistrust, 380–382
 - in chemical dependency agency, 367, 377–385
 - Communication Model, experiential family therapy, 207
 - distance and interagency communication, 386–387
 - double bind, 194
 - interagency communication, 385–388
 - interagency fantasy and rumor, 387
 - maintaining, 387–388
 - open communication, 377–378
 - with outside agencies, 385–388
 - and personal insensitivity, 378–379
 - privileged, 33–34
 - process of, 380
 - published works, credit for, 41
 - structures, 379–380
 - with supervisors, 382–383
 - unambiguous, 388
- Community Reinforcement and Family Therapy (CRAFT), 351–352
- Community Reinforcement Approach (CRA), 221, 348–350
- Community reinforcement training (CRT), 220
- The Community Mental Health Centers Act, 60
- “Comorbidity: Addiction and Other Mental Illnesses,” 262
- Competence of counselors, 34–36, 39
- The Comprehensive Alcohol Abuse and Alcoholism Prevention Treatment and Rehabilitation Act of 1970, 44, 61
- Concreteness, in counseling process, 93–94
- Confidentiality
 - chemical dependency agency counselor, 390–391
 - client’s records, 104
 - clients with AIDS, 48–49
 - ethical principle of, 33–34
 - group therapy, 155, 168–169
 - information client about, 84
 - legal aspects, 44–47
 - privacy in counseling, 33–34
 - records and data, 37
 - suicide threats, 50–51
- Conflict management, in family therapy, 206
- Confrontation
 - approaching person about alcohol problem, 99–100
 - client issues related to, 99–100
 - by counselor, 99–100
 - in group therapy, 144, 151, 155
- Congruence, counseling process, 89–90
- Conjunctive classification, meaning of, 115–116
- Consultation
 - counselor/other treatment providers, 86
 - ethics, 40–41
- Contemplation stage of chemical dependency, 113
- Contextual factors, 283
- Contingency Management (CM), 135, 350
- Contract/calendar intervention method, 222
- Controlled drinking
 - factors related to success of, 131
 - for harm reduction, 326
- Coping skills, and relapse prevention, 295
- Corey, G., 4–6
- Corrective recapitulation of group therapy, 149
- Co-therapist, group therapy, 170
- Council for Accreditation of Rehabilitation Facilities (CARF), 359
- Counseling process
 - client and community education, 107
 - clinical evaluation, 80–83
 - counseling vs. educating, 107
 - counselor skills, 74–87

420 Essentials of Chemical Dependency Counseling

- application to practice, 76–78
- case management/service
 - coordination, 85–87
- clinical evaluation, 80–83
- professional readiness, 78–80
- referral, 84–85
- treatment knowledge, 75–76
- treatment planning, 83–84
- understanding addiction, 74–75
- documentation, 103–105
- immediacy, 92–93
- individual counseling, 87–102
- personal approach to counseling, 102–103
- rapport in, 87–88
- supervision, 105–107
- treatment planning, 83–84
- unconditional positive regard, 91
- Counseling relationship, 26–32
 - client self-determination, 27
 - client welfare, 26–27
 - dual relationships, 27–31
 - group standards, 32
 - preventing harm, 32
- Counseling techniques
 - clarifying, 102
 - confronting, 99–100
 - history of, 344
 - interpreting, 101–102
 - listening, 95–97
 - questioning, 98
 - reflecting/restating, 97–98
 - self-disclosing, 100–101
- Counselor education/training
 - academic vs. craft training, 370–371
 - for chemical dependency counselors, 65–67
 - chemical dependency treatment programs, 52–53
 - continuing education, 36, 39
 - for counselor certification, 68
 - as group leader, 172
 - recovering vs. nonrecovering staff, 369, 370–371
 - supervision, 105–107
 - training vs. therapy, 30–31
- Counselor skills
 - addiction, understanding of, 74–75
 - application of knowledge to practice, 76–78
 - attentiveness, 90–91
 - case management, 85–87
 - concreteness, 93–94
 - congruence, 89–90
 - empathy in, 88–89
 - evaluating of, 157–161
 - genuineness, 89–90
 - personal approach, 102–103
 - professional readiness, 78–80
 - referral, 84–85
 - respect, 91–92
 - sense of humor, 16–17
 - treatment knowledge, 75–76
 - warmth, 94–95
- Counselors
 - advice giving vs. educating client, 17
 - at agencies. *See* Chemical dependency agency
 - anxieties of, 14
 - burnout. *See* Burnout
 - certified, 66
 - characteristics, 9, 355–357
 - competence of, 34–36, 39, 376
 - continuing education, 36, 39
 - countertransference, 16
 - crisis of competence, 376
 - educational presentations of, 107
 - effective counselors, characteristics of, 3–11
 - ethical standards of, 23–53
 - experience, value of, 4–6
 - fees of, 23, 27
 - goals of, 17
 - as group leaders, 154–161
 - and law, 43–47
 - licensed, 66–67
 - limitations, awareness of, 15–16
 - and perfectionism, 15
 - and personal experience with addiction, 2–3, 39–40
 - positive/negative traits, 6
 - private practice, cautions about, 35
 - recovering. *See* Recovering counselors
 - relapse issue, 39–40
 - research questions related to, 9
 - role in lack of response to treatment, 317–320
 - self-disclosure, 14–15
 - self-doubts about caregiver role, 376–377
 - skills. *See* Counselor skills
 - training. *See* Counselor education/training
 - treatment plan of, 7–8

- treatment settings for, 110–111
 - values of, 11–13
 - Countertransference
 - and client/counselor sexual contact, 28
 - between counselor and client, 16
 - defined, 16
 - dual relationships, 28
 - Court decisions, 44
 - CRA (Community Reinforcement Approach), 221, 348–350
 - CRAFT (Community Reinforcement and Family Therapy), 351–352
 - Craving
 - addictions and, 257
 - alcohol, 270
 - drugs to treat, 270–271
 - and relapse, 286, 299–300
 - Creativity, and resilient children, 218
 - Credentialing. *See also* Certification
 - licensure and certification levels, 65–66
 - organizations, 64
 - Criminal behavior, 252–253
 - counselors in prison system, 253
 - lifestyle of criminals, 253
 - Criminal law, meaning of, 44
 - CRT (community reinforcement training), 220
 - CSAT (Center for Substance Abuse Treatment), counselor skills, 74, 172–173
 - Culture. *See* Racial/cultural factors
 - Cybernetics, and family therapy, 176
- D**
- Damage Model, children of alcoholics, 216
 - DARN acronym, 346
 - Dating of counselors and clients, 389–390
 - Decision making, ethical, 42–43
 - Defenses, of addicts, 141
 - Deliberateness in alcoholic families, 214–215
 - Denial
 - addict use, in groups, 141
 - and confrontation by counselor, 99
 - defined, 118
 - example of, 116
 - and group therapy, 144
 - social implications of, 114
 - as stage of alcoholism, 118–119
 - of treatment-resistant patients, 311
 - Depade (naltrexone), 271
 - Dependence, defined, 120
 - Depression, causes of, 265
 - Detoxification, 315–316
 - Developmental model of recovery (DMR), 290–291
 - Developmental stages. *See* Age and developmental stage
 - Diagnosis. *See also* Assessment
 - assessing readiness to change, 112–114
 - binary diagnosis, 115
 - case examples, 125–132
 - chemical dependency behavior
 - classification and symptoms, 114
 - classifications for alcoholism, 121
 - as clinical process, 114–115
 - and conjunctive classification, 115–116
 - criteria for alcoholism diagnosis, 120–121
 - criteria for chemical dependency diagnosis, 122–123
 - definition of problem, 117–120
 - definitions related to addiction, 119–120
 - diagnostic levels, 120–121
 - disjunctive classification, 115–116
 - DSM criteria, 124–125
 - multivariate diagnosis, 115
 - multivariate syndromes, 116–117
 - primary alcoholism, 121
 - process, components of, 111–112
 - psychological testing, 120
 - reactive alcoholism, 121
 - secondary alcoholism, 121
 - as social process, 114
 - in structural family therapy, 191
 - treatment settings, 110–111
 - Diagnostic and Statistical Manual of Mental Disorders (DSM)*
 - counselor understanding diagnostic criteria, 76
 - depression, causes of, 265
 - diagnosis, and insurance reimbursement, 408
 - eating disorders, 257
 - Gambling Disorder, 257
 - substance abuse criteria, 125
 - substance dependence criteria, 124–125
 - substance intoxication criteria, 125
 - substance use disorder, DSM-5
 - definition, 20
 - substance withdrawal criteria, 125
 - Differential treatment plans, 409
 - Differentiation, in family therapy, 177, 206

422 Essentials of Chemical Dependency Counseling

- Disclosure of client information, 45–46
 - Discrimination, nondiscrimination and treatment, 38–39
 - Disease model
 - Alcoholics Anonymous use of, 290
 - esoteric belief, 284
 - family therapy and, 199
 - Minnesota Model, 283
 - paradox of control, 283
 - pros/cons of, 283–284
 - relapse prevention, 283–284
 - The Disease Concept of Alcoholism* (Jellinek), 60
 - Diseases
 - diversity and, 251–252
 - HIV/AIDS. *See* HIV/AIDS
 - infections after surgery, 343
 - International Classifications of Diseases* (ICD), 76
 - and reluctant-to-change persons, 317
 - and risk of substance abuse, 251–252
 - testing for, during treatment programs, 317
 - Disengaged family, 182, 183–184, 204
 - Disjunctive classification, meaning of, 115–116
 - Distal risks, 288
 - Disulfiram (Antabuse), 59, 135, 221, 222, 270
 - Diversity. *See also* Gender and sexual functioning; Racial/cultural factors
 - age/developmental stage, 231–235
 - counselor understanding of, 78, 231
 - criminal behavior, 252–253
 - drugs of choice, 257
 - emotional stress, 253–257
 - employment issues, 247
 - family history, 235–240
 - and group therapy, 161–162
 - individual, 229
 - medical problems, 251–252
 - mental health issues, 245–246
 - racial/cultural identity, 248–249
 - religious affiliation, 12, 239, 250–251
 - and self-help group participation, 161–162
 - sexual history, 242–243
 - sexual orientation, 12, 249–250
 - traumatic experience, 256
 - Divorce, posttreatment rate, 12–13
 - DMR (developmental model of recovery), 290–291
 - Documentation
 - accuracy and completeness, 104–105
 - client's knowledge of record contents, 104
 - confidentiality, 104
 - defined, 103
 - functions of, 104
 - purpose of, 104
 - types of records for, 104
 - Double bind, defined, 194
 - Drinking occasions, 328
 - Driver mutations, 124, 264
 - Driving, and harm reduction, 325
 - Drug Abuse Office and Treatment Act of 1972, 44
 - Drug Courts, 316–317
 - Drugs. *See also* Psychopharmacology
 - of choice, and treatment planning, 257
 - pain management, 270
 - psychotropic, 246
 - therapist/client relationship and, 13
 - War on Drugs, 252
 - Drunk-a-log, 232–233
 - Dry drunk, defined, 308
 - DSM. *See* *Diagnostic and Statistical Manual of Mental Disorders* (DSM)
 - Dual diagnosis
 - complexity of, 245–246, 315
 - treatment principles, 315
 - Dual relationships, 27–31
 - avoidance of, 29
 - counselor self-esteem, 28
 - effects of, 28
 - exploitation of patients, 31
 - with family, friends, or associates, 30
 - gifts from clients, 30
 - Googling of clients, 31
 - hugging, 29–30
 - recovering counselors and clients, 28–29
 - sexual contact, 28
 - social media “friending,” 31
 - training vs. therapy, 30–31
 - Duty to warn, 47–48
 - Dynamic Model of Relapse, 283
- ## E
- Eating disorders, 257
 - EBT. *See* Evidence-based therapy (EBT)
 - Education. *See* Counselor education/training
 - Educational evaluation, 82

- Educational groups, elements of, 144–145
 - Elderly, prescription drug abuse, 232
 - Emotional climate, 7
 - Emotional involvement with clients, 367–368
 - Emotional symptoms of chemical dependency, 122
 - Emotions
 - anger, 254
 - counselor emotional involvement with clients, 367–368
 - emotional stress, 253–257
 - modeling behavior vs. emotional catharsis, 371
 - negative emotions and relapse, 284–285, 298
 - negative emotions of addicts, 253–257
 - positive emotions and relapse, 299
 - traumatic experience, 256
 - Empathy
 - barriers to, 89
 - client/counselor, 88–89
 - and group therapy, 150–151
 - Employment
 - mental health and, 246–248
 - risk factors for substance abuse, 247
 - Empowerment, and group therapy, 151
 - Empty chair technique, 254
 - English Common Law, 43–44
 - Enmeshed family, 182, 183
 - Equifinality, 176
 - Erikson, Milton, 194
 - Esoteric belief, defined, 284
 - Ethical standards
 - certification, 25
 - chemical dependence agency counselor, 388–391
 - of counselors, 23–53
 - decision making, 42–43
 - defined, 24
 - and group therapy, 168–170
 - NAADAC code of ethics, 25
 - NAADAC standards, 26–42
 - professional responsibility, 36–37
 - propriety in client-counselor relationship, 389–391
 - resolving issues, 41, 391
 - unethical behavior in an agency, 389
 - violations of, 23–24
 - Evaluation of client data, 32–33
 - Evidence-based therapy (EBT)
 - aftercare, 358
 - brief interventions, 347
 - cognitive behavioral therapy, 348
 - Community Reinforcement Approach, 348–350
 - Contingency Management, 350
 - duration and amount of treatment, 357–359
 - effectiveness of treatment modalities, 352–353
 - family therapy, 350–352
 - history of, 343–344
 - levels, 354
 - matching patients to effective treatments, 353–355
 - Matrix Model, 352, 353, 359
 - Motivational Enhancement Therapy, 347, 355
 - Motivational Interviewing, 345–347
 - popularity of use, 344
 - resistance to, 344–345
 - success of treatment, 358
 - therapist characteristics, 355–357
 - treatment settings, 359–361
 - 12 step treatment approaches, 352
 - Existential factors, of group therapy, 149–150
 - Expectancy, 300
 - Experience hours for counselor certification, 69
 - Experiential family therapy, 207–209
 - family roles in, 208
 - family sculpting method, 208
 - roots of, 207
 - Satir's approach, 207–208
 - symbolic-experiential family therapy, 208–209
 - Whitaker's approach, 208–209
 - Experimentation, and group therapy, 151
 - Exploitation of patients, 31
 - Extended care-stabilization, defined, 276
 - Extramarital sex, and therapist/client relationship, 12–13
 - Extrinsic motivation, 134
 - Eye contact, 90
- F**
- Familial alcoholism
 - adaptive consequences theory, 215–216
 - and family rituals, 213–214
 - genetic factors, 216, 238–239
 - intergenerational transmission, 213–216
 - reduction in risk of, 213–216

424 Essentials of Chemical Dependency Counseling

- supportive other, effects of, 215
 - symptoms, 188–189
 - Family
 - alcoholic family system, 209–213
 - alcoholism. *See* Familial alcoholism
 - alliances/coalitions, 185–187, 194
 - and birth order, 179
 - boundaries in, 182–184, 190
 - category one/two families, 211
 - challenging assumptions, 192
 - circular causality in, 176
 - dependent vs. non-dependent families, 212
 - disengaged family, 182, 183–184
 - drug education, 193
 - enmeshed family, 182, 183
 - familial alcoholism. *See* Familial alcoholism
 - family environment studies, 209, 212
 - family reactivity patterns, 210
 - family-of-origin. *See* Family-of-origin
 - genogram, 82
 - history, 235–240
 - homeostasis, 178, 187
 - maintenance of drinking behavior, 211
 - multifamily groups, 145
 - multigenerational transmission process, 177
 - nuclear family, 236, 240
 - projection process, 201
 - and relapse, 212
 - resilient children of alcoholics, 216–219
 - rituals in, 213–214
 - roles in, 179–181, 201–202, 208
 - rules in, 181–182
 - sculpting method, 208
 - subsystems in, 182, 190
 - symptom development, 204
 - symptom expression in, 188
 - therapy. *See* Family therapy
 - treatment effects, 178, 204, 206–207, 240
 - triangulation in, 188
 - values in, 184–185
 - Family therapy
 - and abstinence, 211
 - Behavioral Couple Therapy, 350–351
 - Brief Strategic Family Therapy, 351, 353
 - Community Reinforcement and Family Therapy, 351–352
 - community reinforcement approach, 221, 348–350
 - community reinforcement training, 220
 - couples treatment models, 222
 - evaluation of, 219–222
 - experiential family therapy, 207–209
 - Family Systems Therapy, 194
 - intergenerational family therapy, 200–207
 - intervention model, 219
 - Multidimensional Family Therapy, 351
 - roots of, 176–177
 - Strategic Family Therapy, 194–200
 - Structural Family Therapy, 189–193
 - unilateral family therapy, 219–220
 - Family-of-origin. *See also* Familial alcoholism
 - adult relationship to, 185–187
 - development of individuals and, 236
 - Family-of-Origin Scale, 216
 - members of, 236
 - sociological/psychological risk factors, 239–240
 - therapy, 200–201
 - Feedback
 - counselor performance, 399–400
 - and group therapy, 151
 - negative and positive feedback loops, 176
 - Fee-for-service arrangement, 51
 - Fees, counselor, ethical principle, 23, 27
 - Focal group, 144
 - Framo, James, 200, 204
 - Freud's theory, developmental stages, 233
 - Full listening, 96
- ## G
- Gambling Disorder, 257
 - Gender and sexual functioning, 240–245
 - physiological and psychological sexual dysfunction, 243–244
 - self-image, 241
 - sex as a source of guilt, 241–242
 - sex therapists, referral to, 244–245
 - sexual history, 242–243
 - women vs. men, 241
 - General Systems Theory, and family therapy, 176
 - Generalization, by client, 95, 97, 157, 160
 - Genetics
 - familial alcoholism, 216, 238
 - family history and, 235–240
 - identifying family factors of chemical dependency, 236–237

- predisposition to alcoholism, 238–239
 - substance use and, 123, 200, 216
 - Genital stage, 233
 - Genogram
 - example of, 205
 - family, 82
 - purpose of, 204
 - Genuineness, of counselor, 89–90, 95
 - Gestalt therapy, 93
 - Gifts from clients, ethical issues of, 30
 - Glasser, William, 246–247
 - Global self-control strategies, relapse prevention, 287–289
 - Goals
 - agency, 406
 - ambiguous agency goals and objectives, 397
 - of chemical dependency counselor, 17
 - drug treatment programs, 135–136
 - group therapy, 153–154
 - treatment goals, 132–133
 - work goals, modifying, 391–392
 - Googling of clients, 31
 - Gordon, J. R., 283–287
 - Gorski's Developmental Model of Recovery, 283, 289–292. *See also* CENAPS Model of Relapse Prevention
 - Grogoire, Ken, 278
 - Group leader, 154–161
 - co-therapist, 170
 - goals/objectives for, 154
 - group member as individual client, 171
 - leading group, guidelines for, 154–156
 - rating group counseling skills, 159–161, 169–170
 - self-rating scale, 157–158
 - skills of, 156–157, 172–173
 - training of, 172
 - Group therapy
 - advantages of, 142
 - aftercare groups, 146
 - behavioral approach, 146–147
 - curative factors related to, 147–150
 - educational groups, 144–145
 - ethical issues, 168–170
 - exclusions from group, 161–162
 - failures of, 152–153
 - focal group, 144
 - goals/objectives for members, 153–154
 - group learning, forms of, 152
 - group members, selection of, 161–163, 170–173
 - homogeneous vs. heterogeneous group mix, 162–163, 171
 - hot seat therapy, 99, 144
 - and individual needs, 141–142
 - limitations of, 142–143
 - multifamily groups, 145
 - multiple groups, member participation in, 171–172
 - open vs. closed group, 170–171
 - process
 - ending group, 167–168
 - initial stage, 164–165
 - transition stage, 165–166
 - working stage, 166–167
 - questions related to, 140
 - self-help groups, 145–146
 - standards, 32
 - value for addicts, 140–141
 - Guilt
 - and drug/alcohol use, 239
 - and sex, 241–242
- ## H
- Habituation, defined, 120
 - Haley, Jay, 194, 195–199, 207
 - Harm prevention, 32
 - Harm reduction
 - and AIDS, 324
 - Alcohol Skills Training Program, 323, 331–339
 - applicability, 325
 - controlled drinking, 326
 - and driving, 325
 - housing first, 327
 - interventions reducing consequences of intoxication, 325–326
 - low alcohol content beverages, 326
 - as preventive approach, 327–328
 - SBIRT, 327
 - Server Training Program, 323, 329–331
 - uniting with traditional treatment, 338–339
 - The Harrison Tax Act, 59
 - Health Insurance Portability and Accountability Act (HIPAA), 46–47
 - Heroin treatment, methadone, 61
 - HIPAA (Health Insurance Portability and Accountability Act), 46–47
 - Hippocrates, 32

426 Essentials of Chemical Dependency Counseling

History

- of client, 81–83
- life-history graph, 81
- substance abuse counseling profession, 58–61

HIV/AIDS

- client and community education, 107
- client confidentiality, 48–49
- counselor training for clients with, 67
- counselor's knowledge of client's medical problems, 251
- diagnosis, 112
- diversity and, 230
- harm reduction and, 324
- marijuana as treatment for, 318
- right to die, 13
- sexual history of clients, 243
- substance abuse related to, 251
- treatment plan including HIV/AIDS, 317

Holistic approach, (Centerpointe, Lincoln Lancaster Drug Projects), 279–280

Homeostasis, family, 178, 187

Homogeneous vs. heterogeneous group therapy, 162–163, 171

Homosexual lifestyle, and therapist/client relationship, 12

Honeymoon period, at chemical dependency agency, 374–375

Hope, and group therapy, 147–148, 150

Hot seat method, group therapy, 99, 144

Housing for homeless persons during treatment, 327

Hugging as therapeutic tool, 29–30

Humor. *See* Sense of humor

I

ICD (*International Classifications of Diseases*), 76

ICT (interactional couples therapy), 222

Imitation of behavior, and group therapy, 149

Immediacy, in counseling process, 92–93

Incest, and sexual guilt, 241–242

Independence, and resilient children, 217

Independence Center program, 278–279, 280

Individual counseling, 87–102

- attentiveness, 90–91
- concreteness, 93–94
- counselor skills, 95–102
- empathy, 88–89

genuineness (congruence), 89–90

immediacy, 92–93

rapport, 87–88

respect, 91–92

warmth, 94–95

Individual differences. *See* Diversity

Infections. *See* Diseases

Information dissemination, and group therapy, 148

Initial stage, group therapy, 164–165

Initiative, and resilient children, 217–218

Inpatient vs. outpatient treatment, 10, 111, 354

Insensitivity, 378–379

Insight, and resilient children, 217

Institute of Medicine

aftercare, 276

agency personnel, 407–408

relapse prevention, 276

Insurance reimbursement, 60, 408

Integration, and relapse prevention, 293–294

Intellectualization, by client, 94

Interaction, in structural family therapy, 191

Interactional couples therapy (ICT), 222

Intergenerational factors. *See* Familial alcoholism

Intergenerational family therapy, 200–207

alcoholism, continuum of behaviors, 204

family projection process, 201, 202

family-of-origin therapy, 200–201

genogram in, 204, 205

multigenerational transmission, 201

roots of, 200

scale of differentiation in, 201, 202

stages in process, 204, 206–207

International Classifications of Diseases (ICD), 76

Internet, 31, 85. *See also* Websites

Interpersonal conflict, and relapse, 285, 298

Interpersonal continuity, 7

Interpersonal negative emotions, 298

Interpersonal skills, and group therapy, 149

Interpretation

of client data, 32–33

of counselor, 101–102

issues related to, 102

Interprofessional relationships, 37–38

Intervention model, family therapy, 219

Intimacy, in family therapy, 206–207
Intoxication, signs of, 329–331
Intrapersonal negative emotions, 298
Intrinsic motivation, 134
Intuitive listening, 96–97
Inventory training, 295, 296
Irish Catholics, 239
Irrelevant role, 208

J

Jackson, Don, 194, 207
JCAHO (Joint Commission on Accreditation of Healthcare Organizations), 277, 359–360
Job selection, 400–407
 job interview, 405–407
 personality types in agencies, 403–405
 potential employer information needed, 401–402
Joining, in structural family therapy, 191
Joint Commission on Accreditation of Healthcare Organizations (JCAHO), 277, 359–360

K

Kaufman, E., 210–211

L

Latency stage, 233
Law
 administrative, 44
 case law, 44
 child abuse reporting, 49–50
 civil law, 44
 confidentiality, 44–47
 criminal, 44
 duty to warn, 47–48
 English Common Law, 43–44
 governing chemical dependency counseling practice, 43–47
 malpractice suits, 51–52
 regulatory, 44
 statutory, 44
 types of laws, 43–44
Liability
 civil, 51
 professional, 51–52
 tort liability, 51–52
Licensure
 certification vs., 63–64
 levels of credentialing, 65–66
 licensed counselor, 66–67

Life problems, in definition of chemical dependency, 117–118
Life-history graph, 81
Lifestyle, and therapist/client relationship, 12
Lincoln Lancaster Drug Projects (Centerpointe), 279–280
Listening, 95–97
 active listening, 95, 157, 160
 components of, 95
 full listening, 96
 and group therapy, 155
 intuitive listening, 96–97
 and nonverbal behaviors, 95–96

M

Maintenance
 of communication, 387–388
 of drinking behavior, 211
 extended care and, 276
 life outside the agency, 395
 of reasonable caseload, 397
 for relapse prevention, 296
 stage of chemical dependency, 113–114
Male sexual dysfunctions, 244
Malpractice suits
 prevention of, 52
 professional liability, 51–52
MAOIs (monoamine oxidase inhibitors), 267
Marital therapy, couples treatment models, 222
Marlatt, G. A., 283–287
Marlatt's Relapse Prevention model, 283
MAST (Michigan Alcoholism Screening Test), 120, 216
Matrix Model, 352, 353, 359
McAndrews Alcoholism Scale, 120
MDFIT (Multidimensional Family Therapy), 351
Medical problems and drug abuse, 251–252
Medication. *See also* Psychopharmacology
 advice-giving by counselor, 35–36
 as element of treatment, 314
 prescription drug abuse, 232
 psychotropic drugs, 246
Mental health
 addictions counselors working with other mental health professionals, 372
 assessment of status, 82
 chemical dependency symptoms, 122
 dual diagnosis, 245–246, 315

428 Essentials of Chemical Dependency Counseling

and personality, 245–246
psychological testing, 120
psychotropic drugs for, 246
Mental Research Institute (MRI), 194, 207
MET (Motivational Enhancement Therapy), 347, 355
Methadone treatment, 7–8, 61, 271
MI. *See* Motivational Interviewing (MI)
Michigan Alcoholism Screening Test (MAST), 120, 216
Minnesota Model
and aftercare, 277
disease model, 283
individualized treatment, 411
Minnesota Multiphasic Personality Inventory (MMPI), 120
Minuchin, Salvador, 189–192, 194
Mistrust and communication breakdown, 380–382
Misuse, use of the term, 119
MMPI (Minnesota Multiphasic Personality Inventory), 120
Modeling behavior vs. emotional catharsis, 371
Monoamine oxidase inhibitors (MAOIs), 267
Mood stabilizers, 268–269
Moos Family Environment Scale, 212
Morality, and resilient children, 218
Motivation of client, 134–135
counselor interventions for, 134–135
in group therapy, 162
techniques, 134–135
Motivation of recovering vs. nonrecovering staff, 368–369
Motivational Enhancement Therapy (MET), 347, 355
Motivational Interviewing (MI)
Alcohol Skills Training Program, 333–334
DARN acronym, 346
effectiveness of, 352–353
OARS acronym, 346
REDS acronym, 346
RULE acronym, 347
trans theoretical model of change, 345–346
MRI (Mental Research Institute), 194, 207
Multicausal approach to substance abuse, 409

Multidimensional Family Therapy (MDFT), 351
Multifamily groups, elements of, 145
Multigenerational transmission, 177, 201.
See also Familial alcoholism
Multivariate diagnosis, meaning of, 115
Multivariate syndromes, 116–117

N

NAADAC. *See* National Association of Alcoholism and Drug Abuse Counselors (NAADAC)
Naltrexone (Depade, Revia), 270, 271
National Academy of Sciences, precision medicine, 264
National Association of Alcoholism and Drug Abuse Counselors (NAADAC)
code of ethics, 25
communication and published works, 41
confidentiality/privileged
communication and privacy, 33–34
counseling relationship, 26–32
ethical standards, 26–42
evaluation, assessment, and interpretation of client data, 32–33
overview, 25
policy and political involvement, 41–42
professional responsibility, 34–38
resolving ethical issues, 41
supervision and consultation, 40–41
working in a culturally diverse world, 38–39
workplace standards, 39–40
National Council on Alcohol, 372
National Council on Alcoholism, 120
National Council on Alcoholism and Drug Dependence, 59
National Institute of Health (NIH), 308, 360
National Institute of Mental Health (NIMH)
diagnosis of chemical dependency, 124
establishment of NIAAAA, 61
research, future of, 264
Research Domain Criteria project, 124, 264
National Institute on Alcohol Abuse and Alcoholism (NIAAAA), 61
National Institute on Drug Abuse (NIDA)
“Comorbidity: Addiction and Other Mental Illnesses,” 262

- principles of effective treatment, 308–317
 - treatment goals, 132
 - National Mental Health Act, 59
 - National Registry of Evidence-Based Programs and Practices (NREPP), 350–352
 - Native Americans, 239
 - Negative affect, 298
 - Negative feedback loops, 176
 - Negotiation, in family therapy, 206
 - Neuroleptics, 269
 - NIAAA (National Institute on Alcohol Abuse and Alcoholism), 61
 - Nicotine addiction, drugs for treatment of, 271
 - Nicotine replacement products, 271
 - NIDA. *See* National Institute on Drug Abuse (NIDA)
 - NIH (National Institute of Health), 308, 360
 - NIMH. *See* National Institute of Mental Health (NIMH)
 - Nonverbal behavior
 - counselor observation of, 95–96
 - and double bind, 194
 - NREPP (National Registry of Evidence-Based Programs and Practices), 350–352
 - Nuclear family
 - members of, 236
 - treatment as unit, 240
- O**
- OARS acronym, 346
 - Olson's Circumplex Model, 211–212
 - Opiate treatment, methadone, 61
 - Opioid addiction, drugs for treatment of, 271
 - Oral stage, 233
 - Orientation period for new counselors, 405
 - Outcome expectancies, 300
 - Oxidation, rate of, 335
- P**
- PACT (Project for Addiction Counselor Training Program), 74
 - Pain management drugs, 270
 - Paradoxical technique, Strategic Family Therapy, 195
 - Patient Protection and Affordable Care Act, impact on counseling profession, 70–71
 - Patterned behavior, 213
 - Perfectionism, and chemical dependency counselor, 15
 - Personal control and relapse, 299
 - Personal insensitivity and agency communication, 378–379
 - Personality
 - addictive personality, 246
 - defined, 246
 - mental health and, 245–246
 - Person-centered counseling, 93
 - Phallic stage, 233
 - Phasic responses, 288
 - Physical contact, client/counselor, 29–30
 - Physical examination, 82
 - Physical illness. *See* Diseases
 - Physical signs of chemical dependency, 122
 - Physical state, negative, and relapse, 298
 - Placater role, 208
 - Policy, social, 41–42
 - Political involvement, 41–42
 - Portability of counseling practice, 69, 70
 - Positive feedback loops, 176
 - Precision medicine, 124, 264
 - Precontemplation stage of chemical dependency, 112–113
 - Pregnancy, drug abuse reporting by counselor, 50
 - Preparation stage of chemical dependency, 113
 - Prescription drug abuse, elderly, 232
 - Prescriptions. *See* Psychopharmacology
 - Primary alcoholism, meaning of, 121
 - Primary care, defined, 275–276
 - Principles of Drug Addiction Treatment*, 360
 - Privacy in counseling, 33–34
 - Privileged communication, 33–34
 - Probation, and counseling process, 36
 - Profession, substance abuse counseling
 - advantages of, 61–63
 - Affordable Care Act, impact on, 70–71
 - application to be a certified/licensed counselor, 68–69
 - future of licensure and certification, 70–71
 - history of, 58–61
 - licensure portability and reciprocity, 70
 - licensure vs. certification, 63–64
 - reasons for, 62–63
 - timeline of historical forces, 59–61
 - training requirements, 65–67
 - uniqueness of, 71

430 Essentials of Chemical Dependency Counseling

- Professional body, defined, 61–62
- Professional responsibility, 34–38
 - counselor attributes, 34–36
 - interprofessional relationships, 37–38
 - legal and ethical standards, 36–37
 - records and data, 37
- Prognosis, statistics related to, 118
- Programmed relapse, 287
- Project for Addiction Counselor Training Program (PACT), 74
- Project MATCH, 354
- Projection, family projection process, 201
- Psychoactive drugs. *See* Medication
- Psychological risk, and group therapy, 169
- Psychological testing, types of tests, 82, 120
- Psychopharmacology, 261–271. *See also* Drugs
 - for addiction treatment, 270–271
 - antidepressants, 265–267
 - anti-psychotics, 269–270
 - anxiolytics (anti-anxiety), 267–268
 - counselor knowledge required, 262–264
 - counselor understanding of, 261
 - increase in use of, 263
 - mood stabilizers, 268–269
 - pain management, 270
 - prevalence of drug use, 262
 - psychostimulants, 269
 - psychotropic drugs, 246
 - research, future of, 264
 - who can prescribe, 264–265
- Psychostimulants, 269
- Public policy, 41–42
- Published materials, written credit to author, 41
- Purdue Brief Therapy Model, 192–193
- Q**
- Questions
 - by counselor, 98
 - in group therapy, 155
 - unanswered, 300
- R**
- Racial/cultural factors. *See also* Diversity
 - counselor understanding of, 248
 - diversity and counseling, 38–39
 - effects on behavior, 248
 - groups with high rates, 239
 - sociopolitical environment, 248–249
 - unique issues, 248
 - values, and therapist/client relationship, 13
- Rapport, client/counselor, 87–88
- Rating scale for group counselors, 159–161
- Rational-emotive therapy, 100
- Rationalization, 141
- Reactive alcoholism, meaning of, 121
- Reality shock, 392
- Reasons for becoming a counselor, 1–2
- Reciprocity of counseling practice, 69, 70
- Recorded therapy sessions, informing clients about, 27
- Records and data, confidentiality of, 37
- Recovering counselors
 - as AA members, 52–53
 - avoiding blurred boundaries, 16
 - conflict between recovering and nonrecovering staff, 368–372
 - academic vs. craft training, 370–371
 - attitudes toward alcoholism, 370
 - cliques, 369–370
 - educational differential, 369
 - modeling behavior vs. emotional catharsis, 371
 - new counselors, 372
 - other mental health professionals, 372
 - staff motivation, 368–369
 - dual relationships with clients, 27–28
- Recovery, unfulfilling, 231
- REDS acronym, 346
- Referral
 - defined, 84
 - process, steps in, 84–85
 - SBIRT, 327, 412
 - to sex therapists, 244–245
- Reflecting/restating, of counselor, 97–98
- Regression, elements of, 246
- Regulatory law, meaning of, 44
- Rehabilitation, defined, 276
- Relapse
 - of chemical dependency counselors, 39–40
 - craving, 286, 299–300
 - family and, 212
 - interpersonal conflict, 285, 298
 - negative emotional states, 284–285, 298
 - negative physical state, 298
 - positive emotional state, 299
 - prevention. *See* Relapse prevention
 - social pressure, 285, 299
- Relapse prevention, 283–303

- biopsychosocial model, 283–287
- CENAPS Model of Relapse Prevention, 283, 289–292
- change inventory, 295
- and client understanding, 294
- cognitive-behavioral model, 287–289
- coping skills, 295
- defined, 277
- developmental model of recovery, 290–291
- Gorski's Model of Relapse Prevention, 283, 289–292
- integration and, 293–294
- relapsing/nonrelapsing addicts, characteristics of, 301–303
- research on, 297–301
- self-efficacy, 284, 301–303
- self-knowledge, 294–295
- self-regulation, 293
- significant others and, 296
- stabilization, 293
- updating plan, 296–297
- warning signs, 294–295
- Relationships, and resilient children, 217
- Religious beliefs
 - and substance abuse, 239, 250–251
 - and therapist/client relationship, 12
- Reluctant-to-change persons. *See also* Harm reduction
 - counselor's role, 317–320
 - dos/don'ts of treatment, 319–320
 - and drug testing, 316–317
 - and physical illness, 317
- Rescue side of the circle, 2–3
- Research Domain Criteria project
 - diagnosis of chemical dependency, 124
 - future research, 264
- Resilient children of alcoholics, 216–219
 - Challenge Model, 216
 - resiliency, types of, 217–218
- Resolution of the past, in family therapy, 206
- Respect, of counselor toward client, 91–92
- Revenge side of the circle, 3
- Revia (naltrexone), 270, 271
- Right to die, and therapist/client relationship, 13
- Risk, and group therapy, 150
- Risk factors for chemical dependency, 122
- Rituals, alcoholic family, 213–214
- Rogers, Carl, 4, 89, 97–98
- Roles
 - in alcoholic family, 179–181, 201–202, 208
 - family members, 179–181
- RULE acronym, 347
- Rules, in alcoholic family, 181–484
- S**
- SAMHSA. *See* Substance Abuse and Mental Health Services Administration (SAMHSA)
- Satir, Virginia, 179–180, 207–208
- SBIRT (Screening, Brief Intervention, and Referral to Treatment), 327, 412
- Scale of differentiation, 201, 202
- Screening, 80–81
 - defined, 80
 - interview, scope of, 80
 - life-history graph, 81
- Screening, Brief Intervention, and Referral to Treatment (SBIRT), 327, 412
- Secondary alcoholism, meaning of, 121
- Selective Serotonin Reuptake Inhibitors (SSRIs), 266
- Self-control training, 348
- Self-defeating thoughts, of clients, 100
- Self-determination of client, in the counseling relationship, 27
- Self-differentiation, Bowen scale, 202–203
- Self-disclosure
 - chemical dependency counselor, 14–15
 - as counseling method, 100–101
 - and group therapy, 152
 - types of disclosures, 101
- Self-efficacy
 - in Alcohol Skills Training Program, 334–335
 - defined, 284, 301, 334
 - efficacy-enhancing methods, 285, 286
 - and relapse prevention, 284, 301–303
 - and self-perception theory, 301–302
- Self-esteem of counselors in dual relationships, 28
- Self-help groups
 - counselor as sponsor, 29
 - effectiveness issue, 145
 - elements of, 145–146
 - multiple groups, member participation in, 171–172
 - as surrogate family, 237–238
- Self-image
 - adolescents, 235

432 Essentials of Chemical Dependency Counseling

- children, 236
- employment and, 247
- and family, 236
- family-based risk factors, 240
- racial and cultural identity, 248
- religion and, 251
- sexuality and, 241, 243, 244
- Self-investors, in chemical dependency agency, 404–405
- Self-knowledge
 - of counselors, 3, 93
 - and relapse prevention, 294–295
- Self-rating scale for counselor skills, 157–158
- Self-regulation, and relapse prevention, 293
- Self-talk, relapse prevention, 295
- Sense of humor
 - chemical dependency counselor, 16–17
 - and group therapy, 152
 - and resilient child, 218
- Serotonin and Norepinephrine Reuptake Inhibitors (SNRIs), 266
- Server Training Program
 - for harm avoidance, 323
 - intoxication, signs of, 329–331
 - purpose of, 329, 331
- Sexual contact
 - client/counselor, 28, 389–390
 - dual relationships, 28
 - reasons for incidence of, 28
 - therapist/client relationships, 12–13
- Sexual dysfunction
 - addiction and, 257
 - and chemical dependency, 206–207
 - female dysfunctions, 243–244
 - male dysfunctions, 244
 - physiological and psychological, 243–244
 - sex therapy, 244–245
- Sexual functioning and gender, 240–245
- Sexual history
 - counselor approach to, 242–243
 - gender differences, 241
 - incest, 241–242
 - sex and guilt, 241–242
 - sexual abuse, 241
- Sexual orientation, 12, 249–250
- The Smith-Hughes Act, 59
- SNRIs (Serotonin and Norepinephrine Reuptake Inhibitors), 266
- Social activists, in chemical dependency agency, 403
- Social interaction, 7
- Social media, “friending” of therapists and clients, 31
- Social obligations, of counselor, 41–42
- Social policy, 41–42
- Social pressure, and relapse, 285, 299
- Social process, diagnosis as, 114
- Social skills training, 348
- Social symptoms of chemical dependency, 122
- Socialization, and group therapy, 149
- Socioeconomic factors, assessment, 82
- Socratic method of alcohol education, 335
- Spiritual signs of chemical dependency, 122–123
- Sponsor for treatment program, counselor as, 29
- SSRIs (Selective Serotonin Reuptake Inhibitors), 266
- Stabilization, and relapse prevention, 293
- Statutory law, meaning of, 44
- Staying Sober: A Guide for Relapse Prevention* (Gorski and Miller), 289
- Steinglass, P., 211
- Stimulant abuse, Matrix Model for, 352
- Strategic Family Therapy, 194–200
 - double bind, meaning of, 194
 - goals of, 194–195, 199
 - paradoxical technique, 195
 - roots of, 194
 - steps in process, 195–200
 - techniques of, 195
- Stress
 - experienced in families, 190
 - management of, 107, 286, 348
 - relapse and, 298–299
 - stress management training, 348
- Structural Family Therapy, 189–193
 - effectiveness of, 193
 - family stress, expression of, 190
 - family structure in, 190
 - goals of, 190
 - roots of, 189
 - steps in process, 191–192
 - treatment outcome, 192–193
- Suboxone (buprenorphine), 271
- Substance Abuse and Mental Health Services Administration (SAMHSA)
 - chemical dependency counselor skills website, 74

- National Registry of Evidence-Based Programs and Practices, 345, 350–352
 - Substance abuse, DSM criteria, 125
 - Substance dependence, DSM criteria, 124–125
 - Substance intoxication, DSM criteria, 125
 - Substance use disorders
 - current understanding of, 123–124
 - defined, 123
 - DSM description of, 125
 - DSM-5 definition, 20
 - precision medicine, 124
 - Substance withdrawal, DSM criteria, 125
 - Subsystems, in family, 182, 190
 - Subutex (buprenorphine), 271
 - Suicide threats, counselor disclosure of, 50–51
 - Superresponsible role, 208
 - Supervision, 105–107
 - apprenticeship model, 105–106
 - areas to be supervised, 105–106
 - chemical dependency agency communication, 382–383
 - for counselor certification, 68
 - ethics, 40–41
 - new counselors, 383
 - supervisor approaches, 105–107
 - Supportive others, 215
 - Surgery, history of, 343–344
 - Survival, defined, 366
 - Symbolic-Experiential Family Therapy, 208–209
 - Synanon approach to counseling, 7
- T**
- TAP 21, 74
 - Tarasoff v. Board of Regents of the University of California*, 47
 - Task Force on the Characteristics of Effective Addiction Counselors, 8–9
 - Technical Assistance Publication #21 (TAP 21), 74
 - Therapeutic movement, 234
 - Therapist. *See* Counselors
 - Therapy of the absurd, 209
 - Therapy vs. training, 30–31
 - TIPS (Training in Parenting Skills) Program, 193
 - Tort liability, malpractice suits, 51–52
 - Training in Parenting Skills (TIPS) Program, 193
 - Training of counselor. *See* Counselor education/training
 - Training vs. therapy, 30–31
 - Transactional analysis, 233
 - Transdisciplinary Foundations, 74
 - Transition stage, group therapy, 165–166
 - Transtheoretical Model of Change, 112–113
 - Traumatic experience
 - emotional stress and, 256
 - example of, 256
 - war veterans, 256
 - Treadway, David, 204, 206–207
 - Treating Addiction* (Miller, Forchimes, and Zweben), 297
 - Treatment. *See also* Family therapy; Relapse prevention
 - addiction affects brain function and behavior, 308–309
 - assessment and modification, 315
 - availability of program, 311–312
 - behavioral therapies, 313–314
 - brief therapy is not effective, 313
 - counseling, importance of, 314
 - counselor knowledge, 75–76
 - detoxification, 315–316
 - differential treatment plans, 409
 - drug use during, 316–317
 - drugs used for, 270–271
 - of dual diagnosis clients, 315
 - evidence-based therapy. *See* Evidence-based therapy (EBT)
 - and individual differences, 309–311
 - involuntary, 316
 - and medication, 314
 - methadone, 7–8, 61, 271
 - multi-issue approach of, 312–313
 - multiple episodes of, 317
 - resistance to. *See* Reluctant-to-change persons
 - settings, 359–361
 - settings for, 110–111
 - Treatment planning, 83–84
 - creating plan, 84
 - defined, 83
 - and drugs of choice, 257
 - flexibility of, 84
 - implementation of plan, 85–86
 - importance of, 7–8
 - treatment goals, 132–133
 - Trephination, 343

434 Essentials of Chemical Dependency Counseling

Triangulation, in family, 188

Tricyclics, 266–267

Trust

and group therapy, 150, 155

mistrust and communication,
380–382

“2009 National Survey on Drug Use and
Health: Mental Health Findings,” 262

U

UFT (unilateral family therapy), 219–220

Unanswered questions, 300

Unbalancing, in structural family therapy,
192

Unconditional positive regard, of counselor,
91

Understanding of clients, and relapse
prevention, 294

Undifferentiated family ego mass, 177

Unilateral family therapy (UFT), 219–220

Universality of group therapy, 148, 151

Use, use of term, 119

V

Valley Hope program, 277–278, 280

Values

of chemical dependency counselor,
11–13, 184

in family, 184–185

Varenicline (Chantix), 271

Veterans Administration, 59

The Vocational Rehabilitation Act, 59

W

War on Drugs, 252

War veterans, 256

Warmth, of counselor, 94–95

Warning signs

identification of, 294–295

relapse prevention, 295

Weakland, John, 194, 207

Websites

Bryan Independence Center, 279

BusinessDictionary.com, 61–62

Centerpointe (Lincoln Lancaster Drug
Projects), 280

credentialing organizations, 64

international credentialing, 68

SAMHSA, 74, 345, 352

Weiner, Norbert, 176

Werner, E. E., 216–217

Whitaker, Carl, 207, 208

Women

sexual dysfunctions, 243–244

sexually abused, 241

Work history, 82

Workforce objectives, 10

Working stage, group therapy, 166–167

Workplace standards, 39–40

Z

Zyban (bupropion), 271