

## Subject Index

---

### A

- AAC (augmentative and alternative communication), 104–106, 215–216
- ABA (applied behavior analysis), 59, 288
- ABC (antecedent-behavior-consequence), 67
- Aberrant Behavior Checklist*, 255
- Ablenet, 217
- Academics
  - assistive technology applications, 217–218
  - high school experiences and adult outcomes, 176–177, 283
  - instructional technology applications, 223–224
- Accommodations and modifications for students
  - inclusive education programs, 166
  - teaching methods, 4
  - transition programming and planning, 188–189
- Acquisition tasks, 127
- Action-control beliefs, 197–198
- Activities of daily living (ADLs), 290–291
- Adaptations for ASD students. *See* Accommodations and modifications for students
- Adaptive behavior, 290–291
- Adaptive skill, 291
- ADHD (attention-deficit/hyperactivity disorder), 235
- ADI-R (Autism Diagnostic Interview–Revised), 234
- ADLs (activities of daily living), 290–291
- Administrative leadership of inclusive education programs, 160–161
- ADOS (Autism Diagnostic Observation Schedule), 234
- Adults with autism
  - agencies and community connections, 184
  - crime and, 285–286
  - limited understanding of needs of, 283–284
  - outcome research, 284–286
  - outcomes, understudy of, 2
  - services agencies, 185
  - services for, 182–183
- Advocacy
  - Autistic Self Advocacy Network, 2, 8–9
  - parents and, 264
  - self-advocacy, 203, 204
  - for self-determination, 17
- AFLS (Assessment of Functional Living Skills), 181
- Agency, defined, 197
- Agentic action, 195
- AIR Self-Determination Scale*, 199
- AIT (auditory integration training), 106, 108
- Antecedent adaptations, 70
- Antecedent intervention, 66
- Antecedent package, 59
- Antecedent-behavior-consequence (ABC), 67
- Anxiety. *See* Stress
- Applied behavior analysis (ABA), 59, 288
- The Arc's Self-Determination Scale*, 199
- ASA (Autism Society of America), 7
- ASAN. *See* Autistic Self Advocacy Network (ASAN)
- ASD. *See* Autism spectrum disorders (ASD)
- ASHA Roles and Responsibilities Guidelines, 96–97
- Asperger's syndrome
  - DSM diagnosis, 24

322 Subject Index

- gender differences in identification
  - of ASD, 28
- history of, 5
- history of term, 23
- Assessment. *See also specific assessment instruments*
  - alternative assessment, 223
  - analyze and synthesize, 33
  - areas required, 25
  - ASD characteristics, 27–28
  - baseline medical assessment, 245
  - cognitive function, 248
  - communication and language, 90–96
  - communication of results, 35–36
  - diagnosis and eligibility, 29–30
  - difficulty with, 23–24
  - dynamic assessment, 94–95
  - emergent verbal communicators, 92–95
  - family capacity, 272–273
  - functional assessment of significant behavioral variables, 65–69
  - functional behavior assessment and analysis. *See* Functional behavior assessment and analysis (FBA)
  - fundamental question in, 27–31
  - inclusive education programs, 167–168
  - knowledge and experience of professionals, 27–31
  - nonverbal communicators, 92–95
  - physical and neurological assessment, 246–247
  - practices, 92
  - pragmatic assessment, 95–96
  - preparation for, 31, 32
  - principles, 90–91
  - procedures, 31–32
  - productive speech communicators, 95–96
  - recommendations, 34, 35
  - report writing, 33–35
  - sessions, 31–32
  - speech–language, 248
  - tools, 30–31
  - transdisciplinary approach, 24–36
  - transdisciplinary team, 25–27
  - transition planning and services, 180–182
- Assessment of Functional Living Skills (AFLS), 181
- Assistive Technology Act of 2,006, 214
- Assistive technology (AT)
  - academics, 217–218
  - defined, 214
  - evidence-based practices, 213
  - individualized independent learning trials, 214
  - life skills, 218–219
  - self-management and self-regulation, 216–217
  - social communication, 215–216
- AT. *See* Assistive technology (AT)
- Attainment, 218
- Attention-deficit/hyperactivity disorder (ADHD), 235
- Auditory integration training (AIT), 106, 108
- Auditory systems, 140
- Augmentative and alternative communication (AAC), 104–106, 215–216
- Autism
  - adult outcomes, 2
  - ASAN definition of, 8–9
  - Autism Society description, 7–8
  - causes of, 1, 5–6, 10
  - characteristics. *See* Characteristics of ASD
  - diagnosis, 6–9
  - diagnosis, age of, 1, 2
  - DSM-5 classification, 1, 6–7
  - educational trends and factors, 15–17
  - genetics, 5, 10–11
  - growth of diagnoses, 3
  - history of, 4–6
  - IDEA definition of, 8
  - initial signs of, 1–2
  - medical factors, 11–12
  - myths and inaccuracies about, 3
  - neurology, 11, 56
  - prevalence, 9–10, 56–57, 283
  - prognosis and outcomes, 12–13
  - research studies, 3

signs and symptoms, 2  
 teaching methods, curricula, and programs, 4  
 treatment for, 5  
 word origin, 4  
 Autism and Empathy website, 2  
 Autism Collaboration, Accountability, Research, Education and Support (CARES) Act (2,016), 12–13  
*Autism Diagnostic Interview–Revised* (ADI-R), 234  
*Autism Diagnostic Observation Schedule* (ADOS), 234  
 Autism National Committee website, 2  
 Autism Research Institute website, 2  
 Autism Society  
     autism definition, 7–8  
     description, 7–8  
     website, 2  
 Autism Society of America (ASA), 7  
 Autism Speaks website, 2, 180  
 Autism spectrum disorders (ASD).  
     *See also* Autism  
     DSM-5 classification, 1  
     DSM-IV and ICD-10 classification of, 234  
     history of term, 6–7  
     increases of, 10  
     prevalence, 9–10, 56–57  
     secondary characteristics, 177  
     strengths and special abilities, 177–178  
 AutisMate, 215, 216  
 Autistic disorder, 6, 23  
 Autistic Self Advocacy Network (ASAN)  
     autism definition, 8–9  
     website, 2  
 Autistic Speaks website, 2  
 Autonomous-determinism, 196  
 Avoidant behaviors, 145–146, 150–151

## B

Ballastexistenz by Mel Baggs website, 2  
*Beach Center Family Quality of Life Scale*, 271  
 Behavior, adaptive, 290–291

Behavior analytic interventions, 290  
 Behavior intervention plans, 76–78  
 Behavior management, 55–79  
     antecedent adaptations, 70  
     applied behavior analysis, 59, 288  
     behavior intervention plans, 76–78  
     behavior reduction, 73–74  
     behavioral interventions, 70–72  
     cognitive-centered interventions, 76  
     collaborative and shared management programs, 78–79  
     contingent activities, 72  
     differential reinforcement, 75–76  
     effective-practice issues, 57–59  
     effective-practice management tools, 64–65  
     environmental modifications, 70  
     extinction, 73  
     foundation for management success, 63–64  
     functional behavior assessment and analysis, 65–69  
     history and context, 55–57  
     individual supports and interventions, 69–78  
     informal behavior analysis tool, 68  
     multitiered positive behavior supports, 59–61  
     practitioner-focused applications, 62–78  
     technology-centered interventions, 61–62  
     time-out, 74–75  
     token economy systems, 72–73  
 Behavior reduction, 73–74  
 Behavioral package, 59  
 Bias, 297  
 Big Mack, 215, 222  
 Boardmaker, 217, 222  
*Bookworm*, 217

## C

CAI (computer-assisted instruction), 220–222  
 CAM (complementary and alternative medicine), 257  
 Campbell Collaborative rating system, 47

## 324 Subject Index

- Capacity-building for parents and families, 272–275
- Career readiness, 187. *See also* Transition programming and planning
- Caregivers
  - interviewing for medical treatment decisions, 247
  - learning characteristics and, 84
  - “More Than Words” treatment, 102
- CARES Act, 12–13
- Case study, communication and language, 108–111
- Causal action, 197
- Causal agency, defined, 194, 196–197
- Causal Agency Theory
  - agentic self, 195
  - background, 195
  - foundations, 195–196
  - human agentic action, 195
  - self-determination, defined, 196
  - self-determined action, 196–198
- CDC. *See* Centers for Disease Control (CDC)
- Cell phones for AAC, 105
- Centers for Disease Control (CDC)
  - Act Early website, 2
  - Signs and Symptoms website, 2
- Centers for Medicare and Medicaid Services (CMS)
  - comparison to NAC and NPDC, 50–52
  - EBPs, emerging practices, and unestablished practices, 48–49
  - levels of interventions, 47
  - scientific evidence for services, 45, 47
- Central nervous system
  - fight or flight response, 150
  - modulation, 141
  - motivation and homeostasis, 141–142
  - thresholds for action, 140–141
- CFT (Children’s Friendship Training) program, 275, 276
- Chaining, 289, 290
- Characteristics of ASD
  - assessment and, 27–28
  - atypical behaviors, 55
  - behavioral excesses and deficits, 14–15
  - common learning needs, 13–14
  - DSM areas of impairment, 7
  - historical abnormalities, 5
  - individualized characteristics, 3
  - initial signs, 1–2
  - learning characteristics, 84
  - motivation, 14
  - self-stimulatory behaviors, 14
  - sensory differences, 15
  - special interests, 14
  - strengths and special abilities, 13
  - stress and anxiety, 13–14
  - theory of mind, 15
- CheapTalk 8, 215
- Child Behavior Checklist, 237
- Child choice in pivotal response training, 126
- Child Sensory Profile 2, 147
- Children’s Friendship Training (CFT) program, 275, 276
- Choice making, 201
- Classrooms
  - for inclusive education programs, 165
  - reduction in size of classes, 164–165
- Clicker 5, 224
- Clicker 6, 218
- Clinical Global Impressions Scale*, 255
- CMS. *See* Centers for Medicare and Medicaid Services (CMS)
- Cognitive deficits as barrier to employment, 295–296
- Cognitive empathy, 15
- Cognitive flexibility, 121
- Cognitive function assessments, 248
- Cognitive shifting, 121
- Cognitive-centered interventions, 76
- Collaboration
  - employment of adults with ASD, 297
  - home and school, 268–270
  - for inclusive education programs, 162–163
  - management programs, 78–79
  - with parents and families, 268, 273–275

- College readiness, 187–188, 276–278, 296. *See also* Transition programming and planning
- Combating Autism Act (2006), 12
- Common Core curriculum, 223
- Communication and language, 83–111. *See also* Social skills and interaction
- assessment, 90–96
  - augmentative and alternative communication, 104–106, 215–216
  - case study, 108–111
  - comprehension, 89
  - conceptual model, 83–85
  - development of, 83
  - emergent verbal communicators, 86–87, 92–95, 99–102
  - extralinguistic language use, 88
  - genetic and environmental origins of autism, 83–84
  - impairments of ASD, 83
  - language users, 87–88
  - linguistic intent, 88
  - nontraditional treatment approaches, 106–108
  - nonverbal communicators, 85–86, 92–95, 99–102
  - paralinguistic language use, 88
  - productive speech, 87, 95–96, 103–104
  - providing services to persons with ASD, 89–90
  - sessions, 269
  - social competence, 88
  - social pragmatic treatment model, 102–103
  - social-communication criteria for ASD diagnosis, 121
  - treatment of disorders, 96–104
- Community-Based Skills Assessment* (CSA), 180, 181
- Community-referenced skills, 289–290
- Comorbidity
- behavioral interventions, 288
  - common disorders with ASD, 29
  - neuropsychiatric disorders and ASD, 234–239
- Complementary and alternative medicine (CAM), 257
- Component elements of self-determined action, 198
- Comprehension of communication and language, 89
- Comprehensive, Integrated, Three-Tiered Model of Support, 61
- Comprehensive Mental Health Services for Children and Their Families Program, 293
- Comprehensive treatment model (CTM), 44–45
- Computer-assisted instruction (CAI), 220–222
- Conceptual model for understanding communication and language impairments, 83–85
- Consequences of target behaviors, 66, 67
- Constant time delay (CTD), 213, 223
- Contingent activities, 72
- Continuous schedules, 71
- Control, defined, 197
- Cooking to Learn*, 218
- Cooperative teams for inclusive education programs, 162–163
- Cost contingency, 74
- Cost to support ASD individuals, 12
- Co:Writer, 218
- Crime and adults with autism, 285–286
- CSA (*Community-Based Skills Assessment*), 180, 181
- CTD (constant time delay), 213, 223
- CTM (comprehensive treatment model), 44–45
- Cue cards, 219
- D**
- Decision making, 202
- Delayed echolalia, 86–87
- Determinism, 195–196
- Developmental disabilities agency, 185
- Developmental orientations, 101–102
- Developmental social pragmatic (DSP) treatment model, 102–103
- Diagnosis of autism

326 Subject Index

- age of diagnosis, 1, 2
  - family stress and, 266–267
  - flowchart of process, 266
  - historical diagnosis, 6–7
  - prevalence of, 283
  - Diagnostic and Statistical Manual of Mental Disorders* (DSM)
    - areas of impairment (DSM-5), 7
    - Asperger's syndrome (DSM-IV), 23
    - autism definition (DSM-IV), 23
    - autism definition (DSM-IV-TR), 23
    - autism spectrum disorder (DSM-5), 1, 7, 24
    - autistic disorder (DSM-III-R), 23
    - comorbid psychiatric disorders and ASD (DSM-IV-TR), 234
    - infantile autism (DSM-III), 23, 233
    - pervasive developmental disability (DSM-III, DSM-IV, DSM-5), 6–7
    - recent changes to criteria, 10
    - social communication and interaction criteria for ASD, 89
  - Didactic method of treatment, 99–100
  - Differential reinforcement, 75–76
  - Differential reinforcement of
    - alternative behavior (DRA), 75
  - Differential reinforcement of
    - incompatible behaviors (DRI), 75
  - Differential reinforcement of low levels of behavior (DRL), 75
  - Differential reinforcement of other behaviors (DRO), 75–76
  - Disabilities
    - developmental disabilities agency, 185
    - local developmental disabilities agencies, 185
    - transition planning for youth with, 177, 178
  - Disability Scoop website, 2
  - Discrete trial training, 99–100
  - Disorder of empathy, 15
  - Door-opening statements, 269, 270–271
  - DRA (differential reinforcement of alternative behavior), 75
  - Dragon Naturally Speaking, 218
  - DRI (differential reinforcement of incompatible behaviors), 75
  - DRL (differential reinforcement of low levels of behavior), 75
  - DRO (differential reinforcement of other behaviors), 75–76
  - DSM. *See Diagnostic and Statistical Manual of Mental Disorders* (DSM)
  - DSP (developmental social pragmatic) treatment model, 102–103
  - Dunn's sensory processing framework, 146–152
    - avoiding behaviors, 150–151
    - child's sensory processing patterns, 147
    - combining educational and sensory processing strategies, 152
    - effective interventions, 147–148
    - participation issues, 148
    - registration, 151–152
    - sensation seeking behaviors, 148–150
    - sensitivity, 152
    - support or interference with the child's activities, 147–148
  - Dynamic assessment, 94–95
  - DynaVox, 215, 216
- E**
- Early infantile autism, 233
  - EBP. *See Evidence-based practice* (EBP)
  - Echolalia, 86–87, 93
  - Educational programs
    - advocacy, 17
    - evidence-based practice, 16
    - inclusion in general education classrooms, 16
    - self-determination, 17
    - teacher preparation, 16–17
    - trends, 15–16
  - Effective-practice issues in ASD management, 57–59
  - Electronic text (eText), 217–218
  - Eligibility of autism, 29–30
  - Emergent verbal communicators assessment, 92–95
    - characteristics, 86–87

- discrete trial training, 99–100
  - treatment, 99–102
  - Emotion regulation, 122
  - Emotional empathy, 15
  - Employment
    - adult outcome research, 284
    - biases, 297
    - career readiness, 187
    - cognitive deficits as barrier to, 295–296
    - collaboration of involved partners, 297
    - importance of, 295
    - life course sequence analysis, 296
    - preparation for, 278
    - Project SEARCH findings, 296–297
    - transition services required by
      - IDEA, 295
      - young adults with ASD, 296
  - Employment services organizations (ESOs), 185
  - Empowerment, 272
  - Environmental supports
    - communication and language impairments and, 83–84
    - functional behavior assessment and analysis, 66
    - individual modifications, 70
  - Epilepsy, 11
  - ESOs (employment services organizations), 185
  - Essentials for Living*, 181
  - Evidence-based intervention with adults, 286–290
  - Evidence-based medicine, 250–253
    - choosing effective medication, 251–252
    - clinical trials, 250–251
    - defined, 250
    - individualizing dosage, 251–252
    - mechanism for guidelines, 251
    - team approach, 252–253
  - Evidence-based practice (EBP)
    - adults with ASD, 286, 288
    - Centers for Medicare and Medicaid Services, 45, 47–49, 50–52
    - components, 16
    - list of practices, 287
    - National Autism Center, 42, 43, 44, 50–52
    - National Professional Development Center, 42–45, 46–47, 50–52
    - naturalistic instruction, 125
    - purpose, 16
    - selection of, 41–42
    - synthesis of, 50–52
    - technology and. *See* Technology-centered interventions
    - treatment of communication disorders, 96–97
  - Excitation, 141
  - Executive function, 121–122
  - Extinction, 73
  - Extralinguistic language use, 88
- F**
- Facilitated communication (FC), 106, 107, 108
  - Fading procedures, 219–220, 225
  - Family. *See also* Parents
    - building capacity, 272–275
    - building independence, 275–278
    - building relationships with, 268–272
    - building resiliency, 264–266
    - college and work transition, 276–278
    - communication strategies, 269
    - defined, 264
    - difficulty of diagnostic process, 266–267
    - emotional support from practitioners, 264
    - external supports, 267–268
    - fun-day program, 267–268
    - Individual Family Service Plan, 273–275
    - stress related to ASD, 265
  - FBA. *See* Functional behavior assessment and analysis
  - FC (facilitated communication), 106, 107, 108
  - Fight-or-flight response, 150
  - First Then Visual Schedule, 219
  - Floortime treatment, 101–102, 103
  - Focused interventions, 44–45

## 328 Subject Index

Focused stimulation, 101  
 Free will, 195–196  
*Functional Analysis Screening Tool*, 67  
 Functional assessment of significant behavioral variables, 65–69  
 Functional behavior assessment and analysis (FBA)  
     before medication treatment, 245–246  
     Positive Behavior Interventions and Supports, 60  
     variables, 65–69  
 Functional model of self-determination, 194  
 Funding for inclusive education programs, 161–162

## G

Gap analysis between future goals and current skills, 184, 186  
 Gender  
     assessment of ASD, 28  
     identification of ASD, 28  
     prevalence of ASD, 9–10  
 General education classroom. *See* Inclusive education program  
 Genetics of autism  
     communication difficulties of autism, 83–84  
     history of, 5  
     research supporting genetic component, 10–11  
 Gestalt processing, 86  
 Goals of treatment  
     selection of, 97–98  
     self-determination, 200–201  
     transition planning and services, 182–183, 185–188  
 Graphic organizers, 223  
 Group instruction, social skills groups, 104  
 Growing Up Aware, 275  
 Gustatory systems, 140

## H

Hanan Program, 102  
 Heteronomous-determinism, 196

High school experiences and adult outcomes, 176–177, 283  
 History of autism, 4–6  
 Holistic intervention, 102–103  
 Home base, 153  
 Homeostasis of the central nervous system, 141–142  
 Hybrid Model for college readiness, 188

## I

I Can! Daily Living and Community Skills, 225  
 ICD-9-CM (*International Classification of Diseases, 9th edition*), 233  
 ICD-10 (*International Classification of Diseases–10th edition*), 23  
 IDEA. *See* Individuals With Disabilities Education Act (IDEA) (1990)  
 IEP. *See* Individualized Education Program (IEP)  
 Immediate echolalia, 86–87  
 Incidental teaching, 101, 124–126  
 Inclusion, defined, 157  
 Inclusive education program, 157–170  
     accommodations, 166  
     administrative leadership, 160–161  
     assumptions in program development, 158–159  
     collaboration and cooperative team commitment, 162–163  
     continuum of placement and service, 158  
     creation of, 158  
     evaluation of procedures and student progress, 167–168  
     factors discouraging inclusive education, 159–160  
     factors encouraging inclusive education, 159  
     funds allocation, 161–162  
     instructional methods, 166  
     parental involvement, 168–169  
     philosophy of, 157  
     resources and space allocation, 165  
     training and support, 163–165  
 Inclusive Individual Support Model, 188



Independence, building, 275–278  
Individual Family Service Plan, 273–275  
Individual management supports and interventions, 70–78  
  antecedent adaptations, 70  
  behavior reduction, 73–74  
  behavioral interventions, 71–73, 76–78  
  cognitive-centered interventions, 76  
  contingent activities, 72  
  differential reinforcement, 75–76  
  environmental modifications, 70  
  extinction, 73  
  time-out, 75  
  token economy systems, 72–73  
Individualized Education Program (IEP)  
  activities of daily living, 290–291  
  assessment of the program, 167–168  
  class size considerations, 165  
  family conferences, 273–275  
  identifying accommodations and instructional methods, 166  
  inclusive education programs, 158  
  parental involvement, 168–169  
  purpose of, 29  
  *Self-Directed IEP*, 204, 206  
  transition planning and, 177, 184  
Individuals With Disabilities Education Act (IDEA) (1990)  
  age-appropriate transition assessment, 180  
  assessment recommendations, 34  
  assistive technology service training, 216  
  definition of autism, 8  
  eligibility of autism, 30  
  end of educational entitlement at graduation, 283  
  inclusion of students with ASD in general education classrooms, 16  
  inclusive education programs, 158  
  parental involvement in inclusive education programs, 168

  transition planning and services, 184  
  transition services for employment, 295  
Individuals With Disabilities Education Improvement Act of 2004, 177  
Individuation, 198  
Infantile Autism, 23  
Inhibition, 141  
Instructional methods for inclusive education programs, 166  
Instructional technology. *See* Technology-centered interventions  
Instructional technology (IT)  
  academics, 223–224  
  defined, 219  
  evidence-based practices, 213  
  individualized systems of supports, 214  
  life skills, 224–225  
  self-management and self-regulation, 222–223  
  social communication, 219–222  
Insurance legislation for autism, 13  
Intermittent reinforcement schedules, 71  
*International Classification of Diseases, 9th edition (ICD-9-CM)*, 233  
*International Classification of Diseases–10th edition (ICD-10)*, 23  
Interventions. *See* Treatments and interventions  
Interviews  
  *Autism Diagnostic Interview–Revised*, 234  
  information from caregivers, 247  
  before medication treatment, 246  
IT. *See* Instructional technology (IT)

## J

Joint action routines, 100

## K

Kiddie-SADS, 237  
K-SADS, 247  
K-SADS-E, 247

## 330 Subject Index

K-SADS-PL (*Schedule for Affective Disorders and Schizophrenia for School-Age Children, Present and Lifetime Version*), 235, 237, 247  
Kurzweil 3000, 218

## L

Laboratory tests, 247–248  
LAMP, 215, 216  
Language. *See* Communication and language  
Learning characteristics of persons with autism, 84  
Leisure sampling, 292  
Leisure skills, 292, 293  
Life skills  
    adult outcome research, 284, 285  
    assistive technology applications, 218–219  
    defined, 218  
    instructional technology applications, 224–225  
Linguistic intent, 88  
Listener skills, 215  
Local developmental disabilities agencies, 185  
*Look 'n Cook*, 218

## M

Maintenance tasks, 127  
Management of students. *See* Behavior management  
Mand model, 101  
Medicaid, medication treatment for children on, 242, 243, 253  
Medical diagnosis of ASD, 30  
Medical factors in ASD, 11–12  
Medical treatments and supports, 233–258  
    adherence to medication problems, 253–254  
    adverse or side effects, 255–257  
    baseline medical assessment, 245  
    clinical indication for, 248–250  
    cognitive function assessment, 248  
    comorbid neuropsychiatric disorders, 234–239

    evidence-based medication treatment, 250–253  
    functional behavior analysis prior to treatment, 245–246  
    interview the caregiver, 247  
    interviewing and observing behaviors, 246  
    laboratory tests, 247–248  
    monitoring effects of, 253–257  
    neurobiological dysfunctions, 240  
    physical and neurological assessment, 246–247  
    prevalence of using medications, 240–245  
    psychotropic medications, 12  
    speech–language assessment, 248  
    tools to monitor effects, 254–255  
*Medication Regimen Complexity Index*, 253

Milieu teaching, 124–126

Mind Reading, 221

Mirror neuron system, 123

Mitigated echo, 86

Modifications for ASD students.  
    *See* Accommodations and modifications for students

Modulation, 141

“More Than Words,” 101–102

Motivation

    central nervous system, 141–142  
    of children with ASD, 14  
    motivational psychology, 196  
*The Motivational Assessment Scale*, 67

Multitiered positive behavior supports, 59–61

My Life self-determination curriculum, 204

## N

Narrative metasynthesis, 199

National Autism Center

    comparison to CMS and NPDC, 50–52

    emerging and unestablished practices, 44

    established interventions, 43

    National Standards Project, 42

- Scientific Merit Rating Scale*, 42  
website, 2
- National Autism Indicators Report: Transition Into Young Adulthood*, 41
- National Autistic Society website, 2
- National Longitudinal Transition Study-2*, 296
- National Longitudinal Transition Survey, 176
- National Professional Development Center (NPDC)  
comparison to CMS and NAC, 50–52  
comprehensive treatment models, 44–45  
evidence-based practices, 46–47  
focused interventions, 44–45  
intervention criteria, 42–44  
naturalistic instruction, 125  
peer-mediated intervention, 130
- National Professional Development Center on Autism Spectrum Disorder website, 2
- National Standards Project, 42
- Natural Reader, 218
- Natural training paradigms, 100–101
- Naturalistic instruction, 124–126
- Navigation skills, 289
- Negative reinforcement, 71
- Neurobiological dysfunctions  
involving neurotransmitters, 240
- Neurological threshold of sensory processing, 142–143
- Neurology of ASD  
assessment, 246–247  
history of, 56  
studies of, 11
- Neuropsychiatric disorders,  
comorbidity with ASD, 234–239
- Neuroscience of sensory processing, 140
- New America Foundation: Federal Education Budget Project (2014), 161
- NEXT S.T.E.P.*, 204
- No Child Left Behind Act, 4
- Nonfocused echolalia, 87
- Nonrecommended interventions, 58–59
- Nonverbal communicators  
assessment, 92–95  
characteristics, 85–86  
discrete trial training, 99–100  
treatment, 99–102  
video-based modeling, 129
- Notebooks as communication tool, 271
- NPDC. *See* National Professional Development Center (NPDC)
- O**
- Obsessive-compulsive disorder (OCD), 235
- OCALI: Autism Internet Modules website, 2
- Occupational therapy, sensory processing assessment and, 147–148
- OCD (obsessive-compulsive disorder), 235
- ODD (oppositional defiant disorder), 235
- Olfactory systems, 140
- One-stop centers, 185
- Oppositional defiant disorder (ODD), 235
- Oral motor impairment, 93
- Organization for Autism Research website, 2
- Outcomes of ASD  
adult outcome research, 2, 284–286  
consequences of target behaviors, 66, 67  
costs for autism, 12–13  
employment and post-high school, 41  
high school experiences and, 176–177, 283  
statistics, 12  
through annual IEP, 185–188  
young adults, 176–177
- P**
- Paradox for children with autism, 14
- Paraeducators  
inclusive education programs, 165

## 332 Subject Index

- training and support for, 164
- Paralinguistic language use, 88
- Paraphrasing as communication strategy, 269
- Parents. *See also* Family
  - as advocates for their child, 264
  - alternative interventions, 263
  - building capacity, 272–275
  - building independence, 275–278
  - building relationships with, 268–272
  - building resiliency, 264–266
  - college and work transition, 276–278
  - communication strategies, 269
  - decision-making participation, 263
  - emotional support from practitioners, 264
  - inclusive education program involvement, 168–169
  - Individualized Education Program conferences, 273–275
  - insights on child’s strengths and challenges, 263
- Participation issues, 148
- Participatory practices, 273
- PBIS (Positive Behavior Interventions and Supports), 59–60
- PCI, 218
- PDD (pervasive developmental disorder), 6, 233
- PDD-NOS (pervasive developmental disorder–not otherwise specified), 6, 234
- PECS. *See* Picture Exchange Communication System (PECS)
- Peer-mediated intervention (PMI), 129–130
- Personal profile, 179
- Personality psychology, 196
- Pervasive developmental disorder (PDD), 6, 233
- Pervasive developmental disorder–not otherwise specified (PDD-NOS), 6, 234
- Philosophy
  - of inclusion, 157
  - of self-determination, 195–196
- Phobia, 235
- Phone calls as communication tool, 271–272
- Picture Directions*, 218
- Picture Exchange Communication System (PECS)
  - assistive technology applications, 214, 215
  - augmentative and alternative communication, 105
  - behavioral instruction, 103
  - use in evidence-based interventions, 289
- Picture Planner, 219
- Picture Scheduler, 219
- Pivotal response training, 45
- Pivotal response training (PRT), 126–127
- P.L. 96–144, 161–162
- PMI (peer-mediated intervention), 129–130
- PODD (Pragmatic Organization Dynamic Display), 105–106
- Point-of-view modeling, 128
- Positive Behavior Interventions and Supports (PBIS), 59–60
- Positive reinforcement, 71
- Postsecondary transition goals, 182–183
- Power Cards, 222
- PowerPoint
  - academic instruction, 218
  - life skills instruction, 219
  - self-management instruction, 217
  - SMART Board and, 223
  - social communication instruction, 222
- Practitioner-focused applications
  - effective-practice management tools, 64–65
  - foundation for management success, 63–64
  - functional assessment of significant behavioral variables, 65–69

- management interventions, 62–78
  - management model, 63
  - naturalistic instruction, 124–126
  - partnerships with families, 264–268
  - peer-mediated intervention, 129–130
  - pivotal response training, 126–127
  - self-determination, 200–204
  - social skill and interaction intervention, 123–130
  - video-based modeling, 127–129
  - Pragmatic assessment tools, 95–96
  - Pragmatic Organization Dynamic Display (PODD), 105–106
  - Pragmatic orientations, 101–102
  - Pragmatic Rating Scale*, 95
  - Pragmatics, 87–88
  - Prelinguistic Milieu Teaching, 100
  - Prevalence of ASD, 9–10, 56–57
  - Primary reinforcers, 71
  - Primary-level intervention, 59–60
  - Priming, 153, 222–223
  - Problem Behavior Questionnaire*, 67
  - Problem solving, 201–202
  - Production skills, 289
  - Productive speech communicators
    - assessment, 95–96
    - characteristics, 87
    - treatment, 103–104
  - Prognosis of ASD, 12–13
  - Progressive time delay, 223
  - Project SEARCH, 176, 190–191, 296–297
  - Project SEARCH plus ASD Supports, 190–191
  - Proloquo2Go, 215, 216
  - Promising practice ASD interventions, 58
  - Proprioceptive systems, 140
  - Prosodic Voice Screening Protocol* (PVSP), 96
  - PRT (pivotal response training), 126–127
  - Psychogenic theory of autism, 5–6
  - Psychotropic medications, 12
  - PVSP (*Prosodic Voice Screening Protocol*), 96
- Q**
- Quality of life issues, 283–298
    - adaptive behavior and intervention, 290–291
    - adult outcome research, 284–286
    - adults with ASD, 283–284
    - employment, 295–297
    - evidence-based intervention with adults, 286–290
    - leisure skills, 292
    - sexuality, 292–294
    - social skills of adults, 294–295
  - Questions to clarify responses, 269, 270, 271
- R**
- READ: OutLoud, 218
  - Reflection as communication strategy, 269
  - Registration of children with ASD, 143–144, 151–152
  - Reinforcement
    - behavioral interventions, 70–71
    - continuous schedules, 71
    - defined, 70
    - differential reinforcement, 75–76
    - intermittent reinforcement schedules, 71
    - negative, 71
    - pivotal response training, 127
    - positive, 71
    - primary reinforcers, 71
    - secondary reinforcers, 71
    - self-reinforcement, 202, 203
    - social reinforcers, 72
    - tangible and edible, 71–72
  - Report writing from assessments, 33–34
  - Research
    - adult outcomes, 284–286
    - Autism Collaboration, Accountability, Research, Education and Support Act, 12–13
    - Autism Research Institute, 2

## 334 Subject Index

- autism research studies, 3
- employment of adults with ASD, 295–297
- genetics, 10–11
- Organization for Autism Research, 2
- sexual behaviors, 292–293
- Resilience
  - defined, 264
  - parent and family, 264–266
- Response cost, 74
- Responsive teaching, 45
- Rituals, 14, 145–146
- RtI, 61
- S**
- Sandbox Learning Company, 225
- SCADDM (South Carolina Autism and Developmental Disabilities Monitoring) Network, 243
- SCERTS (Social Communication, Emotional Regulation, and Transactional Support), 102–103
- Schedule for Affective Disorders and Schizophrenia for School-Age Children*, 247
- Schedule for Affective Disorders and Schizophrenia for School-Age Children, Present and Lifetime Version (K-SADS-PL)*, 235, 237, 247
- Schedules
  - behavioral management and, 59
  - continuous, 71
  - intermittent, 71
  - visual, 104–105
- School Companion Sensory Profile 2, 147
- Science Daily: Autism News website, 2
- Science of personality, 196
- Scientific Merit Rating Scale (SMRS)*, 42
- Scientific-based ASD interventions, 58
- Script instruction, 219
- SDIEP (*Self-Directed IEP*), 204, 206
- SDLMI (*Self-Determined Learning Model of Instruction*), 194, 201, 204–206
- SDT (Self-Determination Theory), 196
- Secondary reinforcers, 71
- Secondary-level intervention, 59–60
- Seeking behaviors, 144–145
- Seizure disorders, 11
- Self-absorption, 145
- Self-advocacy, 203
- Self-Advocacy Strategy*, 204
- Self-awareness, 203–204
- Self-determination, 193–207
  - causal agency theory, 195–198
  - defined, 17, 193–194, 196
  - functional model of, 194
  - importance to students with disabilities, 198–199
  - in motivational psychology, 196
  - in personality psychology, 196
  - in philosophy, 195–196
  - practitioner-focused applications, 200–204
  - promotion of, 193, 200–204
  - Self-Determined Learning Model of Instruction*, 204–206
  - student involvement in educational planning, 206
  - students with ASD, 199–200
- Self-Determination Theory (SDT), 196
- Self-Determined Learning Model of Instruction (SDLMI)*, 194, 201, 204–206
- Self-Directed IEP (SDIEP)*, 204, 206
- Self-evaluation, 202, 203
- Self-instruction, 203
- Self-knowledge, 203–204
- Self-management
  - assistive technology applications, 216–217
  - cognitive-based practices, 76
  - effective-practice issues, 59
  - instructional technology applications, 222–223
  - skills for, 202–203
- Self-modeling, video, 128, 224
- Self-monitoring
  - cognitive-based practices, 76
  - emotion regulation, 122
  - as self-regulation, 202, 203
- Self-observation, 202, 203
- Self-regulation
  - assistive technology applications, 216–217

- cognitive-based practices, 76
  - defined, 202
  - emotion regulation, 122
  - instructional technology
    - applications, 222–223
  - self-determined action, 202–203
  - sensory processing and, 142–143
- Self-reinforcement, 202, 203
- Self-stimulation, as characteristic of
  - ASD, 14
- Sensation seeking, 148–150
- Sensitivity, sensory, 144, 152
- Sensory differences of children with
  - ASD, 15
- Sensory integration theory, 140
- Sensory processing, 139–153
  - activities, support or interference
    - with, 147–148
  - avoidant behaviors, 145–146, 150–151
  - behavior and, 139
  - child's sensory processing patterns, 147
  - CNS motivation and homeostasis, 141–142
  - combining educational and
    - sensory processing strategies, 152, 153
  - conceptual framework, 142–146
  - defined, 139
  - Dunn's framework, evidence for, 146–152
  - function of, 140
  - interpretation and planning, 149
  - interventions for, 147–148
  - modulation, balance of excitation and inhibition, 141
  - neuroscience principles, 140
  - participation issues, 148
  - registration, 143–144, 151–152
  - seeking behaviors, 144–145
  - sensation seeking, 148–150
  - sensitivity, 152
  - sensory sensitivity, 144
  - thresholds for action, 140–141
- Sensory Profile 2, 147
- Sensory sensitivity of children with
  - ASD, 144, 152
- Sexual issues
  - adaptive functioning in adults, 294
  - behavior research, 292–293
  - building independence and, 275–276
  - topics for sexuality education, 277
  - vulnerability to abuse, 293–294
- Shared management programs, 78–79
- Silence as communication strategy, 269
- Simons Simplex Collection, 243
- Situational echolalia, 87
- SLP (speech–language pathologist),
  - identification and treatment of
    - ASD, 89
- SMART Board, 220, 223
- SMART Notebook, 222
- SMRS (*Scientific Merit Rating Scale*), 42
- Social communication
  - assistive technology applications, 215–216
  - instructional technology
    - applications, 219–222
- Social Communication, Emotional Regulation, and Transactional Support (SCERTS), 102–103
- Social competence, 88
- Social Language Development Test: Adolescent*, 96
- Social Language Development Test: Elementary*, 96
- Social reinforcers, 72
- Social scripts, 103–104
- Social skills and interaction, 121–130.
  - See also* Communication and language
    - adult interventions, 294–295
    - chaining training, 289–290
    - deficits in ASD, 121
    - emotion regulation, 122
    - executive function, 121–122
    - impact of deficits in, 123
    - mirror neuron system, 123
    - naturalistic instruction, 124–126
    - peer-mediated intervention, 129–130
    - pivotal response training, 126–127
    - practitioner-focused applications, 123–130

336 Subject Index

social-communication criteria for  
ASD diagnosis, 121  
theory of mind skills, 122–123  
video-based modeling, 127–129  
Social skills groups, 104  
Social stories, 104, 105, 153, 222  
Social-ecological models of  
intervention, 200  
Software. *See* Technology-centered  
interventions  
Somatosensory systems, 140  
South Carolina Autism and  
Developmental Disabilities  
Monitoring (SCADDM) Network,  
243  
Speaker skills, 215  
Special Education Expenditure  
Project, 161  
Special interests of children with ASD,  
14  
Speech. *See* Communication and  
language  
Speech recognition software, 218  
Speech–language assessment, 248  
Speech–language pathologist (SLP),  
identification and treatment of  
ASD, 89  
*Steps to Self-Determination*, 204  
Story-based intervention package, 59  
Strengths-based intervention, 263  
Stress  
as characteristic of ASD, 13–14  
by families, related to ASD,  
265–266  
Student-directed learning skills,  
202–203  
Substantially Separate Model for  
college readiness, 188  
Summarizing as communication  
strategy, 269  
*Support Intensity Scale Employment  
Activities*, 297  
Supporting data, limited, for ASD  
interventions, 58  
Supports  
Comprehensive, Integrated, Three-  
Tiered Model of Support, 61  
environmental, 66, 70

external supports for families,  
267–268  
for inclusive education, 163–165  
Inclusive Individual Support Model,  
188  
individual supports and  
interventions, 69–78  
medical. *See* Medical treatments  
and supports  
multitiered positive behavior  
supports, 59–61  
Positive Behavior Interventions  
and Supports, 59–60  
Project SEARCH plus ASD Sup-  
ports, 190–191  
Social Communication, Emotional  
Regulation, and Transactional  
Support, 102–103  
visual, 153  
System for Augmenting Language,  
104, 105

**T**

Tasks  
acquisition tasks, 127  
maintenance tasks, 127  
variation of, in pivotal response  
training, 126–127  
TEACCH, 45, 295  
TEACCH Transition Assessment  
Profile (TTAP), 181  
Teach Me Language, 103  
Teachers  
preparation for teaching students  
with ASD, 16–17  
training and support for inclusive  
education programs, 163–165  
Teaching methods, accommodations  
for, 4  
TeachTown: Basics, 221  
Teams  
augmentative and alternative  
communication, 216  
inclusive education programs,  
162–163, 168  
interdisciplinary, 26  
medication treatment, 252–253  
multidisciplinary, 26



- transdisciplinary, 25–27
- Technology-centered interventions, 213–226
  - academics, 217–218, 223–224
  - assistive technology, 213, 214–219
  - augmentative and alternative communication, 105
  - computer-assisted instruction, 220–222
  - instructional technology, 213, 219–225
  - life skills, 218–219, 224–225
  - management interventions, 61–62
  - for parent and family communication, 272
  - PowerPoint. *See* PowerPoint
  - role of technology, 214
  - self-management and self-regulation, 216–217, 222–223
  - social communication, 215–216, 219–222
- Tertiary-level intervention, 59–60
- Test of Pragmatic Language (TOPL-2)*, 96
- Test of Problem Solving 2: Adolescent (TOPS-2)*, 96
- Test of Problem Solving 3: Elementary (TOPS-3)*, 96
- Text-to-speech software, 218
- Theory of mind, 15, 122–123
- Three-Tiered Models of Prevention, 59–60
- Thresholds in the central nervous system, 140–141
- Time Timer, 217
- Time-out, 75
- Token economy systems, 72–73
- TOPL-2 (*Test of Pragmatic Language*), 96
- TOPS-2 (*Test of Problem Solving 2: Adolescent*), 96
- TOPS-3 (*Test of Problem Solving 3: Elementary*), 96
- Traditional Degree Seeking Student, 188
- Training for inclusive education, 163–165
- Transdisciplinary assessment
  - analyze and synthesize, 32–33
  - communication of results, 34–36
  - interdisciplinary team, 26
  - knowledge and experience of professionals, 27–31
  - multidisciplinary team, 26
  - procedures, 31–32
  - recommendations, 34, 35
  - report writing, 33–34
  - transdisciplinary team, 25–26
  - transdisciplinary team formation, 26–27
- Transition programming and planning, 175–191
  - accommodations and modifications needed, 188–189
  - adult services agencies, 184, 185
  - adult services, identification of, 182–183
  - annual IEP, 185–188
  - assessment, 180–182
  - career readiness, 187
  - college readiness, 187–188
  - community connections, 184
  - current outcomes, 176–177
  - gap analysis of future goals and current skills, 184, 186
  - goals of transition, 182–183, 184, 185–188
  - high school experiences and poor outcomes, 176–177
  - model transition program elements, 189–191
  - personal profile example, 179
  - purpose of, 177
  - youth with ASD, 177–179
  - youth with disabilities, 177, 178
- Treatment for communication disorders, 96–104
  - appropriateness of, 97
  - developmental social pragmatic model, 102–103
  - emergent verbal communicators, 99–102
  - goals, 97–98
  - natural training paradigms, 100–101
  - nonverbal communicators, 99–102

338 Subject Index

productive speech communicators,  
103–104

Treatments and interventions. *See also*  
Medical treatments and supports  
auditory integration training,  
106–107, 108  
augmentative and alternative  
communication, 104–106  
effectiveness of, 31  
evidence-based intervention with  
adults, 286–290  
facilitated communication, 106, 107,  
108  
history of, 5  
nontraditional approaches,  
106–108  
self-determination, 204  
social-ecological models, 200

Trends in educational programs,  
15–17

TTAP (TEACCH Transition Assess-  
ment Profile), 181

Typing Assistant, 218

**U**

U.S. Department of Education, autism  
definition, 8

**V**

VBM. *See* Video-based modeling  
(VBM)

Vertical structuring and expansion,  
101

Vestibular systems, 140

Video chunking, 225

Video modeling, 224–225

Video modeling with others (VMO),  
128

Video priming, 222–223

Video prompting, 224–225

Video self-modeling, 128, 224

Video-based modeling (VBM)  
augmentative and alternative  
communication, 105  
components, 127  
management interventions, 62  
point-of-view modeling, 128  
procedures, 127–128

social communication instruction,  
220

treatment for productive speech  
and language users, 103–104

video modeling with others (VMO),  
128

video self-modeling, 128

*Vineland Adaptive Behavior Scale–II*,  
291

Visual cues, 219–220

Visual graphic language system, 106

Visual Routine, 219

Visual schedules, 104–105

Visual Steps, 219

Visual supports, 153

Visual systems, 140

Vivo modeling, 220

VMO (video modeling with others),  
128

VOCAs (voice output communication  
aids), 105, 215–216

Vocational rehabilitation (VR), 185

Voice output communication aids  
(VOCAs), 105, 215–216

Volitional action, 197

VR (vocational rehabilitation), 185

**W**

Wave 5, 296

Websites  
ASD organizations, 2  
Autism Speaks, 2, 180  
*Whose Future Is It Anyway?* 204, 206

Wild Boy of Aveyron, 4

Wireless computer tablets for AAC,  
105

Work. *See* Employment

Working independently, 153

Write: Outloud, 218

**Y**

Yale Child Study Center's Project on  
Social Learning Disabilities, 241

**Z**

Zone of proximal development, 94–95